

Caring for the Surgical Client

Madison Barber 10/16/2024 19:35

Caring for the Surgical Client

If you want to view this feedback later, use the Print button to download a copy.

Summary

Daphne Nieto had a colon resection for diverticulitis. You cared for her on the med-surg unit following her surgery.

Thanks to your help, her nursing care team was able to put together a solid plan of care. Let's look into more details below.

Recognize Cues

You correctly recognized the following cues as relevant to Daphne's immediate health needs:

- (1430) Breath sounds clear bilaterally, diminished in bases
 - Airway always takes priority when changes are present. Diminished bases are unexpected.
- (1430) Absent bowel sounds x4 quads
 - Although these are expected findings, they need to be assessed because of the surgery the client had.
- (1430) Nasogastric tube right nare secured in place to low wall suction, noted scant blood-tinged drainage
 - The NG drainage needs to be assessed regularly.
- (1430) Burning at IV site
 - Burning at the IV site could be of concern and needs to be assessed.

You missed the following relevant cues:

- (1430) Drowsy & oriented x4
 - he nurse needs to investigate the drowsiness to ensure it is improving.
- (1430) Large abdominal dressing dry and intact with binder in place
 - The abdominal dressing needs to be assessed for drainage and intactness regularly.
- (1430) Vital signs
 - Vital signs need to be assessed per policy.

You incorrectly selected the following cues. These *were not* relevant to Daphne's immediate health needs:

- Client is flushed

Reflection Questions

Considering how this scenario played out, what are your biggest lessons learned?

If you were to encounter this scenario in real life, what would you focus on? What distractions would you avoid?

Analyze Cues

You correctly selected the following cues as needing immediate follow-up:

- (1430) Breath sounds clear bilaterally, diminished in bases
 - This may be atelectasis, which requires action.
- (1430) Burning at IV site
 - The client needs a functioning IV so this needs to be assessed for patency.

You missed the following cues that required immediate follow-up:

- (1430) Vital signs
 - The nurse needs to follow up on any vital signs that are unexpected.

Reflection Questions

How does providing holistic care affect your analysis of assessment findings and cues?

Prioritize Hypotheses

You selected (1430) Breath sounds clear bilaterally, diminished in bases, as your top priority. This was correct!

You selected (1430) Burning at IV catheter site as your second priority. This was correct!

Reflection Questions

When using the ABC priority-setting framework, how can you still address the client's psychosocial needs while focusing on airway, breathing, and circulation?

Generate Solutions

(1430) Breath sounds clear bilaterally, diminished in bases

You correctly identified the following nursing actions to address this priority:

- Splint abdomen with pillow
 - Splinting the abdomen will decrease abdominal pain with coughing and moving.
- Encourage coughing and deep breathing
 - Coughing and deep breathing is essential to maintain clear lungs and open the lung fields, particularly in the bases.
- Encourage client to use incentive spirometer 10 times an hour
 - The incentive spirometer will assist with maintaining clear lung fields.
- Reassess breath sounds
 - Reassessment is essential to determine if the interventions improved the condition.

You missed the following nursing actions to address this priority:

- Raise head of bed to 60 degrees
 - This will help the client to breathe easier with the large abdominal dressing and binder.

You incorrectly planned the following nursing actions. These *would not* help address this concern:

- Reposition client for comfort

(1430) Burning at IV site

You correctly identified the following nursing actions to address this priority:

- Assess insertion site for patency, redness, inflammation, and temperature
 - The nurse will then know if the IV needs to be replaced.
- Apply warm compress to arm
 - A warm compress can decrease the burning at the IV site.

You missed the following nursing actions to address this priority:

- Apply warm compress to arm
 - A warm compress can decrease the burning at the IV site.

You incorrectly planned the following nursing actions. These would be *contraindicated* and may have caused harm:

- Discontinue IV fluids

Take Actions

See how you did addressing Daphne's main concerns:

Urinary Catheter

You did not remove the client's urinary catheter at 0900. There was an order to remove the urinary catheter after 24 hours and it had been 24 hours.

Pain

You assessed the client's pain. Upon finding her pain to be a 7 out of 10, you administered pain medication as ordered.

Reflection Question

Consider the actions you took. What would you do differently next time?

Evaluate Outcomes

You correctly selected the following findings that indicate an effective outcome:

- Client ambulated to room door and back
- Increased activity helps with post-operative recovery.
- Pain score decreased to 3 out of 10
- Pain interventions are successful.

You missed the following findings:

- Hypoactive bowel sounds noted
- Increasing bowel activity is a sign that recovery is progressing well.
- IV remains patent
- Interventions are successful.
- Client passing flatus
- Client is recovering well and bowel is now functioning.

Reflection Questions

If you were to continue caring for this client, what findings might indicate she was continuing to improve?
