

Screenshots for giving/documenting sub-q Heparin

Step 1: ID patient, scan band, scan Heparin vial. Note the blue “x” and the highlighted portion. Click highlighted portion.

Navigation: Tracking, Physician Handoff, Discharge Dashboard, Quality Measures, LearningLIVE, Collection Runs, Staff Assignment, Clinical Leader Organizer

Navigation: Patient Administration, Depart, Patient Education, Add, Patient Pharmacy, Explorer Menu, Charge Entry, Label Reprint, Patient Product Inquiry, Specimen Collection, Report Builder

Patient Information: **Mar-12-1970** Age: 48 years Legal Sex/Birth Sex: Female/Male Wt: 86.000 kg (02/26/2019) Attending: Galdi DO, L
s: Comfort Measures Iso: Contact Precautions Location: TEST; 0101; A Inpatient-Adm Dt: May-2

Medication Administration

Nurse Review Create order and document. Last Refresh at 15:31 EST

ZZTEST, KELLYLYNNE MRN#: 990093583 DOB: Mar-12-1970 Loc: 0101; A
Female FIN#: 62184296 Age: 48 years ** Allergies **

Feb-28-2019 14:16 EST - Feb-28-2019 16:46 EST

	Scheduled	Mnemonic	Details	Result
☐	Feb-28-2019 03:00 EST	ciprofloxacin	250 mg, Oral, Form: Tab, First Dose: 28-Feb-201...	
☐	Feb-28-2019 03:00 EST	ciprofloxacin	200 mg = 100 mL, IV Piggyback, Form: Soln-IV, i...	
☐	Feb-28-2019 03:00 EST	erythromycin erythromycin (erythromycin ...	250 mg = 5 mL, Rate: 200 mL/hr, Infuse Over: 3...	
☐	Feb-28-2019 07:00 EST	metronidazole metroNIDAZOLE (metronida...	500 mg = 100 mL, Rate: 200 mL/hr, Infuse Over:...	
☐	Feb-28-2019 09:00 EST	erythromycin erythromycin (erythromycin ...	250 mg = 5 mL, Rate: 200 mL/hr, Infuse Over: 3...	
☐	Feb-28-2019 09:00 EST	oxybutynin	10 mg, Oral, Form: Tab-ER, First Dose: 28-Feb-2...	
☐	Feb-28-2019 10:00 EST	cefepime cefepime (cefepime IVPB)	2 gm = 50 mL, Rate: 12.5 mL/hr, Infuse Over: 4 ...	
☐	Feb-28-2019 15:00 EST	ciprofloxacin	250 mg, Oral, Form: Tab, First Dose: 28-Feb-201...	
☐	Feb-28-2019 15:00 EST	ciprofloxacin	200 mg = 100 mL, IV Piggyback, Form: Soln-IV, i...	
☐	Feb-28-2019 15:00 EST	erythromycin erythromycin (erythromycin ...	250 mg = 5 mL, Rate: 200 mL/hr, Infuse Over: 3...	
☐	Feb-28-2019 15:00 EST	metronidazole metroNIDAZOLE (metronida...	500 mg = 100 mL, Rate: 200 mL/hr, Infuse Over:...	
☒	Feb-28-2019 16:00 EST	heparin	5,000 unit(s), Subcutaneous, Form: Soln, Fl...	heparin 5,000 unit(s), Subcutaneous
☐	PRN	codeine-guaifenesin codeine-guaifenesin (codein...	5 mL, Oral, Form: Syrup, q4hr, PRN cough, First ...	
☐	PRN	oxycodone oxyCODONE	5 mg, Oral, Form: Tab, q6hr, PRN, pain, moderat...	
☐	Continuous	Sodium Chloride 0.9% NSS 1,000 mL	1,000 mL, IV, 100 mL/hr, Start Date: 30-Nov-201...	

Ready to Scan 2 of 2 Back Sign

activated (influenza v... Date: 27-Sep-2018 10:49:00 EDT EDT
influenza virus vaccine, Sep-27-2018 10:50 EDT Ordered 0.5 mL, IM, Form: Susp, Once, First Dose: 27-Sep-2018 10:49:00 EDT, Stop Sep-27-2018 10:50 EDT

Step 2: Box opens and you must select site. Should have checked last site on EMR prior to entering room, but now is a good time to verify with patient at bedside.

Physician Handoff Discharge Dashboard Quality Measures LearningLIVE Collection Runs Staff Assignment Clinical Leader Organizer

Age: 48 years Legal Sex/Birth Sex: Female/Male Wt: 86.000 kg (02/26/2019) Attending: Galdi DO, Inpatient-Adm Dt: May-2

Medication Administration

ZZTEST, KELLYLYNNE
Female

Scheduled
☐ Feb-28-2019 03:00 EST
☐ Feb-28-2019 03:00 EST
☐ Feb-28-2019 03:00 EST
☐ Feb-28-2019 07:00 EST
☐ Feb-28-2019 09:00 EST
☐ Feb-28-2019 09:00 EST
☐ Feb-28-2019 10:00 EST
☐ Feb-28-2019 15:00 EST
☐ Feb-28-2019 15:00 EST
☐ Feb-28-2019 15:00 EST
☒ Feb-28-2019 16:00 EST
☐ PRN
☐ PRN
☐ Continuous

Charting for: ZZTEST, KELLYLYNNE

heparin
5,000 unit(s), Subcutaneous, Form: Soln, First Dose: 28-Feb-2019 21:00:00 EST

*Performed date / time: 02/28/2019 1531 EST

*Performed by: Mast RN, Morgan

Witnessed by:

☐ Acknowledge Anti Xa, Unfractionated No Result found in previous 90 minutes. [Trend](#)

*heparin: 5,000 unit(s) Volume: 1 ml

Diluent: <none> ml

*Route: Subcutaneous *Site:

Total Volume: 1 Infused Over: 0

Feb-28-2019 1400 EST Feb-28-2019 1500 EST Feb-28-2019 1600 EST Feb-28-2019 1700 EST

☐ Not Given

Reason:

Comment...

<Show All>
Abdomen
Back
Buttock
Head
Left Arm
Left Lower Forearm
Left Lower Abdom Quad
Left Mid Forearm
Left Thigh
Left Upper Arm
Left Upper Forearm
Left Upper Abdom Quad
Mouth
Operative site-see comments
Right Arm
Right Lower Forearm
Right Lower Abdom Quad
Right Mid Forearm
Right Thigh
Right Upper Arm
Right Upper Forearm
Right Upper Abdom Quad
Right Vastus Lateral

unit(s), Subcutaneous

Back Sign

Activated (influenza v... Sep-27-2018 10:50 EDT
uenza virus vaccine, ctivated (influenza v... Sep-27-2018 10:50 EDT
uenza virus vaccine, ctivated (influenza v... Sep-27-2018 10:50 EDT
ctivated (influenza v... Sep-27-2018 10:50 EDT

Ordered 0.5 mL, IM, Form: Susp, On Date: 27-Sep-2018 10:49:00
Date: 27-Sep-2018 10:49:00

Stop Sep-27-2018 10:49:00

Step 3: Click on comment tab at bottom and document platelet count. No longer need to cross-check Heparin with another nurse (but not a bad idea to have a peer check your dose). Click ok to close that box and ok to close the box behind that one.

The screenshot displays a medical software interface for medication administration. At the top, a navigation bar includes links for Physician Handoff, Discharge Dashboard, Quality Measures, LearningLIVE, Collection Runs, Staff Assignment, and Clinical Leader Organizer. Below this, a secondary bar contains links for Administration, Depart, Patient Education, Add, Patient Pharmacy, Explorer Menu, Charge Entry, Label Reprint, Patient Product Inquiry, Specimen Collection, and Report Build.

The main header area shows patient information: ZZTEST, KELLYLYNNE, Female, Age: 48 years, Legal Sex/Birth Sex: Female/Male, Wt: 86.000 kg (02/26/2019), and Attending: Gakdi DO. The location is 0101; A, and the patient is an Inpatient-Adm Dt: May.

The central part of the screen shows a medication administration chart for heparin. The chart lists scheduled doses of 5,000 unit(s) subcutaneous on Feb-28-2019 at 03:00 EST, 07:00 EST, 09:00 EST, 10:00 EST, 15:00 EST, and 16:00 EST. A comment window is open for the 16:00 EST dose, displaying the text: "heparin: 5,000 unit(s)", "Comment", "platelet count 250", and "2nd RN check C. Buoni, RN".

The bottom status bar shows the date and time: Date: 27-Sep-2018 10:49:00 EDT.

Step 4: Now that you have a blue checkmark, you may proceed with your injection. Click sign after medication administered.

Tracking Physician Handoff Discharge Dashboard Quality Measures LearningLIVE Collection Runs Staff Assignment Clinical Leader Organizer

ectServe

ication Administration Depart Patient Education Add Patient Pharmacy Explorer Menu Charge Entry Label Reprint Patient Product Inquiry Specimen Collection Report Builder

Mar-12-1970 Age:48 years Legal Sex/Birth Sex:Female/Male Wt:86.000 kg (02/26/2019) Attending:Galdi DO, Luis
 Sts:Comfort Measures Iso:Contact Precautions Location:TEST; 0101; A Inpatient-Adm Dt:May-22-2019

Medication Administration

Nurse Review Create order and document. Last Refresh at 15:31 EST

ZZTEST, KELLYLYNNE MRN: 990093583 DOB: Mar-12-1970 Loc: 0101; A
 Female FMI#: 62184296 Age: 48 years ** Allergies **

Feb-28-2019 14:16 EST - Feb-28-2019 16:46 EST

	Scheduled	Mnemonic	Details	Result
☐	Feb-28-2019 03:00 EST	ciprofloxacin	250 mg, Oral, Form: Tab, First Dose: 28-Feb-201...	
☐	Feb-28-2019 03:00 EST	ciprofloxacin	200 mg = 100 mL, IV Piggyback, Form: Soln-IV, I...	
☐	Feb-28-2019 03:00 EST	erythromycin (erythromycin ...	250 mg = 5 mL, Rate: 200 mL/hr, Infuse Over: 3...	
☐	Feb-28-2019 07:00 EST	metronidazole metronIDAZOLE (metronida...	500 mg = 100 mL, Rate: 200 mL/hr, Infuse Over:...	
☐	Feb-28-2019 09:00 EST	erythromycin erythromycin (erythromycin ...	250 mg = 5 mL, Rate: 200 mL/hr, Infuse Over: 3...	
☐	Feb-28-2019 09:00 EST	oxybutynin	10 mg, Oral, Form: Tab-ER, First Dose: 28-Feb-2...	
☐	Feb-28-2019 10:00 EST	cefepime cefepime (cefepime IVPB)	2 gm = 50 mL, Rate: 12.5 mL/hr, Infuse Over: 4 ...	
☐	Feb-28-2019 15:00 EST	ciprofloxacin	250 mg, Oral, Form: Tab, First Dose: 28-Feb-201...	
☐	Feb-28-2019 15:00 EST	ciprofloxacin	200 mg = 100 mL, IV Piggyback, Form: Soln-IV, I...	
☐	Feb-28-2019 15:00 EST	erythromycin erythromycin (erythromycin ...	250 mg = 5 mL, Rate: 200 mL/hr, Infuse Over: 3...	
☐	Feb-28-2019 15:00 EST	metronidazole metronIDAZOLE (metronida...	500 mg = 100 mL, Rate: 200 mL/hr, Infuse Over:...	
☒	Feb-28-2019 16:00 EST	heparin	5,000 unit(s), Subcutaneous, Form: Soln, FI...	heparin 5,000 unit(s), Subcutaneous
☐	PRN	codeine-guaifenesin codeine-guaifenesin (codein...	5 mL, Oral, Form: Syrup, q4hr, PRN cough, First ...	
☐	PRN	oxycodone oxycODONE	5 mg, Oral, Form: Tab, q6hr, PRN, pain, moderat...	
☐	Continuous	Sodium Chloride 0.9% NSS 1,000 mL	1,000 mL, IV, 100 mL/hr, Start Date: 30-Nov-201...	

Ready to Scan 2 of 2 Back Sign

inactivated (influenza v...	Date: 27-Sep-2018 10:49:00 EDT		EDT
influenza virus vaccine, inactivated (influenza v...	Sep-27-2018 10:50 EDT	Ordered	0.5 mL, IM, Form: Susp, Once, First Dose: 27-Sep-2018 10:49:00 EDT, Stop Date: 27-Sep-2018 10:49:00 EDT
influenza virus vaccine, inactivated (influenza v...	Sep-27-2018 10:50 EDT	Ordered	0.5 mL, IM, Form: Susp, Once, First Dose: 27-Sep-2018 10:49:00 EDT, Stop Date: 27-Sep-2018 10:49:00 EDT