

1. Match the terms with the descriptions:

- |                                   |  |
|-----------------------------------|--|
| <del>a.</del> active transport    | <u>n</u> backward flow of urine  |
| <del>b.</del> anuria              | <u>g</u> blood in the urine  |
| <del>c.</del> diffusion           | <u>k</u> scanty urine output   |
| <del>d.</del> dysuria             | <u>p</u> can be caused by sneezing   |
| <del>e.</del> enuresis            | <u>L</u> urine containing gas  |
| <del>f.</del> frequency           | <u>e</u> incontinence during sleep   |
| <del>g.</del> hematuria           | <u>d</u> painful urination   |
| <del>h.</del> hesitancy           | <u>b</u> no urine formation  |
| <del>i.</del> micturition         | <u>j</u> frequent urination at night   |
| <del>j.</del> nocturia            | <u>o</u> inability to void   |
| <del>k.</del> oliguria            | <u>m</u> large amount of urine output  |
| <del>l.</del> pneumaturia         | <u>h</u> difficulty starting urine stream  |
| <del>m.</del> polyuria            | <u>q</u> strong desire to urinate  |
| <del>n.</del> reflux              | <u>i</u> urination   |
| <del>o.</del> retention           | <u>c</u> movement of solutes from higher to lower concentration                  |
| <del>p.</del> stress incontinence | <u>a</u> process that requires energy to move a substance across a cell membrane |
| <del>q.</del> urgency             | <u>f</u> voiding occurs more often than usual                                    |