

☐ Medication Review Worksheet

Name: __ Giselle Ortiz _____ Date: __ 11/19/25 _____

Instructions: Fill in the blanks using the word bank. Read carefully and think about why each answer is important for patient safety.

Questions

1. Which over-the-counter medication is **contraindicated** in Probenecid use?
Answer: ____ [aspirin](#) _____
2. A client with an acute attack of gout is treated with **Colchicine** to improve ____ [joint pain](#) _____.
3. Which medications **interfere** with Allopurinol?
Answer: ____ [anticoagulants](#) _____
4. Patients on **Adalimumab** must be able to perform ____ [subcutaneous injections](#) _____.
5. When should **Indomethicin** be administered?
Answer: ____ [immediately after a meal](#) _____
6. **Methotrexate** can result in what complication?
Answer: ____ [immunosuppression](#) _____
7. When should patients take **Alendronate** ?
Answer: ____ [empty stomach](#) _____

8. **Celecoxib** complications include __black, tarry stool_____.
9. To prevent kidney damage, patients taking **Methotrexate** must avoid ____dehydration_____.
10. **Hydroxychloroquine** can cause __photosensitivity_____.
11. An allergy to what food affects the safety of **Glucosamine** administration?
Answer: ____shellfish_____
12. High doses of **Calcium supplements** may cause what complication?
Answer: ____kidney stones_____
13. What is a symptom of salicylate toxicity? **Tinnitus**

Answer bank:

- Tinnitus

Aspirin

Joint pain

Anticoagulants

Subcutaneous injections

Immediately after a meal

Immunosuppression

Empty stomach

Black, tarry stools

Dehydration

Photosensitivity

Shellfish

Kidney stones

