

☐ Medication Review Worksheet

Name: _____ Date: _____

Instructions: Fill in the blanks using the word bank. Read carefully and think about why each answer is important for patient safety.

Questions

1. Which over-the-counter medication is **contraindicated** in Probenecid use?
Answer: ____Asprin_____
2. A client with an acute attack of gout is treated with **Colchicine** to improve __joint pain____.
3. Which medications **interfere** with Allopurinol?
Answer: _____anticoagulants _____
4. Patients on **Adalimumab** must be able to perform __ subcutaneous injections_____.
5. When should **Indomethicin** be administered?
Answer: ____ Immediately after a meal_____
6. **Methotrexate** can result in what complication?
Answer: ____ Immunosuppression_____
7. When should patients take **Alendronate** ?
Answer: ____ Empty stomach_____

8. **Celecoxib** complications include __ black, tarry stools._____.
9. To prevent kidney damage, patients taking **Methotrexate** must avoid ____ dehydration. _____.
10. **Hydroxychloroquine** can cause __ photosensitivity_____.
11. An allergy to what food affects the safety of **Glucosamine** administration?
Answer: _____ Shellfish_____
12. High doses of **Calcium supplements** may cause what complication?
Answer: _____ Kidney stones_____
13. What is a symptom of salicylate toxicity?

Tinnitus

Answer bank:

- Tinnitus
- Aspirin
- Joint pain
- Anticoagulants
- Subcutaneous injections
- Immediately after a meal
- Immunosuppression
- Empty stomach
- Black, tarry stools
- Dehydration
- Photosensitivity
- Shellfish
- Kidney stones

