

**SEEK & FIND: WOUND**



Student Name \_\_\_\_\_ Date \_\_\_\_\_

Instructor Signature \_\_\_\_\_ Student's earned points \_\_\_\_/20

For each item in column A, select two different and appropriate **topical therapies**. If you choose a primary dressing that also requires a secondary dressing, be sure to identify the secondary dressing type as well in order to receive full points. This pairing (a primary with a secondary dressing) would be considered one answer. Identify each type of dressing used by category and brand name.

Answer questions in column B.

Submit to your dropbox when finished.

**Use the product name & NOT the product number when completing this assignment.**

Column A	Possible Points	Earned Points	Column B	Possible Points	Earned Points
<p><b>Topical therapy: Category and brand name of specific product(s) to be used</b></p> <p><b>Example: Foam; Restore Foam with adhesive border, 4" x 4"</b></p>					
<p>Wounds with small amounts of drainage.</p> <p>1. _____</p> <p>2. _____</p>	0.5		<p>Any special cautions when using the chosen products?</p>	0.5	
<p>Sacral wound covered with intact eschar.</p> <p>1. _____</p> <p>2. _____</p>	1		<p>Would you change your topical therapy choice if the wound presented as boggy, odorous, draining thick exudate with a 2 cm. area of erythema surrounding the wound? If so, what actions would you initiate?</p>	2	

**\*\* This assignment may also be completed via an internet search.**

**SEEK & FIND: WOUND**



<p>Wounds with 90% yellow adherent slough.</p> <p>1. _____</p> <p>2. _____</p>	1		<p>Identify two (2) actions used to prevent periwound maceration.</p> <p>1. _____</p> <p>2. _____</p>	1	
<p>Type 3 skin tear.</p> <p>1. _____</p> <p>2. _____</p>	1		<p>Identify at least two (2) other nursing actions to be implemented for an individual with fragile skin.</p> <p>1. _____</p> <p>2. _____</p>	1	
<p>Deep tissue injury (DTI)</p> <p>1. _____</p> <p>2. _____</p>	1		<p>Identify an additional nursing action for an individual with a DTI.</p>	1	
<p>Red, granulating stage 3 sacral pressure injury with little exudate.</p> <p>1. _____</p> <p>2. _____</p>	1		<p>Identify an <u>advanced wound therapy</u> that could be used with this wound type.</p>	1	
<p>Heavily draining stage 4 sacral injury.</p> <p>1. _____</p> <p>2. _____</p>	1		<p>Identify an appropriate support surface to use with this patient (category/brand name).</p>	1	

**\*\* This assignment may also be completed via an internet search.**

**SEEK & FIND: WOUND**



Stage 4 ischial pressure injury, 80% granulation tissue, 20% slough with tunneling and undermining.  1. _____  2. _____	1		Identify two additional treatments (other than topical) to address with this patient.  1. _____  2. _____	1	
Patient with incontinence-associated dermatitis as a result of diarrhea and urinary incontinence. Address topical skin care (cleansing and protection).  1. _____  2. _____	1		Identify two methods of containment of diarrhea.  1. _____  2. _____	1	
Venous insufficiency ulcer with large volume of drainage  1. _____  2. _____	1		Identify two (2) other areas to be addressed for the patient with a venous insufficiency ulcer.  1. _____  2. _____	1	

\*\*Submit completed project to your dropbox

**\*\* This assignment may also be completed via an internet search.**

2018