

preg. C
 CII BRAND NAMES Dilaudid
 GENERIC NAME hydromorphone
 (mor-feen)

preg. C
 CII BRAND NAMES Morphine
 GENERIC NAME morphine sulfate
 (at-pray-zoe-lam)

preg. C
 CII BRAND NAMES Loraz, Narco, Vicodin
 GENERIC NAME hydrocodone acetaminophen
 (fen-ta-nil)

preg. D
 CIV BRAND NAMES Xanax
 GENERIC NAME alprazolam
 (fen-ta-nil)

preg. C
 CII BRAND NAMES Duragesic
 GENERIC NAME fentanyl
 (lar-az-e-pam)

preg. D
 CIV BRAND NAMES Ativan
 GENERIC NAME lorazepam
 (dye-az-e-pam)

preg. D
 CIV BRAND NAMES Diastat, Valium
 GENERIC NAME diazepam
 (on-dan-se-tron)

preg. B
 BRAND NAMES Zofran, Zuplenz
 GENERIC NAME ondansetron
 CLASSIFICATION (T) antiemetics (D) 5HT₃ antagonists

preg. C
 BRAND NAMES Phenergan
 GENERIC NAME promethazine
 CLASSIFICATION (T) antiemetics, antihistamines, sedatives, hypnotics (P) phenothiazines
 ROUTE PO, IM, IV, Rec. DOSAGE/FREQUENCY 6.25-12.5mg TID and QID

preg. C
 BRAND NAMES Lopressor, Toprol XL
 GENERIC NAME metoprolol
 (speer-oh-no-lak-tone)

preg. C
 BRAND NAMES Aldactone
 GENERIC NAME spironolactone
 (war-fa-rin)

preg. X
 BRAND NAMES Coumadin
 GENERIC NAME warfarin
 CLASSIFICATION (T) anticoagulants (P) coumarins

preg. B
 BRAND NAMES Merrem
 GENERIC NAME meropenem
 CLASSIFICATION (T) anti-infective (P) carbapenems
 ROUTE IV DOSAGE/FREQUENCY 0.5-1g q 8hr.

preg. C
 BRAND NAMES Alopnm, Zylorim
 GENERIC NAME allopurinol
 CLASSIFICATION (T) anti-gout agents, anti-hyperuricemics (P) xanthine oxidase inhibitors

preg. C
 BRAND NAMES Glucotrol
 GENERIC NAME glipizide
 CLASSIFICATION (T) anti-diabetics (P) sulfonylureas
 ROUTE PO DOSAGE/FREQUENCY 5mg/day initially
 MECHANISM OF ACTION ↓ blood sugar by stimulating release of insulin from the pancreas
 et ↑ sensitivity to insulin @ receptor sites. May ↓ hepatic glucose production.

USES ↓ of bs in DM pt.
 ADVERSE REACTIONS CNS: dizziness, drowsiness GI: constipation, cramps, diarrhea DEAM: photosensitivity
 EMO: ↓ glycemia HEMAT: aplastic anemia
 CONTRAINDICATIONS ↑ sensitivity. Insulin dependent DM. Diabetic coma or ketoacidosis.

INTERACTIONS ETOH, diuretics, corticosteroids, oral contraceptives, NSAIDs, warfarin, beta adrenergic blockers, MAO inhibitors

NURSING MEASURES: ASSESS/MONITOR S/S of hypoglycemic reactions. Assess for allergies to sulfonamides.

NURSING INTERVENTIONS PO: Administer 30 min a a meal. Swallow Eke tablets whole.

LAB: serum glucose, A/C, CBC, AST, LDH, BUN, serum creatinine

✓ DIZZY/DROWSY/SAFETY PRECAUTIONS
 POSTURAL HYPOTENSION PRECAUTIONS
 GIVE W/MEALS DECREASE GI DISTRESS
 MONITOR/REPORT/TREAT AS ORDER S&S:
 SUPER INFECTION GI BLEEDING
 I&O
 DAILY WEIGHT
 ✓ ANTIDOTE mild = PO glucose
 severe = D50W
 ANAPHYLAXIS

MONITOR VS PARAMETERS FOR ADMINISTRATION
 ✓ MONITOR LAB see above PARAMETERS FOR ADMINISTRATION

STUDENT NAME _____ REF. USED DDG REF. PG #: 1141