

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
NS (Banana Bag)	Isotonic <input checked="" type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Prevent dehydration, give vitamins	Electrolytes	N/A

Student Name: Chasidy Grantham		Unit:	Patient Initials: RS	Date: 11/10/2020	Allergies: NKDA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Thiamine	Vitamin B	Alcohol withdrawal	100 mg po daily			Hypersensitivity reaction	<ol style="list-style-type: none"> <li>1. Advise pt. to take this med with a meal</li> <li>2. Monitor symptomatic improvement</li> <li>3. Long term supplementation of greater than 3 g/ daily has been known to produce toxicity</li> <li>4. To achieve therapeutic effect take 100 mg PO daily</li> </ol>
Folic Acid	Vitamin B	Alcohol withdrawal	1 mg po daily			Bad taste in mouth, loss of appetite, nausea, confusion	<ol style="list-style-type: none"> <li>1. Pt. should not drink alcohol while taking drug</li> <li>2. Drug may cause confusion so initiate fall precautions</li> <li>3. Monitor for folate toxicity</li> <li>4. Assess for nutritional deficiency before administering</li> </ol>
Acamprosate	Ethanol Dependency	Alcoholism	666 mg po TID			Pruritis, flatulence, insomnia, anxiety	<ol style="list-style-type: none"> <li>1. Instruct pt. to avoid activities requiring mental alertness or coordination until drug effects are realized</li> <li>2. Counsel pt. that drug will not eliminate</li> </ol>

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Chasidy Grantham		Unit:	Patient Initials: RS	Date: 11/10/2020	Allergies: NKDA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							or diminish symptoms of alcohol withdrawal 3. Pt. should not drink alcohol while taking drug 4. If relapse occurs, advise pt. to continue taking drug and notify dr.
Ibuprofen	NSAID	Pain	200 mg po prn pain > 2 on 1-10 pain scale			Hypotension, heartburn, headache	1. NSAIDS increase risk of thrombotic events, myocardial infarction, and stroke 2. advise pt. to avoid use of additional NSAIDS unless approved by dr. 3. Tell pt. to take with food or milk to minimize GI irritation 4. Pt. should not drink alcohol or smoke while using this drug to reduce risk of GI bleeds
ondansetron	Antiemetic	Nausea	8 mg po or IV prn nausea			Constipation, headache, fatigue, hypoxia	1. pt. should not chew or swallow oral film but should wash their hands after taking it 2. instruct pt. to report s/s of serious cardiac arrhythmias 3. advise pt. to report hypersensitivity reaction 4. instruct pt. to avoid the concomitant use of apomorphine d/t the risk of

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Chasidy Grantham		Unit:	Patient Initials: RS	Date: 11/10/2020	Allergies: NKDA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							significant hypotension and loss of consciousness
lorazepam	Antianxiety/ Benzodiazepine	Anxiety	2- 4 mg IV or po prn CIWA-ar protocol			Dizziness, sedation, depression	<ol style="list-style-type: none"> <li>1. Monitor for respiratory depression and profound sedation</li> <li>2. Do not stop abruptly</li> <li>3. Avoid taking with alcohol or other CNS depressants</li> <li>4. Advise pt. to avoid activities requiring mental alertness or coordination</li> </ol>
							<ol style="list-style-type: none"> <li>1.</li> <li>2.</li> <li>3.</li> <li>4.</li> </ol>
							<ol style="list-style-type: none"> <li>1.</li> <li>2.</li> <li>3.</li> <li>4.</li> </ol>
							<ol style="list-style-type: none"> <li>1.</li> <li>2.</li> <li>3.</li> <li>4.</li> </ol>

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Chasidy Grantham		Unit:	Patient Initials: RS	Date: 11/10/2020	Allergies: NKDA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				[ ]			1. 2. 3. 4.
				[ ]			1. 2. 3. 4.
				[ ]			1. 2. 3. 4.
				[ ]			1. 2. 3. 4.
				[ ]			1. 2. 3. 4.

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours