

## NANDA-I Nursing Diagnosis (2018-2020)

### Domain 1 – Health Promotion

- Deficient diversional activity
- Readiness for enhanced health literacy
- Sedentary lifestyle
- Frail elderly syndrome
- Risk for frail elderly syndrome
- Deficient community health
- Risk-prone health behavior
- Ineffective health maintenance
- Ineffective health management
- Readiness for enhanced health management
- Ineffective family health management
- Ineffective protection

### Domain 2 – Nutrition Fatigue

- Imbalanced nutrition: less than body requ
- Readiness for enhanced nutrition
- Insufficient breast milk production
- Ineffective breastfeeding
- Interrupted breastfeeding
- Readiness for enhanced breastfeeding
- Ineffective adolescent eating dynamics
- Ineffective child eating dynamics
- Ineffective infant feeding dynamics
- Ineffective infant feeding pattern
- Obesity
- Overweight
- Risk for overweight
- Impaired swallowing
- Risk for unstable blood glucose level
- Neonatal hyperbilirubinemia
- Risk for neonatal hyperbilirubinemia
- Risk for impaired liver function
- Risk for metabolic imbalance syndrome
- Risk for electrolyte imbalance
- Risk for imbalanced fluid volume
- Deficient fluid volume
- Risk for deficient fluid volume
- Excess fluid volume

### Domain 3 – Elimination & Exchange

- Impaired urinary elimination
- Functional urinary incontinence
- Overflow urinary incontinence
- Reflex urinary incontinence
- Stress urinary incontinence
- Urge urinary incontinence
- Risk for urge urinary incontinence
- Urinary retention
- Constipation
- Risk for constipation
- Chronic functional constipation
- Risk for chronic functional constipation
- Diarrhea
- Dysfunctional GI motility

- Risk for dysfunctional GI motility
- Bowel incontinence
- Impaired gas exchange

### Domain 4 – Activity/ Rest

- Insomnia
- Sleep deprivation
- Readiness for enhanced sleep
- Disturbed sleep pattern
- Risk for disuse syndrome
- Impaired bed mobility
- Impaired physical mobility
- Impaired wheelchair mobility
- Impaired sitting
- Impaired standing
- Impaired transfer ability
- Impaired walking
- Imbalanced energy field
- Fatigue
- Wandering
- Activity intolerance
- Risk for activity intolerance
- Ineffective breathing pattern
- Decreased cardiac output
- Risk for decreased cardiac output
- Impaired spontaneous ventilation
- Risk for unstable blood pressure
- Risk for decreased cardiac tissue perfusion
- Risk for ineffective cerebral tissue perfusion
- Ineffective peripheral tissue perfusion
- Risk for ineffective peripheral tissue perfusion
- Dysfunctional ventilator weaning response
- Impaired home maintenance
- Bathing self-care deficit
- Dressing self-care deficit
- Feeding self-care deficit
- Toileting self-care deficit
- Readiness for enhanced self-care
- Self-neglect

### Domain 5 – Perception/ Cognition

- Unilateral neglect
- Acute confusion
- Risk for acute confusion
- Chronic confusion
- Labile emotional control
- Ineffective impulse control
- Deficient knowledge
- Readiness for enhanced knowledge
- Impaired memory
- Readiness for enhanced communication
- Impaired verbal communication

### Domain 6 – Self-Perception

- Hopelessness

- Readiness for enhanced hope
- Risk for compromised human dignity
- Disturbed personal identity
- Risk for disturbed personal identity
- Readiness for enhanced self-control
- Chronic low self-esteem
- Risk for chronic low self-esteem
- Situational low self-esteem
- Risk for situational low self-esteem
- Disturbed body image

### Domain 7 – Role Relationships

- Caregiver role strain
- Risk for caregiver role strain
- Impaired parenting
- Risk for impaired parenting
- Readiness for enhanced parenting
- Risk for impaired attachment
- Dysfunctional family processes
- Interrupted family processes
- Readiness for enhanced family processes
- Ineffective relationship
- Risk for ineffective relationship
- Readiness for enhanced relationship
- Parental role conflict
- Ineffective role performance
- Impaired social interaction

### Domain 8 – Sexuality

- Sexual dysfunction
- Ineffective sexuality pattern
- Ineffective childbearing process
- Risk for ineffective childbearing process
- Readiness for enhanced childbearing process
- Risk for disturbed maternal-fetal dyad

### Domain 9 – Coping/ Stress

- Risk for complicated immigration transition
- Post-trauma syndrome
- Risk for post-trauma syndrome
- Rape-trauma syndrome
- Relocation stress syndrome
- Risk for relocation stress syndrome
- Ineffective activity planning
- Risk for ineffective activity planning
- Anxiety
- Defensive coping
- Ineffective coping
- Readiness for enhanced coping
- Ineffective community coping
- Readiness for enhanced community coping
- Compromised family coping
- Disabled family coping
- Readiness for enhanced family coping
- Death anxiety
- Ineffective denial
- Fear

- Grieving
- Complicated grieving
- Risk for complicated grieving
- Impaired mood regulation
- Readiness for enhanced power
- Powerlessness
- Risk for powerlessness
- Readiness for enhanced power
- Impaired resilience
- Readiness for enhanced resilience
- Risk for impaired resilience
- Chronic sorrow
- Stress overload
- Acute substance withdrawal syndrome
- Risk for acute substance withdrawal syndrome
- Autonomic dysreflexia
- Risk for autonomic dysreflexia
- Decreased intracranial adaptive capacity
- Neonatal abstinence syndrome
- Disorganized infant behavior
- Readiness for enhanced organized infant behavior

### Domain 10 – Life Principles

- Readiness for enhanced spiritual well-being
- Readiness for enhanced decision-making
- Decisional conflict
- Impaired emancipated decision-making
- Risk for impaired emancipated decision-making
- Readiness for enhanced emancipated decision-making
- Moral distress
- Impaired religiosity
- Readiness for enhanced religiosity
- Risk for impaired religiosity
- Spiritual distress
- Risk for spiritual distress

### Domain 11 – Safety/ Protection

- Risk for infection
- Risk for surgical site infection
- Ineffective airway clearance
- Risk for aspiration
- Risk for bleeding
- Impaired dentition
- Risk for dry eye
- Risk for dry mouth
- Risk for falls
- Risk for corneal injury
- Risk for injury
- Risk for urinary tract injury
- Risk for perioperative positioning injury
- Risk for thermal injury
- Impaired oral mucous membrane
- Risk for impaired oral mucous membrane integrity
- Risk for peripheral neurovascular dysfunction
- Risk for physical trauma
- Risk for vascular trauma
- Risk for pressure ulcer

- 
- Risk for shock
  - Impaired skin integrity
  - Risk for impaired skin integrity
  - Risk for sudden infant death
  - Risk for suffocation
  - Delayed surgical recovery
  - Risk for delayed surgical recovery
  - Impaired tissue integrity
  - Risk for impaired tissue integrity
  - Risk for venous thromboembolism
  - Risk for female genital mutilation
  - Risk for other-directed violence
  - Risk for self-directed violence
  - Self-mutilation
  - Risk for self-mutilation
  - Risk for suicide
  - Contamination
  - Risk for contamination
  - Risk for occupational injury
  - Risk for poisoning
  - Risk for AR to iodinated contrast media
  - Risk for allergy response
  - Latex allergy response
  - Risk for latex allergy response
  - Hyperthermia
  - Hypothermia
  - Risk hypothermia
  - Risk for perioperative hypothermia
  - Ineffective thermoregulation
  - Risk for ineffective thermoregulation

### **Domain 12 – Comfort**

- Impaired comfort
- Readiness for enhanced comfort
- Nausea
- Acute pain
- Chronic pain
- Chronic pain syndrome
- Labor pain
- Impaired comfort
- Readiness for enhanced comfort
- Risk for loneliness
- Social isolation

### **Domain 13 – Growth/ Development**

- Risk for delayed development