

Student Name: Lindsey Lambert

Unit: S8

Pt. Initials: _____

Date: 12/16

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: Propoxyphene

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5 + 1/2 NS 100ml/hr	Isotonic/ Hypotonic/ Hypertonic	Fluid replacement	Blood sugar Sodium and potassium levels	Hypervolemia Hyperatremia

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Aspirin	NSAID	Pain relief	325mg Ng tube Daily	Y N	/	Rash Abdominal pain Gastrointestinal ulceration	<ol style="list-style-type: none"> 1. Assess patient for bleeding 2. Drink adequate fluid 3. Baby aspirin is preferred for acute or prophylactic mgmt of heart disease 4. Avoid alcohol when prescribed high doses
Zosyn Piperacilin + tazo	Antibiotic	Treat bacterial Infection	3.375g IVPB Q8hr	Y N	Sodium chloride 0.9% 100ml Run at 25ml/hr	Diarrhea GI upset	<ol style="list-style-type: none"> 1. Not compatible with lactated ringer LR 2. Contraindicated if pt is on dialysis 3. Not compatible with gentamicin 4. Treats streptococci and staphylococcus
Simvastatin	Antilipemic Agent HMG CoA reductase inhibitors	High Cholesterol	20mg Ng tube QHS	Y N	/	Abdominal pain Headache Constipation	<ol style="list-style-type: none"> 1. Can increase creatine phosphokinase in blood specimen 2. Dr might suggest a cholesterol lowering diet regimen before medication 3. Give at bedtime 4. Take with meal
Enoxaparin	Low molecular weight heparin	Anticoagulant	30mg SubQ Daily	Y N	/	Edema Fatigue Hypoglycemia	<ol style="list-style-type: none"> 1. Monitor bp 2. Be caution if patient with liver disease 3. Do not expel air from syringe prior to admin 4. Use prefilled syringe, do not transfer or change. Discard if integrity is impaired.
Pantoprazole	Proton pump Inhibitor PPI	Decreases acid production in stomach	40 mg IVP daily	Y N	Reconstitute with 10ml NS Admin over 2 min	Headache Excess air/gas Feeling full	<ol style="list-style-type: none"> 1. Concomitant use with rilpivirine. 2. This drug allows damaged tissue in esophagus, stomach, and duodenum to heal 3. No dosage adjustment needed in kidney, liver, or elderly 4. Prolonged treatment may cause B12 deficiency

Adopted: August 2016

Reference; Medscape, Lexicomp

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: _____

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List solution to dilute and rate to push. IVPB – List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Y N			1. 2. 3. 4.
				Y N			1. 2. 3. 4.
				Y N			1. 2. 3. 4.
				Y N			1. 2. 3. 4.
				Y N			1. 2. 3. 4.