

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name:		Unit:	Patient Initials:		Date:	Allergies:	
Click here to enter text.		Click here to enter text.	Click here to enter text.		Click here to enter a date.	Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration  IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Metoprolol Tartrate	Beta blocker	Hypertension	5mg PO	Choose an item.  Click here to enter text.	Click here to enter text.	BBW: Following abrupt cessation of therapy with certain beta-blocking agents, exacerbations of angina pectoris and in some cases myocardial infarction have occurred.	<ol style="list-style-type: none"> <li>1. Patient should avoid activities requiring coordination until drug effects are realized.</li> <li>2. Advise patient to report s/s of cardiac failure.</li> <li>3. Report s/s of arrhythmias or hypotension</li> <li>4. Drug may mask symptoms of hypoglycemia. Advise diabetics.</li> </ol>
Piperacillin Sodium/ Tazobactam Sodium	Penicillin, Extended Spectrum/Beta-lactamase Inhibitor	Antibiotic	200 mls  IVPB	Choose an item.  Click here to enter text.	3.375g in 100mL NS	Hypersensitivity rxn; Stevens-Johnson syndrome; Pruritus	<ol style="list-style-type: none"> <li>1. Report symptoms of bleeding.</li> <li>2. Report watery or bloody diarrhea.</li> <li>3. Advise patients with cystic fibrosis to report a fever or rash.</li> <li>4. Be cautious with patients of a history of penicillin sensitivity.</li> </ol>

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Vancomycin	Anti-infective	Antibiotic	250 mls IVPB	Choose an item.  Click here to enter text.	0-500mg/100mL 30 min (10mg/min)	Hypokalemia; Hypotension; C-diff	<ol style="list-style-type: none"> <li>1. Report abdominal pain and vomiting.</li> <li>2. Report ringing in the ears.</li> <li>3. Report blood in urine</li> <li>4. Check WBC</li> </ol>
Oxybutynin	Antimuscarinics	Overactive bladder	5 mg PO	Choose an item.  Click here to enter text.	Click here to enter text.	Hypersensitivity reaction; angioedema; hallucinations	<ol style="list-style-type: none"> <li>1. Report s/s of angioedema.</li> <li>2. Report s/s of severe CNS effects including hallucinations.</li> <li>3. Patient should avoid activities requiring mental alertness or coordination until drug effects are realized.</li> <li>4. Advise patient that use of alcohol may enhance drowsiness.</li> </ol>
Atorvastatin	HMG-CoA reductase inhibitors	Slows the production of cholesterol	80 mg PO	Choose an item.  Click here to enter text.	Click here to enter text.	Myalgia; Nasopharyngitis; Arthralgia	<ol style="list-style-type: none"> <li>1. Report s/s of myopathy.</li> <li>2. Advise patient to avoid excessive amounts of alcohol.</li> <li>3. Instruct patient not to eat large amounts of grapefruit or drink more than 1L/day of grapefruit juice with this drug,</li> <li>4. Advise patient that there are multiple significant drug-drug interactions for this drug.</li> </ol>
Magnesium Oxide	Mineral Supplement (magnesium)	Antacids	400 mg PO	Choose an item.  Click here to enter text.	Click here to enter text.	Laxative adverse reaction	<ol style="list-style-type: none"> <li>1. Check patient for electrolyte imbalance.</li> <li>2. Monitor for dehydration.</li> <li>3. Do not breast feed while taking this drug.</li> <li>4. Inform patient that toxicity is very unlikely.</li> </ol>
Enoxaparin	Anticoagulant	Prevent clotting (thrombin inhibitor)	40 mg INJ- SubQ	Choose an item.	Click here to enter text.	BBW: Spinal/epidural hematomas; anemia; fever; hemorrhage	<ol style="list-style-type: none"> <li>1. Report nosebleeds, blood in urine or stool.</li> <li>2. Rotate injection sites.</li> <li>3. Do not aspirate or massage site.</li> <li>4. Administer SubQ.</li> </ol>

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

				Click here to enter text.			
Clopidogrel	ADP-Induced aggregation inhibitor	Antiplatelet agent	75 mg PO	Choose an item.  Click here to enter text.	Click here to enter text.	BBW: Diminished antiplatelet effect in CYP2C19, poor metabolizers.	<ol style="list-style-type: none"> <li>1. Report unanticipated, prolonged, or excessive bleeding.</li> <li>2. Report symptoms of thrombotic thrombocytopenic purpura.</li> <li>3. Warn patient to inform physician or dentist about use of drug prior to surgery or dental procedure.</li> <li>4. Advise patient against sudden discontinuation due to increased risk of adverse cardiovascular events,</li> </ol>
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item.  Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> <li>1. Click here to enter text.</li> <li>2. Click here to enter text.</li> <li>3. Click here to enter text.</li> <li>4. Click here to enter text.</li> </ol>
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item.  Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> <li>1. Click here to enter text.</li> <li>2. Click here to enter text.</li> <li>3. Click here to enter text.</li> <li>4. Click here to enter text.</li> </ol>
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item.  Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> <li>1. Click here to enter text.</li> <li>2. Click here to enter text.</li> <li>3. Click here to enter text.</li> <li>4. Click here to enter text.</li> </ol>

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> <li>1. Click here to enter text.</li> <li>2. Click here to enter text.</li> <li>3. Click here to enter text.</li> <li>4. Click here to enter text.</li> </ol>			
Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> <li>1. Click here to enter text.</li> <li>2. Click here to enter text.</li> <li>3. Click here to enter text.</li> <li>4. Click here to enter text.</li> </ol>			
Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> <li>1. Click here to enter text.</li> <li>2. Click here to enter text.</li> <li>3. Click here to enter text.</li> <li>4. Click here to enter text.</li> </ol>			