

Post-Op Pediatric Clinical Simulation

Summary Report

Below is a transcript of your progress through the game:

- Which response to the mom is the most appropriate?**
Acknowledge concern (Correct)
- How would you assess Sasha's level of consciousness (LOC)?**
Patient is oriented X 3 (Correct)
- How do you respond to Sasha's request? Assess in high fowlers position** (Correct)
- What actions do you take in response to this assessment data (RR26 & O2 sat 94%)? Splint incision during deep breathing and coughing** (Correct)
- Which pain assessment scale would be appropriate for Sasha?**
PQRST (Correct)
- How do you respond to Sasha's reaction to his surgical incision?**
Assess reason for reaction (Correct)
- The abdominal assessment needs to be completed. What is the correct assessment sequence?**
 - Inspection
 - Auscultation
 - Percussion
 - Palpation (Correct)
- Based on these assessment findings, what is the most appropriate nursing action? Assess Sasha in 10 minutes** (Incorrect)
- What is the most appropriate nursing action? No immediate action is needed** (Correct)
- How do you respond to mom's question about the peripheral vascular assessment? Assess circulation post abdominal surgery** (Correct)
- Sasha is ordered Ampicillin 50mg/kg/day x 48 hours, to be given every 6 hours in 100mls of N/S run over 30 minutes. The tubing has a drop factor of 10 gtts/ml. Sasha weighs 64 lbs. What is the correct dose and infusion rate?**
363mg in 100mls and 33 gtts/min (Correct)
- How do you respond to Sasha's non-verbal communication?**
Take vital signs (Incorrect)
- How do you respond to Sasha's non-verbal communication?**
Clarify your observation (Correct)
- How do you respond to Sasha's increased surgical pain? PQRST** (Correct)
- What should you do next to address Sasha's surgical pain?**
Reassure that post-op pain is expected (Incorrect)
- What should you do next to address Sasha's surgical pain?**
Complete focused assessment (Correct)
- Which pain medication should you administer to Sasha?**
Morphine po (Incorrect)

18. **Which pain medication should you administer to Sasha?**
Morphine and Dimenhydrinate po (Correct)
19. **Besides putting up the side rails and placing the call bell in Sasha's reach, which of the following nursing actions will promote safety?** Return in 20 minutes (Incorrect)
20. **Besides putting up the side rails and placing the call bell in Sasha's reach, which of the following nursing actions will promote safety?** Call if getting up (Correct)
21. **What non-pharmacological pain control interventions are appropriate for Sasha?**
Assess preferred relaxation strategies (Correct)