

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
N/A	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Sydney Sharp		Unit: S5	Patient Initials: V. J.		Date: 12/13/2021	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Piperacillin (Zosyn)	Antibiotic	Prevent or treat infection	3.375 g IVPB Q 12 hours	Yes Click here to enter text.	3.375g in 100mL NS over 4 hours	Pruritus, oral candidiasis, Steven-Johnson syndrome, toxic epidermal necrolysis, clostridium difficile diarrhea, leukopenia, neutropenia, pancytopenia, thrombocytopenia, seizure	1. Advise patient to report bloody diarrhea during therapy or up to several weeks post therapy 2. Consult with health care provider prior to taking anti-diarrheamedicine 3. Although it is common to feel better early in drug therapy, teach patient to continue taking Zosyn as prescribed 4. Monitor signs and symptoms of neuromuscular excitability or convulsions in patients with renal impairment
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours