

Student Name: _____

Unit: PMU

Pt. Initials: R.

Date: _____

Allergies: _____

Medication Worksheet – Current Medications & PRN for Last 24 Hours

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List solution to dilute and rate to push. IVPB – concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							Circle IVP Type
NALOXONE	Opioid antagonist; short acting	Opioid Overdose	0.4mg SA or IVP 2-3 min ... up to 10mg may	<input checked="" type="checkbox"/> N		Muscle, Joint pain; Nasal dryness; HA fever; withdrawal symptoms	<ol style="list-style-type: none"> 1. Monitor VS closely for efficacy 2. Monitor for rebound toxicity 3. Monitor for respiratory depression 4. closely monitor amt. received
Nalmefene/ Vivitrol	Opioid antagonist; long acting	Opioid dependence treatment	380mg IM q 4 weeks	<input checked="" type="checkbox"/> N		Injection site pain, N/V/D, Insomnia	<ol style="list-style-type: none"> 1. Drug screen before admin 2. Advise pts of effects of using with medication 3. Educate about OTC med interacts 4. Advise about pregnancy risk
				<input type="checkbox"/> Y			<ol style="list-style-type: none"> 1. 2. 3. 4.
				<input type="checkbox"/> N			<ol style="list-style-type: none"> 1. 2. 3. 4.
				<input type="checkbox"/> Y			<ol style="list-style-type: none"> 1. 2. 3. 4.
				<input type="checkbox"/> N			<ol style="list-style-type: none"> 1. 2. 3. 4.

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Allergies: _____

Medication Worksheet – Current Medications & PRN for Last 24 Hours

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List solution to dilute and rate to push. IVPB – concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
								Isotonic/ Hypotonic/ Hypertonic			
Thiamine	Vitamins	EDDH Withdrawal	100mg PO daily	<input checked="" type="checkbox"/> N		restlessness, diaphoresis, warmth	1. Monitor for anaphylactic 2. Monitor for pulmonary edema 3. Hives 4. Anorexia, or lethargy				
Folic Acid	Vitamins	EDDH Withdrawal	1mg PO daily	<input checked="" type="checkbox"/> N		Itching, malaise, bronchospasm	1. mental/mood change 2. Educate about well balanced diet 3. Reassess electrolytes 4. ensure consistency				
Acomprosate	Alcohol Abstinence & Therapy	Reduces Cravings at EDDH	466mg PO TID	<input checked="" type="checkbox"/> N		NIVD, cramping, Fatigue HA	1. S/S mood changes 2. Syncope/episodes 3. ↑ Thirst 4. S/S kidney damage				
Ibuprofen	NSAID	Pain/ Anti-inflammatory Relief	200mg PO for pain 2 (6-10)	<input checked="" type="checkbox"/> N		Dizziness, skin rash, nausea	1. Monitor for bruising changes 2. monitor for hearing changes 3. Mood changes 4. S/S of heart failure				
Ondansetron	Serotonin Receptor Antagonist	Antiemetic	8mg PO or IV PRN Nausea	<input checked="" type="checkbox"/> N		HA, Itching, Fever, Diarrhea	1. Reassess nausea for efficacy 2. Monitor ECG when electrolytes imbalanced 3. S/S of serotonin syndrome 4. Report QT prolongation		Slow push over 24 min. 8mg/12ml		

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications			
	Isotonic/ Hypotonic/ Hypertonic						
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List solution to dilute and rate to push. IVPB – concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Lorazepam	Benzodiazepine	Antianxiety	2mg IV/PO PRN CIVA-ar PRN PRN	Y N	ml/ml NS, DSW ml/ml	Drowsy, Ataxia, slurred speech	1. Avoid during pregnancy 2. Monitor for blurred vision 3. Reassess CIVA-ar 4. Monitor for seizures
				Y N			1. 2. 3. 4.
				Y N			1. 2. 3. 4.
				Y N			1. 2. 3. 4.