

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
N/A	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	N/A	N/A	N/A

Student Name: Click here to enter text.		Unit: Click here to enter text.		Patient Initials: Click here to enter text.		Date: Click here to enter a date.		Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)		
lithium	Antimanic	Treatment of manic or mixed episodes	600 mg po BID	<input style="width: 100px; height: 20px;" type="text"/> Click here to enter text.		Fatigue, Dry mouth, Nausea, Weight gain, Blurred vision, Polyuria, Hand tremors, Confusion, Muscle weakness	1. BBW: Lithium toxicity 2. Teach the patient the importance of keeping an adequate fluid intake, salt intake, and normal diet 3. This medication has a narrow therapeutic index 4. May cause central nervous system (CNS) depression and impair ability to operate heavy machinery		
fentanyl	Opioid	Treatment of moderate to severe pain	Via PCA pump at 10 mcg/hour lockout q 15 minutes	<input style="width: 100px; height: 20px;" type="text"/> Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> pump lockout q 15 minutes	- Asthenia, Confusion, Constipation, Dry mouth, Nausea, Somnolence, Sweating, Vomiting	1. BBW: Risk of opioid addiction, abuse, and misuse, which can lead to overdose and death 2. Serious life-threatening, or fatal respiratory depression may occur 3. Monitor for respiratory depression, especially during initiation or following a dose increase 4. Concomitant use of opioids with benzodiazepines or other CNS depressants		

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							may result in profound sedation, respiratory depression, coma, and death
risperidone	Antipsychotic 2nd generation	Management of psychosis	2 mg po qd	<input style="width: 100px; height: 20px;" type="text"/> Click here to enter text.		Somnolence, Insomnia, Agitation, Anxiety, HA, Rhinitis, Fatigue, Parkinsonism, Akathisia, Increased appetite	<ol style="list-style-type: none"> 1. BBW: Elderly patients with dementia related psychosis treated with antipsychotic drugs are at an increased risk for death 2. Teach patient the importance of realizing the signs and symptoms EPS, TD, NMS 3. Teach patient this medication may lead to metabolic syndrome 4. Teach patient to keep a healthy diet, exercise, and lifestyle
lorazepam	Benzodiazepine	Used to reduce anxiety/agitation	2 mg po q 8 hours prn agitation	<input style="width: 100px; height: 20px;" type="text"/> Yes	PO	CNS depression, respiratory depression, dizziness, unsteadiness, amnesia, confusion, disorientation	<ol style="list-style-type: none"> 1. BBW: concomitant use of benzodiazepines and opioids may result in profound sedation, respiratory depression, coma, and death 2. Female patients should avoid pregnancy 3. Medication should not be stopped abruptly 4. Monitor patient for respiratory depression or sedation

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.	Date: Click here to enter a date.	Allergies: Click here to enter text.		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
vancomycin	Glucopeptide	Antibiotic	1 gm IVPB in 200 mL 0.9% NS; infuse over 60 minutes	<input style="width: 100px; height: 20px;" type="text"/> Click here to enter text.	IVPB in 200 mL 0.9% NS; infuse over 60 minutes	- Nausea, Abdominal pain, Hypokalemia, Vomiting, Diarrhea, Pyrexia, Flatulence, UTI	1. Prolonged use may result in fungal or bacterial superinfection 2. Rapid IV administration may result in flushing, pruritus, hypotension erythema, and urticaria 3. Ototoxicity may occur. Discontinue if signs of ototoxicity occur 4. Take caution to avoid extravasation; necrosis may occur
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.	Date: Click here to enter a date.	Allergies: Click here to enter text.		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<div style="border: 1px solid black; width: 100px; height: 20px; margin-bottom: 5px;"></div> Click here to enter text.	here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.