

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
None-PO meds	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	None-PO meds	None-PO meds	Click here to enter text.

Student Name: Stephanie Pigg		Unit: S10	Patient Initials: RR		Date: 3/23/2021	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Sevelamer HCl (Renagel)	Phosphate-removing agents	Control of serum phosphorus in pts. with CKD, prevent hypocalcemia	2400 mg, PO, TID	<input type="text"/> Click here to enter text.	<input type="text"/> PO med	N & V, stomach pain, loss of appetite, gas, bloating, diarrhea, constipation	<ol style="list-style-type: none"> Do not crush, spit or chew Do not heat Avoid with pts. who have a bowel obstruction Take with meal
Apixaban (Eliquis)	Anticoagulant	Prevent stroke & systemic embolism in non-valvular atrial fibrillation	5 mg, PO, BID	<input type="text"/> Click here to enter text.	<input type="text"/> PO med	Bleeding, anemia, hemorrhage, & nausea	<ol style="list-style-type: none"> Increased risk of severe or fatal bleeding Avoid spinal tap or epidural Do not stop med suddenly Avoid activities that increase risk of bleeding or injury
Fludocortison acetate (Florinef)	Adrenal	Reduce inflammation, Addison's disease, blood pressure control	0.3 mg, PO, Daily	<input type="text"/> Click here to enter text.	<input type="text"/> PO med	Increased blood pressure, stomach pain, bloating, facial redness, acne, increased sweating, insomnia	<ol style="list-style-type: none"> Avoid with pts. who have fungal infection Teach pt. about higher risk of infection Avoid pts. under 18 years old Teach pt. if possible to have ID stating the use of steroid medication

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Stephanie Pigg		Unit: S10	Patient Initials: RR	Date: 3/23/2021	Allergies: NKDA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Vitamin B complex/Vitamin C/Folic Acid (Rena-vite)	Vitamin B complex	Vitamin deficiency	1 tab, PO, Daily	<input type="text"/> Click here to enter text.	None-PO med	Allergic reaction, upset stomach, vomiting	<ol style="list-style-type: none"> 1. Take with full glass of water 2. Maintain a healthy diet 3. Risk of serious or life-threatening side effects if overdose 4. Avoid if allergy to Vitamin C or Vitamin B
Cinacalcet (Sensipar)	Other miscellaneous therapeutic	Decrease levels of PTH, calcium, & phosphorous, hypocalcemia	30 mg, PO, Daily	<input type="text"/> Click here to enter text.	-PO med	N & V, diarrhea	<ol style="list-style-type: none"> 1. Avoid if low levels of calcium 2. Take with food or eat shortly after 3. Do not crush or break tablet 4. Report numbness or tingling around mouth
Thiamine HCl (Vitamin B1)	Vitamin B complex	Prevent vitamin B1 deficiency	100 mg, PO, Daily	<input type="text"/> Click here to enter text.	-PO med	Nausea, tight feeling in throat, sweating, rash/itching, restless	<ol style="list-style-type: none"> 1. Avoid in pts. with history of kidney disease 2. Follow proper balanced diet 3. Recommended allowance increases with age 4. Report coughing up blood
Ascorbic Acid (Vitamin C)	Vitamin C	Prevent Vitamin C deficiency	500 mg, PO, BID	<input type="text"/> Click here to enter text.	-PO med	Heartburn, upset stomach, nausea, diarrhea	<ol style="list-style-type: none"> 1. Report joint pain, or severe pain in lower back/side 2. Avoid if hemochromatosis 3. Smoking can make ineffective 4. Recommended allowance increases with age

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Stephanie Pigg		Unit: S10	Patient Initials: RR	Date: 3/23/2021	Allergies: NKDA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Midodrine (Proamatine)	Alpha-adrenergic Agonists	Hypotension	20 mg, PO, TIDAC	<input type="text"/> Click here to enter text.	<input type="text"/> -PO med	Chills, goosebumps, numbness, tingling, itching (scalp), headache, dizziness, tired feeling, nausea, or increased urination	<ol style="list-style-type: none"> 1. Avoid if pt. has severe heart disease 2. Take last dose within 3-4 hours before bedtime 3. May increase blood pressure even when lying down or sleeping 4. Report severe headache, buzzing in ears, or blurred vision
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Stephanie Pigg		Unit: S10	Patient Initials: RR	Date: 3/23/2021	Allergies: NKDA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.