

# Post-Op Pediatric Clinical Simulation

## Summary Report

Below is a transcript of your progress through the game:

1. **Which response to the mom is the most appropriate?**  
Acknowledge concern (Correct)
2. **How would you assess Sasha's level of consciousness (LOC)?**  
Patient is oriented X 3 (Correct)
3. **How do you respond to Sasha's request?**  
Assess in high fowlers position (Correct)
4. **What actions do you take in response to this assessment data (RR26 & O2 sat 94%)?**  
Splint incision during deep breathing and coughing (Correct)
5. **Which pain assessment scale would be appropriate for Sasha?**  
PQRST (Correct)
6. **How do you respond to Sasha's reaction to his surgical incision?**  
Assess reason for reaction (Correct)
7. **The abdominal assessment needs to be completed. What is the correct assessment sequence?**
  1. Inspection
  2. Auscultation
  3. Percussion
  4. Palpation(Correct)
8. **Based on these assessment findings, what is the most appropriate nursing action?**  
No immediate action is needed (Correct)
9. **How do you respond to mom's question about the peripheral vascular assessment?**  
Assess circulation post abdominal surgery (Correct)
10. **Sasha is ordered Ampicillin 50mg/kg/day x 48 hours, to be given every 6 hours in 100mls of N/S run over 30 minutes. The tubing has a drop factor of 10 gtts/ml. Sasha weighs 64 lbs. What is the correct dose and infusion rate?**  
363mg in 100mls and 33 gtts/min (Correct)
11. **How do you respond to Sasha's non-verbal communication?**  
Clarify your observation (Correct)
12. **How do you respond to Sasha's increased surgical pain?**  
Severity Scale (Incorrect)
13. **How do you respond to Sasha's increase surgical pain?**  
PQRST (Correct)
14. **What should you do next to address Sasha's surgical pain?**  
Complete focused assessment (Correct)
15. **Which pain medication should you administer to Sasha?**  
Morphine po (Incorrect)
16. **Which pain medication should you administer to Sasha?**  
Morphine and Dimenhydrinate po (Correct)
17. **Besides putting up the side rails and placing the call bell in Sasha's reach, which of the following nursing actions will promote safety?**  
Call if getting up (Correct)
18. **What non-pharmacological pain control interventions are appropriate for Sasha?**

Assess preferred relaxation strategies (Correct)