

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	ph	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Endocrine metabolic agent	Uterine stimulation		Y N	LR	Dysrhythmias, nausea, vomiting	1. Monitor blood pressure 2. caution is pr is a uterine rupture risk 3. contraindicated if vaginal delivery is contraindicated 4. induces labor
Magnesium Sulfate	Musculoskeletal agent	Anti inflammatory		Y N		hypocalcemia, cns depression, sweating	1. monitor i&o 2. risk of fetal hypocalcemia 3. do not use in myocardial damage 4. check dee tendon reflexes
Meperidine	opioid	analgesic		Y N		Sweating, nausea, vomiting, dizziness, constipation	1. monitor for resp depression 2. call before getting up 3. report constipation 4. do not use with other cns depressants
Promethazine	Antihistamine	antiemetic		Y N		Phototoxicity, nausea, vomiting	1. use sunscreen 2. call before getting up 3. report extrapyramidal effects 4. monitor wbc for agranulocytosis
Calcium Gluconate	Calcium supplement	Calcium insufficiency		Y N		Constipation, abnormal taste in mouth	1. watch for tingling sensation 2. provide ice chips and water for bad taste in mouth 3. consult hcp when starting a new drug

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Newborn Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

							4.
--	--	--	--	--	--	--	----

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	nutriceutical	Clotting factor		Y N		Cardiac arrest, shock, cutaneous hypersensitivity	1. report rashes 2. watch for reactions 3. may cause cyanosis 4. given at least 6hrs after birth
Erythromycin Ophthalmic Ointment	antibiotic	Prophylactic abx		Y N		Ocular irritation, erythema, hypersensitivity reaction	1. cause glassy appearance of eyes 2. given at least 2 hrs after birth to prevent eye infections 3. advise parents to not wipe ointment off 4. watch baby to make sure they don't wipe ointment off
Engerix B	Vaccination	Hep b vaccination		Y N		Erythema, stevens johnsons syndrome, fever, fatigue	1. educate parents on vaccine schedule 2. inform parents of future doses 3. may cause diarrhea 4. future doses given at follow up appointment
Hepatitis B Immune Globulin	Immune serum	vaccination		Y N		Erythema, vomiting, decreased wbc count, ecchymosis	1. may cause thrombotic 2. avoid live vaccines other than hep b for 3 months after dose is given 3. given to infants with hep b positive moms 4. may cause falsely elevated blood glucose

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

							readings
				Y			1.
				N			2.
							3.
							4.