



FHM Strip Interpretation # 1

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contractions: Frequency: Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III




FHM Strip Interpretation # 2

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contractions: Frequency: Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III




FHM Strip Interpretation # 3

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contractions: Frequency: Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III




FHM Strip Interpretation # 4

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contractions: Frequency: Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III




FHM Strip Interpretation # 5

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contractions: Frequency: Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III




FHM Strip Interpretation # 6

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contractions: Frequency: Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III



FHM Strip Interpretation # 7

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contractions: Frequency: Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III



FHM Strip Interpretation # 8

Baseline rate:

Variability: Absent / Minimal / Moderate / Marked

Accelerations Yes / No

Reactive: Yes / No

Decelerations: Yes / No

Type Deceleration: Early / Late / Variables / Prolonged Decel.


Uterine Contractions:

Frequency:

Duration:


Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD

Category: I II III



FHM Strip Interpretation # 9

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Declarations: Yes / No Type Declaration: Early / Late / Variables / Prolonged Decel.	Uterine Contractions: Frequency: Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III



FHM Strip Interpretation # 10

Baseline rate:

Variability: Absent / Minimal / Moderate / Marked

Accelerations Yes / No

Reactive: Yes / No

Decelerations: Yes / No

Type Deceleration: Early / Late / Variables

Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD


Uterine Contractions:

Frequency:


Duration:

Strength:

Category: I II III



9:20, 1 Nov 2017, 3 cm/min



COVIDIEN Kendall

44032

017

44033

018

44034

019

Printed in USA