

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5 + NS + KCl 20 mEq 36ml/hr	Hypertonic <input type="checkbox"/>	Maintenance fluid (pt NPO status)	Electrolytes Specifically potassium and sodium	Monitor for s/s hyperkalemia Monitor for s/s hypernatremia

Student Name: Caroline Dikes		Unit: Pedi floor	Patient Initials: FS		Date: 6/9/21	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Famotidine inj	Gastric acid secretion inhibitor	Inhibits concentration and volume of gastric secretion	4 mg IV BID	Yes. 1mg/kg/day divided twice daily Max- 80mg/day	concentration: 20 mg/2ml vial Admin 0.4ml	Constipation, diarrhea, headache, stevens-johnson syndrome, necrotizing enterocolitis in new born, seizure	<ol style="list-style-type: none"> 1. Monitor stool consistency and frequency 2. Asses bowel sounds before and after administration 3. May need to combine with antacid if experiencing more s/s GERD 4. Frequent GI assessment (avoid NEC complications)
Heparin lock flush	Anticoagulant	Prevent clotting of the central line	1 ml per lumen Q12	N/A, only in lines	10 U per 1 ml	N/A	N/A- ensure the flush only remains in the line and is not administered systemically through the line

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Caroline Dikes		Unit: Pedi floor	Patient Initials: FS		Date: 6/9/21	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/ Contraindications, Etc.)
Ketorolac	Analgesic NSAID	Blocks prostaglandin Potent analgesic	4 mg IVP Q6H	Max 60 mg day- safety not established in pt under 17 yrs	concentration: 15 ml/ vial Admin: 0.2667 ml	Serve dependence and withdrawal, hypertension, burning in the eyes, abdominal pain, constipation, diarrhea, flatulence, GI ulcers/bleeds , liver failure	<ol style="list-style-type: none"> 1. BBW: for short tern use only (up to 5 days) 2. Monitor blood pressure 3. Monitor stools for blood or change in consistency 4. Report s/s hepatotoxicity
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Caroline Dikes		Unit: Pedi floor	Patient Initials: FS		Date: 6/9/21	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.