

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Addison Fassauer		Unit: OR	Patient Initials: N/A		Date: 8/2/2021	Allergies: N/A	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Enoxaparin (Lovenox)	Anticoagulants (low-molecular-weight) LMW	Prevent DVT; immobile patients, surgical patients, stroke prevention.	N/A, SubQ, N/A	Y		Hemorrhage, injection site reactions, and Heparin induced thrombocytopenia. (low number of platelets in blood.)	<ol style="list-style-type: none"> Administer deep subQ, 90 degree angle, in the love handles. Maintain bunch throughout injection. Ask previous location. Monitor platlet count & bleeding. Patient report any type of bleeding; gums, nose, hematuria or in stool, easy bruising. Caution if patient has a history of GI bleeds or history of ulcers.
Insulin Lispro (Humalog)	Antidiabetic (Rapid Acting)	Control of hyperglycemia. Also known as treatment for diabetes mellitus.	N/A, SubQ-IV, N/A	Y		Injection site reaction, Hypoglycemia, Insulin allergy or resistance, pain in abdomen.	<ol style="list-style-type: none"> Teach the patient to eat within 15 mins of administration. Hypoglycemia can occur. Monitor nutritional status Rapid acting insulin can be the only insulin that can be administered intervenously. Assessing the patients blood glucose, make sure to read the sliding scale correctly to administer the correct UNITS

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Addison Fassauer		Unit: OR	Patient Initials: N/A	Date: 8/2/2021	Allergies: N/A		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							of insulin. 4. Rotate injection sites to avoid damage to the muscles.
Novolog mix 70/30 (30% short acting & 70% long acting)	Antidiabetic	Control of hyperglycemia	N/A, injection SubQ, N/A	Y		Allergic reactions, hypoglycemia, and hypokalemia (which may cause respiratory paralysis.)	<ol style="list-style-type: none"> Novolog 70/30 is not recommended for the treatment of diabetic ketoacidosis. Administer the dose within 15 mins before a meal. Patients with a visual impairment, teach them to not rely on the audible clicks on the dial for their dose. Too much can be harmful. Hypoglycemia can cause dizziness and is harmful to the patient. Use call light to get help.
Insulin Gargine (Long Acting)	Antidiabetic (Long-Acting)	Control of hyperglycemia	N/A, SubQ, N/A	Y	N/A	Hypoglycemia, Insulin resistance, and Insulin allergy	<ol style="list-style-type: none"> Inject at the same time daily. Not the same location. Make sure the patient eats within 15 mins and monitor blood glucose. Hypoglycemia. Insulin Gargine can not be mixed with any other insulins. Avoid drinking alcohol. Causes low blood sugar and can impair treatment.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Addison Fassauer		Unit: OR	Patient Initials: N/A	Date: 8/2/2021	Allergies: N/A		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							Long acting provides a slow and steady level of insulin.
Pneumovax 23 (PPV)	Vaccine	Prevention of pneumonia. (Protection against streptococcus pneumonia)	0.5 mL SubQ-IM, N/A	Y		Chills, high fever, allergic reactions, ringing in the ears, temporary loss of appetite, rash.	<ol style="list-style-type: none"> 1. You should not get the vaccine if you have a life-threatening allergy. 2. High risk patients who will get sick from the disease are patients 65 years or older and have medical conditions. 3. Sitting or laying down for 15 mins can prevent fainting. If you experience vision changes or ringing in the ears contact the nurse. 4. This vaccine can protect you from the bacteria that is spread from person to person. Hand pamphlet for more teaching to the patient.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Addison Fassauer		Unit: OR	Patient Initials: N/A	Date: 8/2/2021	Allergies: N/A		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Addison Fassauer		Unit: OR	Patient Initials: N/A	Date: 8/2/2021	Allergies: N/A		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.