

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5 1/2 NS + KCl 10 MEQ/ 500 ml	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input checked="" type="checkbox"/>	Fluid and electrolyte replenishment	Glucose, Potassium, Sodium	High potassium levels, high BUN levels

Student Name:		Unit:	Patient Initials:		Date:	Allergies:	
Brooke Carroll		3N	GG		8/10/2021	NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Dexamethasone	Adrenal Glucocorticoid	Treats Disorder of the Eye	2 drops 0.2mL Q6H	Yes	N/A	Hypertension, conjunctival inflammation, abnormal vision, increased intraocular pressure, corneal edema	1. Have pt/caregiver report any sensitivity to light, eye redness or pain. 2. Have pt/caregiver report any change of vision after administering drug. 3. Demonstrate and instruct on proper installation technique of ophthalmic preparation. 4. Advise against sudden discontinuation of drug.
Benadryl/Diphenhydramine Hydrochloride	Antihistamine, Analgesic	Treats allergies/allergic reactions	7mg IVP Q6H	Yes	Dilute in 3 mL Normal Saline, push over 2-5 mins	Thick sputum. Dry nasal mucosa, dizziness, sedation	1. Warn caregiver that young children may experience a paradoxical effect. 2. Warn pt/caregiver that drug may cause drowsiness/dizziness. 3. Contraindicated in newborns or premature infants. 4. Avoid use along with other drugs that cause drowsiness in infants.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Carroll		Unit: 3N	Patient Initials: GG		Date: 8/10/2021	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Ondansetron/ Zofran	Antiemetic	Treats nausea/vomiting	1 mg IVP Q8H	Yes	Administer undiluted in no less than 30 seconds, preferred rate of 2-5 mins	Constipation, diarrhea, headache, fever	<ol style="list-style-type: none"> 1. Warn pt/caregiver to monitor for signs of gastric distention or any changes in bowel movements. 2. Have pt/caregiver report any neuromuscular changes such as muscle weakness, twitching, paresthesia. 3. Warn pt/caregiver to report symptoms of QT prolongation. 4. Use with caution in chemotherapy patients as drug may mask progressive ileus.
Miralax/ Polythylene Glycol 3350	Laxative	Treats constipation	4.25mg PO daily	Yes	N/A	Diarrhea, flatulence, nausea, stomach cramps, swollen abdomen	<ol style="list-style-type: none"> 1. Avoid use in patients with known or suspected bowel obstruction. 2. Advise pt/caregiver that symptomatic improvement may not be seen for 2-4 days. 3. Warn pt/caregiver that drug should not be used for extended period of time unless approved by healthcare professional. 4. Ensure powder is fully disintegrated in liquid before administering medication.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Carroll		Unit: 3N	Patient Initials: GG		Date: 8/10/2021	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Ofirmev/Acetaminophen	Analgesic/Antipyretic	Treats fever	110 mg /11ml solution IVPB Once	Yes	110mg/11ml = 10mg/ml infused over 15 minutes	Pruritis, constipation, nausea, vomiting	<ol style="list-style-type: none"> 1. Black Box Warning: prevent dosing errors which may result in accidental overdose and death. 2. Instruct pt/caregiver to maintain properly hydrated while taking drug. 3. Instruct pt/caregiver to report signs of hepatotoxicity or nephrotoxicity immediately. 4. Immediately discontinue drug use if hypersensitivity reactions occur.
Cytosar PF	Chemotherapy		60ml/hr IVPB Q12H	Yes	20 mg/ml 23.5 mg in 28.826 ml NS		<ol style="list-style-type: none"> 1. Do not have to research chemo drugs per Mrs. Gordey, but still wanted to include. 2. 3. 4.
Vepesid	Chemotherapy		50.588 mls/hr IVPB Q24H	Yes	23.5mg/ 100ml NS		<ol style="list-style-type: none"> 1. Do not have to research chemo drugs per Mrs. Gordey, but still wanted to include. 2. 3. 4.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Carroll		Unit: 3N	Patient Initials: GG		Date: 8/10/2021	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Next PT below	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> Click here to enter text.
Albuterol	Beta 2 Adrenergic Agonist/ Bronchodilator	Treats asthma	5mg NEB Resp Q4H	Yes	N/A	Tachycardia, nausea, headache, cough, feeling nervous, heart palpitations	<ol style="list-style-type: none"> Warn pt/caregiver to report signs/symptoms of paradoxical bronchospasms. Instruct pt/caregiver on how to properly administer medication via proper inhalation technique. Teach pt/caregiver to report the need increased frequency to provide relief of symptoms. Teach pt/cacregiver to report symptoms of shakiness, nervousness, dizziness, or any changes in breathing.
Orapred/Pre dnisolone Sodium Phosphate	Adrenal Glucocorticoid	Treats asthma/ reduces inflammation	30mg/10 ml PO BID	Yes	N/A	Hypertension, insomnia, increased appetite, mood swings	<ol style="list-style-type: none"> Warn pt/caregiver to avoid receiving any immunizations during drug use. Instruct pt/caregiver to immediately report symptoms of infection or fever. Warn pt/caregiver to avoid sudden discontinuation of drug.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Carroll		Unit: 3N	Patient Initials: GG		Date: 8/10/2021	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							4. Instruct pt/caregiver not to split, crush, or chew orally disintegrating tablet.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.