Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
No fluids running	Isotonic ☐ Hypotonic ☐ Hypertonic ☐	N/A	N/A	N/A

Student Name: Brooke Carroll	**Unit:** 3N	**Patient Initials:** O.G	**Date:** 8/17/2021	**Allergies:** NKDA

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Pepcid/ Famotidine	Gastric Acid Scretion Antagonsit	Treats GERD	2.4 mg PO BID	Yes	N/A	Headache, dizziness, constipation, diarrhea	1. Warn against taking drug if history of hypersensitivitu to other H2 receptor antagonists 2. Instruct pt/caregiver to administer medication once in the morning and once before bedtime, not both doses at once. 3. Teach pt/caregiver to report any signs of muscle weakness, fever, lethargy after taking drug. 4. Educate pt/caregiver to increase fluids and maintain adequate hydration to prevent constipation.
Vancomycin Hydrochloride	Antibitoic	Treats infection	100 mg IVPB Q6H	Yes	100 mg in 20 ml NS 5mg/ml Rate= push over 90 minutes	Tarry stools, blood in urine or stool, dizziness, loss of hearing, weakness	1. Have pt/caregiver report hearing loss, ringing in ears or hearing changes. 2. Perform GI assessment prior to administration. 3. Instruct pt/caregiver to report any changes In stool or urine color/ consistency immediately.

Adopted: August 2016

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Carroll		**Unit:** 3N	**Patient Initials:** O.G		**Date:** 8/17/2021	**Allergies:** NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Is med in therapeutic range? If not, why?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
							4. Have pt/caregiver report any signs of dizziness or sudden trouble breathing.
Reglan/ Metoclopro amide	Prokinetic Agent	Treats GERD	0.5mg PO Q6H	Yes	N/A	Restlessness, fatigue, nausea, vomiting, headache	1. Black Box Warning: Can cause tardive dyskinesia, a serious movement disorder that is often irreversible. 2. Instruct pt/caregiver that drug should be administered up to 30 minutes before meals and bedtime. 3. Avoid use for patient with GI obstruction, perforation, or hemorrhage. 4. Warn pt/caregiver that drug might cause increased dizziness or drowsiness.
Acetaminop hen/ Tylenol	Analgesic /Antipyretic	Treats fever	75mg PRN PO Q4H	Yes	N/A	Pruritis, constipation, nausea, vomiting	1. Black Box Warning: prevent dosing errors which may result in accidental overdose and death. 2. Instruct pt/caregiver to maintain properly hydrated while taking drug. 3. Instruct pt/caregiver to report signs of hepatotoxicity or nephrotoxicity immediately.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Carroll		**Unit:** 3N	**Patient Initials:** O.G		**Date:** 8/17/2021	**Allergies:** NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Is med in therapeutic range? If not, why?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
							4. Immediately discontinue drug use if hypersensitivity reactions occur.
Patient L.M	Fluids = Dextrose 5% NS 0.45% + KCl 20 MEQ	hypertonic	Lab values to assess= glucose, potassium , sodium	Choose an item.	Fluid and elctrolyte replenishment	Contrainidcated in high potassium/ BUN levels	1. 2. 3. 4.
Toradol/ Ketorolac	Analgesic	Pain releiver	10mg IVP Q6H	Yes	3ml NS dilution push rate= 1-2 mins, no less than 15 seconds	Edema, sweating, abdominal pain, nausea, headache, dizziness	1. Black Box Warning: Indicated for short term use only for management od moderately severe acute pain. 2. Warn pt/caregiver to report symptoms of serious gastrointestinal events such as bleeding, ulceration or perforation of stomach. 3. Warn pt/caregiver that the use of nonprescription aspirin products and other NSAIDs should be avoided when taking this drug. 4. Educate pt/caregiver on isgns of hepatoxicity and have them report any changes immediately.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Carroll		**Unit:** 3N	**Patient Initials:** O.G		**Date:** 8/17/2021	**Allergies:** NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Is med in therapeutic range? If not, why?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
Pepcid/ Famotidine	Gastric Acid Secretion Inhibitor	Inhibits gastric acid secretion	12mg IVP BID	Yes	12mg/1.2ml Dilute with 3 ml NS Push Rate= 2 minutes	Headache, dizziness, constipation, diarrhea	1. Warn against taking drug if history of hypersensitivitu to other H2 receptor antagonists 2. Instruct pt/caregiver to administer medication once in the morning and once before bedtime, not both doses at once. 3. Teach pt/caregiver to report any signs of muscle weakness, fever, lethargy after taking drug. 4. Educate pt/caregiver to increase fluids and maintain adequate hydration to prevent constipation.
Acetaminophen/ Tylenol	Analgesic	Pain releiver	380 mg PO Q6H PRN 1-3 hrs	Yes	N/A	Pruritis, constipation, nausea, vomiting	1. Black Box Warning: prevent dosing errors which may result in accidental overdose and death. 2. Instruct pt/caregiver to maintain properly hydrated while taking drug. 3. Immediately discontinue drug use if hypersensitivity reactions occur. 4. Instruct pt/caregiver to report signs of hepatotoxicity or nephrotoxicity immediately.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Carroll		**Unit:** 3N	**Patient Initials:** O.G		**Date:** 8/17/2021	**Allergies:** NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Is med in therapeutic range? If not, why?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
Zosyn/ Pipercillin	Antibiotic	Treats Infection	2,560mg IVPB Q8H	Yes	51.2mg/ml Push Rate= infuse over 30 mins	Diarrhea, constipaiton, nausea, insomnia, headaches	1. Instruct pt/caregiver to report any watery or blood indarrhea during use of drug. 2. Avoid use if prior history of allergic reaction to any penicllins, cephalosporins, or beta lactams. 3. Instruct pt/caregiver to maintain adequate hydration while dehydration from diarrhea is a risk form drug. 4. Teach pt/caregiver to monitor stools, urine, gums for abnormal bleeding.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Carroll		**Unit:** 3N	**Patient Initials:** O.G		**Date:** 8/17/2021	**Allergies:** NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Is med in therapeutic range? If not, why?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.