

Student Name: Ian Canono _____

Unit: OB Sim _____

Pt. Initials: _____ Date: Aug. 24th, 2021 _____

Maternal Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications			
	Isotonic/ Hypotonic/ Hypertonic						
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List solution to dilute and rate to push. IVPB – List mL/hr. and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Uterine Stimulant	Induction of Labor or Prevent Postpartum Hemorrhage	10 to 40 units IV	Y	0.5 to 1 milliunit/min.	BBW: Not indicated for elective induction of labor. Nausea, Vomiting	1. Monitor for intoxication such as hypotension and water intoxication 2. Teach patient to report excessive nausea and vomiting 3. Monitor patients' uterine activity and fetal heart rate 4. Monitor patient vital signs such as B/P
Magnesium Sulfate	Tocolytic / Musculoskeletal Agent	Prevention of seizures due to preeclampsia or relaxes uterine muscle	4 to 5 G IV Up to 10 G IM	Y N	250 mL of D5W or NS infused over 3 to 5 minutes	Flushing, Sweating, Heart Block, Hypotension, Shock, Hyporeflexia	1. Monitor patient vital signs such as B/P for signs of hypotension 2. Assess patient for signs of hyporeflexia 3. Monitor patients labs for Magnesium levels 4. Teach patient to report signs and symptoms of shock
Meperidine	Analgesics	Treatment of mild to severe pain	50 to 150 mg PO/Sub Q/IM q 3-4 hrs.	Y N		BBW: Can lead to OD or death. Sweating, Nausea, Vomiting, Dizziness,	1. Teach patient to avoid activities requiring mental alertness 2. Monitor patient vital signs such as B/P 3. Teach patient to report severe constipation 4. Monitor patient for signs and symptoms of respiratory depression

Student Name: Ian Canono _____

Unit: OB Sim _____

Pt. Initials: _____ Date: Aug. 24th, 2021 _____

Newborn Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: _____

						Lightheadedness	
Promethazine	Antihistamine	Treats Pregnancy sickness	25 mg PO or Rectal BID	Y N		BBW: High risk for respiratory depression. Dermatitis, Phototoxicity, Urticaria, Nausea and Vomiting, Xerostomia, Dizziness	<ol style="list-style-type: none"> 1. Teach patient to avoid prolong sun exposure and wear sunscreen 2. Monitor patient vital signs and for respiratory depression 3. Monitor patient labs such as WBC 4. Instruct patient to report excessive nausea and vomiting
Calcium Gluconate	Calcium Supplement	Prevent or treat calcium deficiency. Magnesium Sulfate antidote	45 to 720 mg PO Daily 1500 to 3000 mg IV	Y N	15 to 30 mL of 10% solution over 2 to 5 minutes	Abnormal taste in mouth, Constipation, Flatulence, Swollen Abdomen	<ol style="list-style-type: none"> 1. Monitor patients vital signs such as B/P 2. Teach patient to report signs and symptoms of severe constipation 3. Monitor patient labs such as calcium levels 4. Teach patient there is multiple drug interactions associated with the medications

Student Name: Ian Canono _____

Unit: OB Sim _____

Pt. Initials: _____ Date: Aug 24th, 2021 _____

Maternal Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications			
	Isotonic/ Hypotonic/ Hypertonic						
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List solution to dilute and rate to push. IVPB – List mL/hr. and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	Vitamin K Supplement	Treats certain bleeding or blood clotting problems	2.5 to 25 mg PO/IV/ IM	Y N	IVPB – List solution to dilute and rate to push. IVPB – List mL/hr. and time to give	BBW: Severe hypersensitivity reaction. Shock, Metabolic acidosis, Respiratory arrest	1. Teach patient to report any rash 2. Monitor patient for signs and symptoms of excessive bleeding 3. Monitor patient vital signs such as B/P 4. Monitor patient for respiratory depression
Erythromycin Ophthalmic Ointment	Antibiotic	Used to treat and prevent bacterial infection of the eyes	N/A	Y N		Eye redness, mild eye irritation, burning, tingling sensation	1. Monitor patient eyes for sign of severe irritation 2. Monitor patient for signs and symptoms of allergic reaction 3. Minimize patient eyes to light exposure 4. Monitor patient vital signs
Engerix B	Vaccine	Hepatitis B vaccine	10- 20 mcg/0.5 mL 3 dose series	Y N		Injection site reaction, Diarrhea, Nausea, Asthenia, Headache, Fatigue, Fever, Malaise	1. Monitor patient injection site for signs and symptoms of irritation 2. Instruct patient to report severe diarrhea 3. Monitor patient for severe fever 4. Instruct patient to report signs and symptoms of nausea, fatigue, and headache

Student Name: Ian Canono _____

Unit: OB Sim _____

Pt. Initials: _____ Date: Aug. 24th, 2021 _____

Newborn Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: _____

Hepatitis B Immune Globulin	Immune Serum	Prevention of Hep. B in newborns with mothers who are infected with Hep. B	0.06 mL/kg as a single dose	Y N		Erythema at injection site, Nausea, Vomiting, Decreased WBC, Joint stiffness, myalgia, Headache	1. Inform patient to avoid live vaccines for 3 months after receiving the vaccine 2. Monitor patient labs like liver enzymes 3. Teach patient to report severe nausea and vomiting 4. Teach patient to report joint stiffness and myalgia
				Y N			1. 2. 3. 4.