

Student Name: Airykah Molina \_\_\_\_\_ Unit: Pedi Floor \_\_\_\_\_ Pt. Initials: 350 \_\_\_\_\_ Date: 08/24/21 \_\_\_\_\_

**Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours**

**Allergies: NKDA**

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5 + 0.9% NS KCl 20 mEq Kcl 100mL/hr	Isotonic/ Hypotonic/ Hypertonic	Maintenance Fluid		

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List diluent solution, volume, and rate of administration  IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why?			
Acetaminophen (Ofirmev)	Analgesic	Pain control	500mg IVPB Q6H	Yes	IVPB 500mg/50mL Over 15 minutes	-Potential for severe liver injury -Anorexia -Nausea	1. Do not exceed 4,000mg in a day 2. Re-assess for relief of pain 3. Monitor liver function 4. Report negative reactions
Ketorolac Tromethamine (Toradol)	NSAID	Anti-inflammatory	15 mg IVP Q6H	Yes	IVP 15mg/5mL NS Push 2-3 min	-serious cardiovascular thrombotic events -Headache -Nausea -Abdominal cramps	1. Avoid Aspirin 2. Report abdominal pain 3. Report bloody stools 4. Take with food or milk
Morphine Sulfate	Opiate Agonists	Treat severe pain	3 mg IVP PRN Pain (7-10)	Yes	IVP 3mg/5mL NS Push 4-5 min	-Respiratory depression -Nausea -Vomiting -Orthostatic hypotension	1. Change positions slowly to avoid orthostatic hypotension 2. Avoid tasks that require alertness 3. Report ineffective pain control 4. Monitor respiratory status
Ondansetron HCl (Zofran)	5-HT3 receptor antagonist	Nausea/vomiting	4mg IVP Q8Hr PRN	Yes	IVP 4mg/5mL NS Push 2-5 min	-Hypertension -Acute renal failure -GI bleeding -Respiratory depression	1. Report persistent vomiting 2. Avoid tasks that require alertness 3. Assess bowel sounds 4. Re-assess for nausea relief

							1.
							2.
							3.
							4.

Adopted: August 2016

Student Name: Airykah Molina \_\_\_\_\_ Unit: Pedi floor \_\_\_\_\_ Pt. Initials: 355 \_\_\_\_\_ Date: 08/24/21 \_\_\_\_\_

**Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours**

**Allergies: NKDA**

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP – List solution to dilute and rate to push.  IVPB – concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why ?			
Levetiracetam (Keppra)	Anticonvulsant	Treat Seizures	200mg PO IVPB	Yes	IVPB 200mg/50mL Over 15 minutes	-Drowsiness -Anorexia -Headache -Vertigo	1. Avoid tasks that require alertness 2. Do not abruptly discontinue medication 3. Strict maintenance of drug therapy essential for seizure control 4. Report mood swings
							1. 2. 3. 4.
							1. 2. 3. 4.

							1. 2. 3. 4.
							1. 2. 3. 4.

Adopted: August 2016