

# Post-Op Pediatric Clinical Simulation

## Summary Report

You have completed the game! It has taken you 19 questions to get through the game. A perfect score is 18 questions. Review your summary report below.

If you replay the game, make sure you save this report before playing a new game, as the results will be reset each time.

If not attending an organized debrief, make sure you download and complete the [self-debriefing questions](#) to optimize your learning experience.

## Your Responses

Below is a transcript of your progress through the game:

**Q:** Which response to the mom is the most appropriate?

**A:** Acknowledge concern (Correct)

**Q:** How would you assess Sasha's level of consciousness (LOC)?

**A:** Patient is oriented X 3 (Correct)

**Q:** How do you respond to Sasha's request?

**A:** Assess in the supine position (Incorrect)

**Q:** How do you respond to Sasha's request?

**A:** Assess in high fowlers position (Correct)

**Q:** What actions do you take in response to this assessment data (RR26 & O2 sat 94%)?

**A:** Splint incision during deep breathing and coughing (Correct)

**Q:** Which pain assessment scale would be appropriate for Sasha?

**A:** PQRST (Correct)

**Q:** How do you respond to Sasha's reaction to his surgical incision?

**A:** Assess reason for reaction (Correct)

**Q:** The abdominal assessment needs to be completed. What is the correct assessment sequence?

**A:**

1. Inspection
2. Auscultation
3. Percussion
4. Palpation

(Correct)

**Q:** Based on these assessment findings, what is the most appropriate nursing action?

**A:** No immediate action is needed (Correct)

**Q:** How do you respond to mom's question about the peripheral vascular assessment?

**A:** Assess circulation post abdominal surgery (Correct)

**Q:** Sasha is ordered Ampicillin 50mg/kg/day x 48 hours, to be given every 6 hours in 100mls of N/S run over 30 minutes. The tubing has a drop factor of 10 gtts/ml. Sasha weighs 64 lbs. What is the correct dose and infusion rate?

**A:** 363mg in 100mls and 33 gtts/min (Correct)

**Q:** How do you respond to Sasha's non-verbal communication?

**A:** Clarify your observation (Correct)

**Q:** How do you respond to Sasha's increased surgical pain?

**A:** Severity Scale (Incorrect)

**Q:** How do you respond to Sasha's increase surgical pain?

**A:** PQRST (Correct)

**Q:** What should you do next to address Sasha's surgical pain?

**A:** Complete focused assessment (Correct)

**Q:** Which pain medication should you administer to Sasha?

**A:** Morphine po (Incorrect)

**Q:** Which pain medication should you administer to Sasha?

**A:** Morphine and Dimenhydrinate po (Correct)

**Q:** Besides putting up the side rails and placing the call bell in Sasha's reach, which of the following nursing actions will promote safety?

**A:** Call if getting up (Correct)

**Q:** What non-pharmacological pain control interventions are appropriate for Sasha?

**A:** Assess preferred relaxation strategies (Correct)