

## IM 2 Student Professional Skills Video Grading Rubric

Student Name: Madeline Eckert Video: 2 Date: September 2021

Universal Competency	Critical Elements	M	U
Safety (physical and emotional)	Introduce self	✓	
	Identify patient	✓	
	AIDET	✓	
	Allergy	✓	
	4 P's	✓	
	Fall bundle	✓	
	<b>Medication Administration</b> - Tdap IM and MS IVP		
	Medication, dosage, route, reason	✓	
Critical Thinking	<b>Assessment:</b> Peripheral Neurovascular		
	Assess for <b>pain</b> in the extremity	✓	
	Assess for <b>pallor</b> of the extremity and check capillary refill	✓	
	Assess peripheral <b>pulse</b> for strength and equality	✓	
	Assess for <b>paresthesia</b>	✓	
	Assess for <b>paralysis</b>	✓	
	Assess for <b>poikilothermia</b> in the extremity	✓	
	<b>Procedure</b>		
Assess, Plan, Implement, Evaluate (APIE) - <i>Reassessed pain level prior to medicating with MS</i>	✓		
Standard Precaution	<b>Asepsis</b>		
	Hand hygiene	✓	
	Don gloves if indicated	✓	
	Clean equipment (stethoscope, pulse oximeter, etc.)	✓	
	Procedures	✓	
	Medication preparation/delivery	✓	
Communication	<b>Teach patient</b>		
	Medication Procedure	✓	
Documentation	Scan patient	✓	
	Scan medication	✓	
	Assessment findings	✓	
	Procedure		
	Save documentation	✓	
Human Caring and Relationship	Respect, active engagement, authenticity, empathy	✓	
Professional Role Performance	Appearance, preparation, behaviors, resource management	✓	

Instructor comments: *\*Before assessing patency of the IV lumen assess the IV site itself - look, palpate, check dressing*  
*\*Cleansing the site of injection with alcohol for 15 seconds is adequate*  
*\*Your left arm is hovering over your sterile field during cleaning of the insertion site. Your sterile field is too close and it makes it easier to contaminate the field. Think about repositioning the table so that you are safe. Re-watch the video at the part where you perform the dressing change so you can see what I am seeing. It could be the angle of the videographer but it is too close to be absolute. Also, go down the lumen with the cleaning agent after the 30 seconds of vigorous scrub*

***at the insertion site.***