

Student Name: \_\_\_\_\_

Unit: \_\_\_\_\_

Pt. Initials: \_\_\_\_\_

Date: \_\_\_\_\_

**Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours**

Allergies: \_\_\_\_\_

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Hormone	Induce labor	0.5 to 1 mu/min IVPB Contin	[Y] N	IVPB- 1 to 2 mu/min increments at 30 to 60 min intervals	Uterine Rupture Hematoma bleeding	1. Report ripping pain (Uterine rupture) 2. Watch for FHR abnormalities 3. Monitor for tachysystole 4. report any bleeding discharge/ bruises
Magnesium Sulfate	Anti-convulsant	Prevent seizures	4 to 6 g (loading) ) 1 to 2 g maintenance IVPB 24 HRS	[Y] N	IVPB- 1 to 2 g/ HR for at least 24 Hrs	Mg+ Toxicity AV Block Cardiac Arrest	1. report < 12 RR, depressed TDR, < 30 mL urine output, over 8 mg serum = all stop*** 2. report chest pain 3. monitor for sweating/ confusion 4. most proximal port, Ca+ Gluconate = antidote for Mg+ Toxicity
Meperidine	Opiate agonist	Treat moderate to severe acute pain	50 to 100 mg IM/SQ PRN 1-3 HRS	[Y] N	NA	Resp arrest Apnea Confusion	1. report trouble breathing 2. drink plenty of water/ fibers 3. slowly rise from bed (dizziness) 4. report changes of vision
Promethazine	Anti-histaminic	Treat allergy's and feelings of N/V, also sleep aid	100mg PO 24 HRS	[Y] N	NA	Seizures Tardive dyskinesia NMS	1. report involuntary tongue moves 2. report tachycardia, tachypnea, sudden fever, sweating, drooling, HTN, decreased LOC. 3. report any restlessness 4. report any muscle spasms

Student Name: \_\_\_\_\_

Unit: \_\_\_\_\_

Pt. Initials: \_\_\_\_\_

Date: \_\_\_\_\_

**Newborn Medication Worksheet - Current Medications & PRN for Last 24 Hours**

Allergies: \_\_\_\_\_

Calcium Gluconate	Antidote	Treat Mg + Toxicity	1 g IVPB	[Y] N	IVPB- 10 mL of 10% solution over 10 min or 1 gm IV	Hypercalcemia Edema Constipation	1.report N/V/increased thirst or muscle weakness, bone pain, fatigue. 2.drink water / eat fibers 3.report rapid swelling 4.report feelings of light headedness
-------------------	----------	---------------------	-------------	----------	--	--	---

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	Synthetic compound of Vitamin K	Prevent bleeding	90 mcg PO 24 HRS	[Y] N	NA	Anaphylactic shock Cyanosis	2.Report chest pain 2. report trouble breathing 3. move slowly out of bed (dizziness) 4.report fast HR
Erythromycin Ophthalmic Ointment	Antibiotic	Prevent eye infections	0.5% Ophthalmic	[Y] N	NA	Swelling Pain Redness	1.monitor fetal activity 2.monitor for redness/ warmth 3.report any skin reactions 4.1 CM away admin from eye
Engerix B	Monovalent vaccine	Hepatitis B	5 mcg IM/SQ Within 24HRs of birth	[Y] N	NA	Angioedema Erythema Hypotension	1.monitor FHR 2.monitor Fetal BP 3.palpate lymph nodes for lymphadenopathy 4.defer if neonate < 2000 gms, can get at 1 month instead with hospital visit
Hepatitis B Immune Globulin	Gamma globulin w/ anti HBs	HBV postexposure	0.5 mL IM	[Y] N	NA	Angioedema Elevated liver	1.monitor FHR 2.monito fetal BP 3.softly handle neonate (HA)

Student Name: \_\_\_\_\_

Unit: \_\_\_\_\_

Pt. Initials: \_\_\_\_\_

Date: \_\_\_\_\_

**Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours**

Allergies: \_\_\_\_\_

	antibodies		Within 7 days of birth			enzymes Hypotension	4.report any swelling (Angioedema)
				Y			1.
				N			2.
							3.
							4.