

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

<b>Student Name:</b> Chauneah Rhodes		<b>Unit:</b> Click here to enter text.	<b>Patient Initials:</b> D.T.	<b>Date:</b> 10/29/2021	<b>Allergies:</b> Cats, Oak trees, Bananas		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Methylprednisolone	Glucocorticoid	anti-inflammatory, immunosuppressant	methylprednisolone Tablets: 2 mg, 4 mg, 8 mg, 16 mg, 24 mg, 32 mg	<input type="checkbox"/>	Children: 0.117 to 1.66 mg/kg daily or 3.3 to 50 mg/m <sup>2</sup> P.O. daily in three to four divided doses.	Euphoria, insomnia, HF, glaucoma, peptic ulceration	1. May increase glucose and cholesterol levels. May decrease potassium and calcium levels. 2. Most adverse reactions to corticosteroids are dose- or duration-dependent. • Methylprednisolone may be administered orally. Methylprednisolone sodium succinate may be administered by I.M. or I.V. injection or by I.V. infusion, usually at 4- to 6-hour intervals. 3. For better results and less toxicity, give a once-daily dose in the morning. 4. Long-term use of adrenocorticoids in children and adolescents may delay growth and maturati
IBU	NSAID	Analgesic	Children  Anti pyretic 5-10 mg/kg.	<input type="checkbox"/>  Yes	Children: Anti-pyretic 5-10 mg/kg Every 6 hrs (max. 40 mg/kg per day) Anti-inflammatory 20-40 mg/kg/day in 3-4 divided	acid or sour stomach, belching, bloating, cloudy urine, decrease	1. Because exposure to a nursing infant is low, especially after single or intermittent doses, ibuprofen is considered a preferred analgesic/anti-inflammatory for women

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Chauneah Rhodes		Unit: <a href="#">Click here to enter text.</a>	Patient Initials: D.T.	Date: 10/29/2021	Allergies: Cats, Oak trees, Bananas		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
			Every 6 hrs (max. 40 mg/kg per day)Anti-inflammatory  20-40 mg/kg/day in 3-4 divided dose		dose	in amount of urine, diarrhea	<p>who are breast-feeding.</p> <p>2. buprofen should be used cautiously in patients with preexisting hematological disease (e.g., coagulopathy or hemophilia) or thrombocytopenia due to the effect of the drug on platelet function and vascular response to bleeding</p> <p>3. colitisChronic use of ibuprofen can result in gastritis, ulceration with or without GI perforation, and/or GI bleeding, which can occur at any time, often without preceding symptoms.</p> <p>4. Children12 years: 50 mg/kg/day PO (Max: 3,200 mg/day) and 2,400 mg/day IV for Rx-only products; 40 mg/kg/day PO (Max: 1,200 mg/day) for non-prescription use.1 to 11 years: 50 mg/kg/day PO (Max: 3,200 mg/day) and 40 mg/kg/day IV (Max: 2,400 mg/day) for Rx-only products; 40 mg/kg/day PO (Max: 1,200 mg/day) for non-prescription use.</p>
Albuterol	Beta-2 Adrenergic	Bronchodilator	0.083% 3ml HHN every 4	<a href="#">Click here to enter text.</a>	ren 2 to 6 years of age—Dose is based on body weight and must be	Tremors, headache, insomnia, HTN,	1. The action of albuterol sulfate inhalation solution may last up to six hours, and therefore it should not be used more

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

<b>Student Name:</b> Chauneah Rhodes		<b>Unit:</b> Click here to enter text.	<b>Patient Initials:</b> D.T.		<b>Date:</b> 10/29/2021	<b>Allergies:</b> Cats, Oak trees, Bananas	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
	Agonist		hours and PRN		determined by your doctor. The usual dose is 0.1 milligram (mg) per kilogram (kg) of body weight per dose, given 3 times per day, and each dose will not be more than 2 mg. Your doctor may increase your dose as needed up to a maximum dose of 12 mg per day, divided and given 3 times a day.	arrythmias	frequently than recommended.  2. Albuterol sulfate inhalation solution is contraindicated in patients with a history of hypersensitivity to any of its components.  3. Click here to enter text.  4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

<b>Student Name:</b> Chauneah Rhodes		<b>Unit:</b> Click here to enter text.	<b>Patient Initials:</b> D.T.		<b>Date:</b> 10/29/2021	<b>Allergies:</b> Cats, Oak trees, Bananas	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

## Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

<b>Student Name:</b> Chauneah Rhodes		<b>Unit:</b> Click here to enter text.	<b>Patient Initials:</b> D.T.	<b>Date:</b> 10/29/2021		<b>Allergies:</b> Cats, Oak trees, Bananas	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.