

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name:		Unit:	Patient Initials:		Date:	Allergies:	
		Click here to enter text.	rs		Click here to enter a date.	Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
amoxicillin	Penicillinase-sensitive penicillin	treat certain infections caused by bacteria	dose is 20 to 40 milligrams (mg) per kilogram (kg) of body weight per day,	Click here to enter text.	Click here to enter text.	diarrhea, rash, vomiting, and nausea	1. Call your doctor immediately if any of the following side effects occur: hives or welts, itching, redness of the skin, skin rash, thick. Understanding was verb 2. take food before taking amoxicillin to decrease possible stomach upset. 3. Notify MD if rash, fever, or chills develop. 4. Must use for full length of treatment
ceftriaxone	cephalosporins	Ceftriaxone is used to treat a wide variety of bacterial infections	1 to 2 g IV or IM once a day (or in equally divided doses twice a day) Duration	Click here to enter text.	ceftriaxone 250 mg vial - mix with 0.9 mL of lidocaine 1% = 250 mg/mL Ceftriaxone 1000 mg vial - mix with 2.1 mL of lidocaine 1% = 350 mg/mL	Diarrhea, Leukopenia, Thrombocytosis, Eosinophilia	1. Click here to enter text. 2. Watch for oral thrush or vaginal yeast infections. 3. Notify MD if rash, fever, or chills develop. 4. Must use for full length of treatment

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name:		Unit: Click here to enter text.	Patient Initials: rs	Date: Click here to enter a date.	Allergies: Click here to enter text.		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
meropenem	carbapenems	: Peritonitis · Meningococcal meningitis · Bacteroides complicated appendicitis · Bacteroides peritonitis · E. coli	iv admin	<input type="text"/> 1 gm q8h	<input type="text"/> min, 1 gm IV bolus, 3-15.	Anemia Constipation Skin rash Headache disorder Nausea	1. Meropenem may cause serious allergic reactions, including anaphylaxis, 2. take complete dose 3. notify md of any complications 4. Click here to enter text.
ciprofloxacin	fluoroquinolones	Used to treat UTI often, and other infections	500mg po q12hr or 400mg IV q12h	<input type="text"/> Click here to enter text.	1/2 mg/ml	Bleeding, nausea, vomiting, heartburn, vaginal itching	1. take complete dose 2. take same time each day 3. take with meals 4. watch for pts with altered mental status
levofloxacin	fluoroquinolones	Treats infections, pneumonia, kidneys etc.	250mg, 500mg, 750mg	<input type="text"/> Click here to enter text.		Elevated ICP, seizures, suicidal thoughts	1. take dose until done 2. take antacids 4hr before or 2hr after 3. notify md if s/s of PAD 4. use sunscreen
amiodarone	antiarrhythmic	Suppression of the arrhythmias	800-1600mg/day	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	HF, ARDS, anorexia, toxic epidermal necrolysis	1. Monitor ECG 2. assess toxicity pulmonary 3. monitor BP 4. assess for neurotoxicity

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name:		Unit: <small>Click here to enter text.</small>	Patient Initials: rs	Date: <small>Click here to enter a date.</small>	Allergies: <small>Click here to enter text.</small>		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
epinephrin	inotropes	adrenergics	0.3-0.5 mg	<input type="text"/> <small>Click here to enter text.</small>	for anaphylaxis, 0.1-0.25mg q5-15 in	<small>Click here to enter text.</small>	<ol style="list-style-type: none"> 1. monitor site 2. assess lung sounds 3. observe for wheezing 4. monitor b/p, pulse, ECG
dobutamine	inotropes	Increase cardiac output	2.5-15 mcg/kg/min	<input type="text"/> <small>Click here to enter text.</small>	mg/ml	Headache, htn, increased hr, phlebitis, SOB	<ol style="list-style-type: none"> 1. palpate peripheral pulses 2. monitor potassium 3. monitor electrolytes and BUN 4. administer into a large vein.
dopamine	inotropes	Increase cardiac output	0.5-3 mcg/kg/min	<input type="text"/> <small>Click here to enter text.</small>	g/ml	Ha, dyspnea, arrhythmias, nausea and vomiting,	<ol style="list-style-type: none"> 1. monitor BP 2. monitor urine output 3. palpate peripheral pulses 4. monitor for hypotension
lidocaine	anesthetics	Control ventricular, local anesthesia	1-1.5mg/kg	<input type="text"/> <small>Click here to enter text.</small>	/ml	Seizures, cardiac arrest, mucosal use, nausea and vomiting, bronchospasm	<ol style="list-style-type: none"> 1. monitor for seizures 2. cardiac arrest 3. watch for anaphylaxis 4. <small>Click here to enter text.</small>
<small>Click here to enter text.</small>	<small>Click here to enter text.</small>	<small>Click here to enter text.</small>	<small>Click here to enter text.</small>	<input type="text"/> <small>Click here to enter text.</small>	<small>Click here to enter text.</small>	<small>Click here to enter text.</small>	<ol style="list-style-type: none"> 1. <small>Click here to enter text.</small> 2. <small>Click here to enter text.</small> 3. <small>Click here to enter text.</small>

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name:		Unit: Click here to enter text.	Patient Initials: rs	Date: Click here to enter a date.	Allergies: Click here to enter text.		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.