

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

<b>Student Name:</b> Click here to enter text.		<b>Unit:</b> Click here to enter text.		<b>Patient Initials:</b> Click here to enter text.		<b>Date:</b> Click here to enter a date.		<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)		
Regular insulin	Antidiabetic s	Treatmeny fro hyperkalemia	100units/ml	Click here to enter text.	Click here to enter text.	Hypoglycemia, hypersesnitivity, hypokalemia, cutaneous amyloidosis	1. assess for symptoms for hypoglcemia 2. monitor body weight 3. monitor blood glucose q6h during therapy 4. monitor serum potassium		
Insulin glargne	Pancreatics	Control hyperglycemia	0.2/0.4 units/kg	Click here to enter text.	Click here to enter text.	Hypoglycemia, hypokalemia, hypersesnitivity	1. teach proper administration 2. monitor body weight 3. monitor for confusion 4. monitor blod glucose		
Glipizide	sulfonureas	Lowering bloodsugars	2.5-40mg daily	Click here to enter text.	Click here to enter text.	Photosensitivity, rash, hypoglycemia, apalstic anemia	1. observe for s/s of hypoglycemic reactions 2. monitor cbc 3. admnister 30 min before a meal 4. Click here to enter text.		
metformin	Antidiabetic s	Maintenance of blood glucose	500mg BID up to 2000mg / day	Click here to enter text.	Click here to enter text.	Lactid acidosis, abdominal bloating, decrease in	1. know s/s of hypoglycemia 2. monitor sserum glucose levels 3. take same time each day		

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.	Date: Click here to enter a date.	Allergies: Click here to enter text.		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Click here to enter text.		vitamin b12	4. follow diet and exercise regimen
Levothyroxine	Hormones	Restore normal thyroid balance	50mcg	Click here to enter text.	Click here to enter text.	Headache, angina, hyperthyroidism, abdominal cramps	<ol style="list-style-type: none"> <li>1. take every morning before meals at least 30 min before breakfast lol</li> <li>2. monitor thyroid labs</li> <li>3. take as directed</li> <li>4. lifetime therapy required</li> </ol>
propylthiouracil	Antithyroid agents	Decrease s/s of hyperthyroidism	100mg q8h	Click here to enter text.	Click here to enter text.	Hepatotoxicity, steven johnson, agranulocytosis, bleeding	<ol style="list-style-type: none"> <li>1. Monitor weight 2-3 xs weekly</li> <li>2. may cause drowsiness</li> <li>3. report sore throat, fever and chills</li> <li>4. notify md if pregnancy planned</li> </ol>
phenobarbital	Barbituates	Antoconvulsant activity	Click here to enter text.	Click here to enter text.	Click here to enter text.	Hangover feeling, laryospasm, angiodema, hypotension	<ol style="list-style-type: none"> <li>1. monitor respiratory status</li> <li>2. monitor labs</li> <li>3. assess seizure location, duration</li> <li>4. assess level of consciousness</li> </ol>
Phenytoin	Antiarrhythmics	Diminished seizure activity	15-20mg/kg	Click here to enter text.	Click here to enter text.	Suicidal thoughts, cardiac arrest, acute hepatic failure	<ol style="list-style-type: none"> <li>1. monitor closely for notable changes in behavior</li> <li>2. assess oral hygiene</li> <li>3. assess for hypersensitivity</li> <li>4. assess mental status</li> </ol>

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Click here to enter text.		Unit: Click here to enter text.	Patient Initials: Click here to enter text.	Date: Click here to enter a date.	Allergies: Click here to enter text.		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
levetiracetam	Pyrrolidines	Decreased incidence and severity of seizures	500mg-3000mg	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Suicidal thoughts, drug reaction, agranulocytosis	<ol style="list-style-type: none"> <li>1. monitor mood changes</li> <li>2. assess for rash</li> <li>3. monitor s/s for DRESS</li> <li>4. monitor for anaphylaxis</li> </ol>
donepezil	Alzheimers agent	May lessen dementia associated alzheimers	5mg-10mg	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Afib, ecchymoses, headache, arthritis	<ol style="list-style-type: none"> <li>1. take daily as directed</li> <li>2. may take weeks before improvement</li> <li>3. may cause dizziness</li> <li>4. notify md if pregnancy</li> </ol>
Memantine	Antialzheimers agent	Decreased s/s dementia / cognitive decline	5mg-10mg/day	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Dizziness, hypertension, diarrhea, urinary frequency	<ol style="list-style-type: none"> <li>1. may cause dizziness assist with amulation</li> <li>2. monitor for cognitive function</li> <li>3. will not cure only lessen symptos</li> <li>4. Click here to enter text.</li> </ol>
Phenazopyridine	Urinary tract analgeics	Diminished uninary tract discomfort	200mg 3 times daily	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Hepatotoxicity, right orange urine, rash, hemolytic	<ol style="list-style-type: none"> <li>1. take exactly as directed</li> <li>2. completed other doctors orders even if pain subsides</li> <li>3. drug causes reddish orange urine</li> <li>4. notify md if urine pain doesn't subside</li> </ol>
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> <li>1. Click here to enter text.</li> <li>2. Click here to enter text.</li> <li>3. Click here to enter text.</li> </ol>

## Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

<b>Student Name:</b> Click here to enter text.		<b>Unit:</b> Click here to enter text.	<b>Patient Initials:</b> Click here to enter text.		<b>Date:</b> Click here to enter a date.	<b>Allergies:</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration  IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
			text.	Click here to enter text.			4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<div style="border: 1px solid black; width: 100px; height: 20px; margin-bottom: 5px;"></div> here to enter text.  Click here to enter text.	here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.