

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Mary Juarez		Unit: Click here to enter text.	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	PAGE 4 Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
phenobarbital	Luminal	barbiturate	PO	Choose an item. Click here to enter text.	Click here to enter text.	drowsiness, dizziness, feeling restless, hangover effect	1. Monitor daytime drowsiness 2. Monitor for depression, delirium, excitation 3. Monitor pt responses, blood levels 4. Monitor airway for allergic reactions
phenytoin	Hydantoin	anticonvulsant	PO/IV	Choose an item. Click here to enter text.	Click here to enter text.	dizziness, depression, suicidal tendencies, hypotension, n/v	1. Monitor for phenytoin hypersensitivity 2. Monitor for serious skin disorders 3. Monitor phenytoin levels 4. Monitor mental status
levetiracetam	pyrrolidine	anticonvulsant	PO/IV	Choose an item. Click here to enter text.	Click here to enter text.	dizziness, suicidal ideation, n/v/d, rash, abd pain, anorexia	1. Assess seizures 2. Monitor renal studies, blood studies 3. Monitor mental status 4. Teach pt to take with or without food

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

donepezil	reversible cholinesterase inhibitor	anti-Alzheimer's agent	PO	Choose an item. Click here to enter text.	Click here to enter text.	dizziness, insomnia, n/v/d, drowsiness, urinary frequency, rash	<ol style="list-style-type: none"> 1. Assess Alzheimer's disease 2. Monitor BP, HR, ECG 3. Monitor mental status 4. Monitor GI/GU status
memantine	N-methyl-D-aspartate receptor antagonist	anti-Alzheimer's agent	PO	Choose an item. Click here to enter text.	Click here to enter text.	dizziness, confusion, HTN, vomiting, constipation, diarrhea	<ol style="list-style-type: none"> 1. Assess Alzheimer's disease 2. Assess for any adverse reactions 3. Evaluate therapeutic response 4. Teach pt to report any side effects
phenazopyridine	AZO standard	urinary tract problems	PO	Choose an item. Click here to enter text.	Click here to enter text.	decreased urination, rapid wt gain, confusion, loss of appetite, n/v	<ol style="list-style-type: none"> 1. Advise pt dye will turn urine reddish orange 2. Assess pt for vertigo that might affect gait 3. Teach pt to take with food to decrease stomach upset 4. Teach pt to notify MD of any side effects
amiodarone	iodinated benzofuran derivative	antidysrhythmic	PO/IV	Choose an item. Click here to enter text.	Click here to enter text.	dizziness, hypotension, dry eyes, n/v/d, flushing	<ol style="list-style-type: none"> 1. Monitor ECG continuously 2. Monitor electrolytes, hepatic studies, AST, ALT 3. Monitor CNS symptoms 4. Teach pt to use sunscreen
epinephrine	catecholamine	bronchodilator	INH/IM/IV/sub-Q	Choose an item. Click here to enter text.	Click here to enter text.	tremors, anxiety, palpitations, tachy, n/v, dyspnea, hypoglycemia	<ol style="list-style-type: none"> 1. Assess resp status 2. Monitor ECG during administration 3. Monitor for allergic reactions 4. Monitor therapeutic response
dobutamine	catecholamine	stimulant	IV/ inj	Choose an item. Click here to enter text.	Click here to enter text.	anxiety, palpitations, tachy, PVCs, heartburn, muscle cramps	<ol style="list-style-type: none"> 1. Assess hypovolemia if present 2. Monitor ECG during administration 3. Evaluate therapeutic response 4. Teach pt to report SOB, CP, numbness, HA

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

dopamine	catecholamine	adrenergic	IV	Choose an item. Click here to enter text.	Click here to enter text.	HA, angina, n/v/d, hypotension, dyspnea	<ol style="list-style-type: none"> 1. Assess oxygenation/perfusion 2. Monitor ECG while administration 3. Check BP/ pulse q 5mins 4. Evaluate therapeutic response
lidocaine	aminoacyl amide	antidysrhythmic	IV	Choose an item. Click here to enter text.	Click here to enter text.	HA, confusion, tinnitus, n/v, rash, dyspnea, resp depression	<ol style="list-style-type: none"> 1. Assess ECG continuously 2. Monitor therapeutic levels 1.5-5cg/ml 3. Monitor resp status et CNS effects 4. Teach to report signs of toxicity immediately
atropine	Belladonna alkaloid	antidysrhythmic	IV/IM/sub-Q	Choose an item. Click here to enter text.	Click here to enter text.	HA, dizziness, dry mouth, tachypnea, pulmonary edema, flushing	<ol style="list-style-type: none"> 1. Assess I&O ratio 2. Assess GI status, bowels sounds, constipation, etc 3. Teach to avoid beer esp in older adults 4. Teach pt to report any adverse effects
mannitol	Hexahydric alcohol	diuretic	IV	Choose an item. Click here to enter text.	Click here to enter text.	dizziness, HA, edema, n/v, dry mouth, tachy, HF	<ol style="list-style-type: none"> 1. Monitor I&O, BP, pulse q hour 2. Monitor electrolytes et labs qd 3. Monitor for increased intracranial pressure 4. Teach pt to report any signs of electrolyte imbalances
phenytoin	hydantoin	anticonvulsant	PO/IV	Choose an item. Click here to enter text.	Click here to enter text.	dizziness, suicidal tendencies, v-fib, diabetes insipidus, n/v, abd pain	<ol style="list-style-type: none"> 1. Assess phenytoin hypersensitivity 2. Monitor for any serious skin rashes 3. Monitor EKG et blood studies 4. Teach pt to carry emergency ID stating on med