

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

<b>Student Name:</b> Mary Juarez		<b>Unit:</b> Click here to enter text.	<b>Patient Initials:</b> Click here to enter text.		<b>Date:</b> Click here to enter a date.	<b>PAGE 2</b> Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration  IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
raloxifene	bone resorption inhibitor	hormone modifier	PO	Choose an item.  Click here to enter text.	Click here to enter text.	insomnia, hot flashes, n/v/d, wt gain, leg cramps	1. Assess for hx of cardiac problems 2. Assess bone density test throughout tx 3. Evaluate therapeutic response 4. Teach pt to take cal+D
alendronate	bisphos-phosphate	bone resorption inhibitor	PO	Choose an item.  Click here to enter text.	Click here to enter text.	asthma exac., a-fib, eash, HA, adb pain, bone pain	1. Assess hormonal status of women 2. Assess bone density 3. Assess for hypercalcemia 4. Teach to remain upright 30 mins after taking
allopurinol	Xanthine oxidase inhibitor	antigout	PO/IV	Choose an item.  Click here to enter text.	Click here to enter text.	n/v/d, malaise, HF, renal failure, acute goutty attack	1. Assess lab levels, CBC, AST, ALT, BUN, etc 2. Assess I&O ratios 3. Evaluate therapeutic response 4. Teach to increase fluid intake to 2L/day

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

prednisone	Glucocorticoid	corticosteroid	PO	Choose an item.  Click here to enter text.	Click here to enter text.	mood changes, hypertension, hyperglycemia, HTN, n/d flushing	<ol style="list-style-type: none"> <li>1. Assess adrenal insufficiency</li> <li>2. Assess K+, FBG, wt daily, B/P, HR, I&amp;Os</li> <li>3. Assess mental status, affect, mood, etc</li> <li>4. Teach pt not to stop abruptly</li> </ol>
ibuprofen	propionic acid derivative	NSAID	PO/IV	Choose an item.  Click here to enter text.	Click here to enter text.	HA, n/v/d, GI bleeding, MI, stroke, HF	<ol style="list-style-type: none"> <li>1. Assess for GI bleeding</li> <li>2. Assess renal, hepatic, blood studies</li> <li>3. Assess pain</li> <li>4. Teach to take with a full glass of water</li> </ol>
methotrexate	antineoplastic antimetabolite	folic acid antagonist	PO/IM/IV	Choose an item.  Click here to enter text.	Click here to enter text.	HA, dizziness, n/v/d, urinary retention, rash, seizures	<ol style="list-style-type: none"> <li>1. Assess RA, ROM, pain, joint swelling</li> <li>2. Assess anemia, gout, bleeding</li> <li>3. Monitor methotrexate levels</li> <li>4. Evaluate therapeutic response</li> </ol>
etanercept	anti-TNF agent	antirheumatic	sub-q	Choose an item.  Click here to enter text.	Click here to enter text.	HA, seizures, HF, abd pain, cough, sepsis,	<ol style="list-style-type: none"> <li>1. Assess RA: pain, stiffness, joint swelling, etc</li> <li>2. Assess for hypersensitivity</li> <li>3. Evaluate for therapeutic response</li> <li>4. Teach pt to d/c for prescribed time</li> </ol>
lispro insulin	endogenous human insulin	antidiabetic	IV/ sub-q	Choose an item.  Click here to enter text.	Click here to enter text.	blurred vision, flushing, swelling, redness, peripheral edema	<ol style="list-style-type: none"> <li>1. Assess blood glucose</li> <li>2. Assess urine ketones</li> <li>3. Assess hypoglycemic reaction</li> <li>4. Teach pt onset 15-30 mins</li> </ol>
Regular insulin	endogenous human insulin	antidiabetic	IV/ sub-q	Choose an item.  Click here to enter text.	Click here to enter text.	dry mouth, rash, urticaria, swelling, redness	<ol style="list-style-type: none"> <li>1. Assess blood glucose</li> <li>2. Assess hyperglycemia</li> <li>3. Teach pt to carry emergency ID as diabetic</li> <li>4. Teach pt onset 30 mins</li> </ol>

## Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

insulin glargine	endogenous human insulin	antidiabetic	IV/ sub-q	Choose an item.  Click here to enter text.	Click here to enter text.	hypoglycemia, rebound hyperglycemia, dry mouth, rash	<ol style="list-style-type: none"> <li>1. Assess blood glucose</li> <li>2. Assess for hypoglycemia</li> <li>3. Teach pt about diet et exercise importance</li> <li>4. Teach pt onset 1.5 hours</li> </ol>
glipizide	sulfonylurea	antidiabetic	PO	Choose an item.  Click here to enter text.	Click here to enter text.	HA, weakness, hypoglycemia, rash, allergic reactions	<ol style="list-style-type: none"> <li>1. Assess hypo/hyperglycemic</li> <li>2. Assess blood glucose</li> <li>3. Assess renal, hepatic dysfunction</li> <li>4. Teach pt not to drink alcohol</li> </ol>
metformin	biguanide	antidiabetic	PO/ oral solution	Choose an item.  Click here to enter text.	Click here to enter text.	lactic acidosis, n/v/d, heartburn, anorexia,	<ol style="list-style-type: none"> <li>1. Assess hypoglycemic reactions</li> <li>2. Assess CBC, BUN, creatinine during treatment</li> <li>3. Teach pt med should be put on hold prior to surgery</li> <li>4. Evaluate therapeutic response</li> </ol>
levothyroxine	levoisomer of thyroxine	thyroid hormone	PO/IV/IM	Choose an item.  Click here to enter text.	Click here to enter text.	anxiety, insomnia, thyroid storm, palpitations, n/v	<ol style="list-style-type: none"> <li>1. Assess BP/ pulse periodically</li> <li>2. Assess weight daily, same time, clothes, etc</li> <li>3. Assess cardiac status, angina, palpitations</li> <li>4. Assess bone density</li> </ol>
propylthiouracil	thioamide	thyroid hormone		Choose an item.  Click here to enter text.	Click here to enter text.	drowsiness, vertigo, n/v/d, nephritis, rash, urticaria, myalgia	<ol style="list-style-type: none"> <li>1. Assess hyperthyroidism</li> <li>2. Assess BP/pulse/temp</li> <li>3. Monitor labs periodically</li> <li>4. Teach pt to drink 3-4L a day</li> </ol>