

## IM 2 Simulated Patient Clinical Video Grading Rubric

Student Name: Madison Lopez

Video: 2

Date: November 2021

Universal Competency	Critical Elements	M	U
Safety (physical and emotional)	Introduce self	✓	
	Identify patient (2 patient identifiers)	✓	
	AIDET	✓	
	Allergies - <i>Remember to include cleaning agents and latex - self-identified</i>	✓	
	4 P's	✓	
	Fall Bundle	✓	
	<b>Medication Administration:</b> Medication, dosage, route, reason, assessment of route site(s), medication delivery equipment (IV pump, etc.)	✓	
Critical Thinking	<b>Assessment:</b> Assess for <b>pain</b> in the extremity Assess for <b>pallor</b> of the extremity and check capillary refill Assess peripheral <b>pulse</b> for strength and equality Assess for <b>paresthesia</b> Assess for <b>paralysis</b> Assess for <b>poikilothermia</b> in the extremity	✓ ✓ ✓ ✓ ✓ ✓	
	<b>Procedure</b> Assess, Plan, Implement, Evaluate (APIE) (Selection of appropriate equipment, time management, organization, etc.) - <i>***Please revisit options for selecting needle length regarding site of injection. A 1 1/2" needle is too long for a deltoid injection on most adults who are not morbidly obese***</i>	✓	
Standard Precaution	<b>Asepsis:</b>		
	Hand hygiene	✓	
	Don and change gloves (as indicated)	✓	
	Clean equipment (stethoscope, pulse ox, bedside table, med tray, etc.)	✓	
	Sterile procedure - <i>Self identified contamination of first sterile glove (first pair)</i>	✓	
	Medication preparation	✓	
	Medication delivery	✓	
Documentation	<b>Teach Patient:</b>		
	Medication - <i>Self identified - Also remember the VIS for vaccines</i>	✓	
	Procedure - <i>Self identified - Teach care of site</i>	✓	
	Scan patient	✓	
	Scan medication	✓	
	Save med documentation	✓	
	Document assessment findings	✓	
	Document procedure	✓	
	Save all documentation	✓	
Human Caring and Relationship	Respect, active engagement, authenticity, empathy, etc.	✓	
Professional Role Performance	Appearance, preparation, behaviors, resource management, etc.	✓	

Comments:

- ✓ *Include the first mL of flush in the timing of delivery of medication as the lumen needs to be cleared. The first mL of flush is included as part of the medication, which means it is included in your 2-4 minutes, then you can complete the flush.*

- ✓ *Show landmarks for injections on the patient before delivering into the injection pad.*
- ✓ *Make sure your patient is safe before you concern yourself with documentation*