

Student Name: Michael Aranda

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: No known drug allergies

Primary IV Fluid and Infusion Rate (ml/hr)		Circle IVF Type		Rationale for IVF		Lab Values to Assess Related to IVF		Contraindications/Complications	
		Isotonic/ Hypotonic/ Hypertonic							
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)		
Pyridoxine hydrochloride	antihistamine	antiemetic	10-20 mg po	Y N	n/a	CNS: somnolence, Restless, dry mouth, dilated pupils, sleepiness, acute renal failure	<ol style="list-style-type: none"> 1. May delay onset of food absorption 2. Alcohol use may cause additive CNS depression 3. Watch for signs of overdose: tachycardia, rhabdomyolysis, and even death. 4. Drug isn't used to be used as an as-needed basis 		
Succinylcholine chloride	Depolarizing neuromuscular blockers	Skeletal muscle relaxant	Inj: 20 mg Po: 5-10 mg	Y N	n/a	Hyperkalemia, HTN, excessive salivation, jaw rigidity, apnea	<ol style="list-style-type: none"> 1. may increase myoglobin and potassium levels 2. WARNING: drug decreases IOP 3. use cautiously in older adults 4. watch for overdose: prolonged neuromuscular blockade, weakness, low tidal volume 		
Levalbuterol	Beta 2 agonist	bronchodialators	45 mcg per actuation inhalation	Y N	n/a	Dizziness, nervousness, pain, tremor, leg cramps, vomiting, rash, anxiety	<ol style="list-style-type: none"> 1. May increase glucose level: check sugars 2. check potassium: may decrease potassium 3. WARNING: drug can produce a bronchospasm: stop if occurs 4. Tell patient not to increase dosage without consulting provider. 		
lorazepam	benzodiazepine	anxiolytic	2mg po	Y	n/a	Respiratory	<ol style="list-style-type: none"> 1. Watch for protracted withdrawal 		

				N		depression, drowsiness, sedation, amnesia, HA, and disorientation	<p>syndrome: anxiety, trouble with memory, depression, sleeping problems.</p> <p>2. watch for physical dependence</p> <p>3. watch for signs of misuse: abdominal pain, anorexia, depression, and slurred speech.</p> <p>4. Tell patient to take at recommended doses.</p>
propofol	Phenol derivatives	hypnotics	Inj 10 mg	Y N	n/a	Bradycardia, apnea, respiratory acidosis, rash, hypotension, decreased cardiac output	<p>1. may increase serum triglyceride levels</p> <p>2. if more than 100cc in bottle: question order</p> <p>3. overdose s/s: cardiorespiratory depression</p> <p>4. urine may turn green with prolonged use</p>

Adopted: August 2016, revised October 2018

Student Name: _____ Date: _____

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
etomidate	Non-barbiturate hypnotic	CNS depressant	Inj 20-40 mg	Y N	n/a	Inj. Site pain, snoring, fast or slow HR, hiccups, high or low BP, and fast or slow breathing	<p>1. Warning: can cause adrenal suppression</p> <p>2. Warning: myocardial dysfunction may happen</p> <p>3. Only given by HCP who is trained</p> <p>4. inject into large vein</p>
4-methylpyrazole	Alcohol dehydrogenase inhibitor	Block metabolism of ethylene glycol	Loading dose of 15 mg and	Y N	Mix in 100ml of 0.9 sodium chloride	HA, nausea, sleepiness, and unsteadiness, sore throat,	<p>1. Avoid alcohol. Very serious interaction can occur</p> <p>2. use for ethylene glycol and methanol toxicity only</p>

			10mg IV followed every 12 hour			back pain, ringing in ears	3. can be used with hemodialysis 4. give drug at a temp of (77 degrees F)
				Y N			1. 2. 3. 4.
				Y N			1. 2. 3. 4.
				Y N			1. 2. 3. 4.

Adopted: August 2016, revised October 2018