

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Kambree Irvin		Unit: PEDI/PICU	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Furosemide-NS	Loop Diuretic	Used to treat fluid retention. Prevents body from absorbing too much salt.	9-18 mg IV q8hr	Click here to enter text.	be given undiluted, IVP, at a rate of 1 mg/kg over 2 minutes	Hyperuricemia, hypomagnesemia, loss of appetite, orthostatic hypotension, pancreatitis, thrombocytopenia	<ol style="list-style-type: none"> 1. Advise patient to use sunscreen as drug can cause sun-sensitivity 2. May cause dizziness, blurred vision, or vertigo; avoid activities requiring coordination 3. Monitor for unusual bleeding or bruising 4. Recommend eating foods high in potassium during drug therapy
Albumin -NS	Volume Expander	Replace blood volume loss resulting from trauma.	35g, IVPB, 25% albumin	Click here to enter text.	ed over 2-3 hours	Hypovolemia, Hypersensitivity reaction	<ol style="list-style-type: none"> 1. Monitor vitals, electrolytes, and kidney function 2. Drink plenty of fluids while treated with albumin 3. Labs will need to be checked often 4. Monitor for shortness of breath, swelling in arms or legs, and weight gain

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Kambree Irvin		Unit: PEDI/PICU	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Ondansetron- ALL	Antiemetic	Used to prevent nausea and vomiting caused by surgery, cancer chemo, or radiation.	8 mg PO q8hr	Click here to enter text.	Click here to enter text.	Constipation, diarrhea, headache, hypoxia, fatigue, serotonin syndrome, malaise	<ol style="list-style-type: none"> 1. Monitor for constipation or diarrhea 2. Take 1 hour prior to chemotherapy 3. Monitor for arrhythmias, change in heart rate, or syncope 4. Discontinue if serotonin syndrome is suspected
Acetaminophen- ALL	Analgesic	Used to treat mild to moderate pain or reduce fever.	630 mg q6hr, IV	Click here to enter text.	Click here to enter text. Administer over 15 minutes via syringe pump	Pruritus, constipation, nausea, vomiting, headache, insomnia, agitation, liver failure, pneumonitis	<ol style="list-style-type: none"> 1. Monitor dosing very closely, do not exceed maximum dosage 2. Monitor for nausea, stomach pain, sweating, confusion 3. Monitor liver function, BUN, creatinine 4. Monitor intake and output
PICU MEDS Head Injury Meds-	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Lorazepam	Antianxiety, benzodiazepine	Used to treat anxiety. Keeps the patient	0.5mg per dose, q6hr, IVP	Click here to enter text.	Click here to enter text. over 2-5 minutes, dilute in 10ml NS	Asthenia, dizziness, sedated,	<ol style="list-style-type: none"> 1. Monitor for respiratory depression 2. Observe IV site for any redness

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Kambree Irvin		Unit: PEDI/PICU	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
		calm.		enter text.		metabolic acidosis, delirium	3. Teach caregiver that this medication can prevent/ treat seizures that may be caused by head injury 4. Monitor for "gaspings syndrome"
Morphine	Analgesic	Used to treat moderate to severe pain	0.5mg IVP q6hr	<input type="text"/> over 5 minutes, Click here to enter text.	<input type="text"/> dilute in 10ml NS	Pruritus, constipation, nausea, vomiting, miosis, cardiac arrest, coma, seizure, respiratory depression	1. Monitor for serotonin syndrome 2. Closely monitor for decreased respiratory rate 3. Check for constipation, distended abdomen 4. Report s/s of adrenal insufficiency
Pertussis Meds-	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.	<input type="text"/> here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Azithromycin	Antibiotic	Used to treat many different types of infections caused by bacteria.	70 mg/day single dose orally for 5 days	<input type="text"/> here to enter text. Click here to enter text.	<input type="text"/> here to enter text.	Abdominal pain, diarrhea, nausea, hepatitis, liver failure, vomiting,	1. Any one exposed must take antibiotic also. 2. Monitor potassium labs. 3. Monitor for clostridium difficile 4. Report s/s of hepatotoxicity

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Kambree Irvin		Unit: PEDI/PICU	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						flatulence	
Prednisone	Adrenal Glucocorticoid	Used as an anti inflammatory or an immunosuppressant medication.	7-14mg/day in two divided doses, PO	<input type="text"/> here to enter text. Click here to enter text.		Hypertension, cardiac arrest, impaired wound healing, hyperglycemia, hypokalemia, hypocalcemia, seizure, infection	1. Instruct caregiver to consult physician before receiving vaccines due to drug induced immunosuppression 2. Report any exposure to chicken pox or measles; avoid any sick people 3. Monitor for decreased growth 4. Monitor blood pressure, electrolytes, increased intracranial pressure, and weight frequently
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text.

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Kambree Irvin		Unit: PEDI/PICU	Patient Initials: Click here to enter text.		Date: Click here to enter a date.	Allergies: Click here to enter text.	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.