

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Normal Saline 250 mL (250mL/HR)	Isotonic <input checked="" type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Fluid and electrolyte replacement	BUN/creatinine	IV site irritation, fluid overload

Student Name: Emanuel Cabrera	Unit: South 6	Patient Initials: Click here to enter text.	Date: 1/18/2022	Allergies: NKDA
---	-------------------------	---	---------------------------	---------------------------

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Lovenox Inj (Enoxaparin)	Low molecular weight heparins	Used to prevent blood clots.	40 mg, 0.4 mL, subcut, daily	Click here to enter text.		Mild irritation, pain, bruising, redness, and swelling. BBW- Patients anticoagulated with low molecular weight heparins are at risk of developing an epidural or spinal hematoma.	<ol style="list-style-type: none"> 1. Tell doctor if you are allergic to heparin or pork product. 2. Limit alcoholic beverages because it may cause stomach bleeding. 3. Use caution with sharp objects and avoid activities such as contact sports. 4. Avoid umbilicus area for injection.
Vancomycin inj.	Glycopeptide antibiotic	Used to treat infections.	750 mg in NS, 250 mL, IVPB, Q12H	Click here to enter text.	ng/250 NS, 250 mLs/hr	Pain, redness, and tenderness at the injection site. BBW- N/A to patient	<ol style="list-style-type: none"> 1. This drug may make you dizzy, so limit alcoholic beverages. 2. May cause live bacterial vaccines, (such as typhoid vaccine) to not work well. 3. Do not drive, use machinery, or do

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Emanuel Cabrera		Unit: South 6	Patient Initials: Click here to enter text.		Date: 1/18/2022	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							anything that needs alertness until you can do it safely. 4. Report signs of "red man" syndrome, including a red, maculopapular rash that typically appears on the face, neck, and upper torso.
Norco (hydrocodone+acetaminophen)	Analgesic, Opioid combo	To treat pain	7.5/325 mg, PO, Q6HR, PRN	<input type="text"/> Click here to enter text.		Stomach pain, dry mouth, tiredness, back pain, difficult frequent, or painful urination	<ol style="list-style-type: none"> 1. May make you drowsy, do not drive a car or operate machinery until you know how it affects you. 2. This medication may cause dizziness so avoid getting up too quickly. 3. Tell your doctor if you have or have ever had asthma or slow breathing as this medication may cause slowed or stopped breathing. 4. Do not take more it more often or in a different way as directed as this medication can be habit forming.
Topamax (topiramate)	Anticonvulsant	To treat seizures	200 mg, 2 tablets, PO, BID	<input type="text"/> Click here to enter text.	N/A	Tiredness, drowsiness, dizziness, loss of coordination	<ol style="list-style-type: none"> 1. May make you dizzy or drowsy or impair your judgement so avoid alcohol. 2. May make your sweat less, making you more likely to heat stroke. 3. Older adults may be more sensitive to

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Emanuel Cabrera		Unit: South 6	Patient Initials: Click here to enter text.	Date: 1/18/2022	Allergies: NKDA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							side effects of this drug. 4. When weather is hot, drink a lot fluids and dress lightly to avoid heat strokes.
Oxcarbazepine (Trileptal)	Anticonvulsant	To treat seizure disorders	300 mg, 1 tablet, PO, BID	<input type="text"/> Click here to enter text.		Dizziness, drowsiness, tiredness, headache.	<ol style="list-style-type: none"> 1. May make you feel dizzy or drowsy so avoid alcohol. 2. May contain inactive ingredients, which can cause allergic reactions. 3. Hyponatremia may occur while you are using this medication. 4. Check your medicine labels as they may contain ingredients that cause drowsiness.
Mag-Ox (Magnesium oxide)	Mineral supplement	To treat low amounts of magnesium in the blood.	400 mg, tab, PO, daily	<input type="text"/> Click here to enter text.		Stomach upset, diarrhea, dizziness, trouble breathing.	<ol style="list-style-type: none"> 1. Take with food to decrease side effects. 2. Some products may contain sugar so caution should be taken with diabetics. 3. Take this medication regularly to get the most benefit. 4. Some products may contain alcohol so caution should be taken if a patient has alcohol dependence.
Vitamin B12 (Cyanocobalamin)	Vitamin	Prevent and treat low blood levels of	1000 mcg, 2 tablets, PO, daily	<input type="text"/> Click here to		Rash, itching/swelling, severe dizziness,	<ol style="list-style-type: none"> 1. May need another form if you have a disease such as Crohn's as you may not be able to properly absorb it. 2. Tell your doctor if you are taking other

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Emanuel Cabrera		Unit: South 6	Patient Initials: Click here to enter text.		Date: 1/18/2022	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
		vitamin B12		enter text.		trouble breathing.	products that contain cyanocobalamin, vitamin B12, or hydroxocobalamin. 3. This may interfere with certain laboratory tests such as intrinsic factor and blood tests. 4. Anti-seizure medications can decrease the absorption of vitamin B12.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Emanuel Cabrera		Unit: South 6	Patient Initials: Click here to enter text.		Date: 1/18/2022	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> Click here to enter text.	<input type="text"/> here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.