Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
N/A	Isotonic ☐ Hypotonic ☐ Hypertonic ☐	N/A	N/A	N/A

Student Name: Miguel Alegre		**Unit:** SR1	**Patient Initials:** N/A		**Date:** 2/22/2022	**Allergies:** NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Correct Dose? If not, what is correct dose?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
(Olanzapine) Zyprexa	Atypical Antipsychotic	For Psychosis	20 mg PO daily nightly	Yes	N/A	Back pain, hypotension, diarrhea, bronchitis, pharyngitis	1. Discontinue drug if there are swelling in the face, tongue, or throat 2. Notify HCP if you are feeling signs of hypotension 3. Monitor B/P and HR and drug trough 4. To continue to monitor labs, specifically LFTs and electrolytes
(Haloperidol) Haldol	MIsc. antipsychotic agents	For Psychosis	25 mg PO Twice daily	Yes	N/A	Muscle spasms in the neck, chest pain, shortness of breath, rigid muscles, high fever	1. Protect from injury, notify HCP of pink, red, cloudy urine 2. Learn correct techniques of administering Subcutaneous shots 3. Observe all needle sites daily for hematoma or inflammation 4. Have protamine sulfate for antipode
(Buspirone) Buspar	Misc. Anxiolytics	For Anxiety	5 mg PO Twice daily	Yes	N/A	Chest pain, shortness of breath, headache,	1. Taken consistently with/without food 2. Avoid OTC preparations, alcohol ingestion 3. Avoid activities that require alertness

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Miguel Alegre		**Unit:** SR1	**Patient Initials:** N/A		**Date:** 2/22/2022	**Allergies:** NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Correct Dose? If not, what is correct dose?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
						insomnia, feeling nervous/ excited	because drowsiness may occur 4. Not to discontinue the medication abruptly after long-term use
(Benztropine) Cogentin	Anticholinergic antiparkinson agent	For EPS	2 mg PO daily	Yes	N/A	Dry mouth, little or no urination, uncontrolled muscle movements, fast heartbeat, muscle weakness	1. Report urinary hesitancy/retention 2. Tabs may be crushed, mixed with food; may take the whole dose at bedtime if approved by HCP 3. Not to discontinue product abruptly 4. Use good oral hygiene
(Mirtazapine)Remeron	Tetracyclic antidepressants	For insomnia	7.5 mg PO nightly	Yes	N/A	Decreased need for sleep, blurred vision, tunnel vision, light-headed feeling, seizure	1. Therapeutic effects may take 2-3 weeks 2. Avoid alcohol, other CNS depressants without HCP approval 3. Infection: report flulike symptoms, other signs of infection 4. Not to crush, chew, break ODT product
(Omeprazole) Prilosec	Proton pump inhibitors	For GERD	20 mg PO nightly	Yes	N/A	Severe stomach pain, diarrhea, new or unusual pain in wrist, thigh, hip, or back, seizures,	1. Report severe diarrhea, black tarry stools, abdominal cramps/pain, 2. To avoid alcohol, salicylates, NSAIDs; may cause GI irritation 3. To take as directed, even if feeling

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Miguel Alegre		**Unit:** SR1	**Patient Initials:** N/A		**Date:** 2/22/2022	**Allergies:** NKDA	
Generic Name	**Pharmacologic Classification**	**Therapeutic Reason**	**Dose, Route & Schedule**	**Correct Dose? If not, what is correct dose?**	**IVP – List diluent solution, volume, and rate of administration** **IVPB – List concentration and rate of administration**	**Adverse Effects**	**Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)**
						kidney problems	better 4. Not to use OTC unless approved by HCP