

Student Name: Elizabeth Orosco Unit: _____

Pt. Initials: _____

Date: 3-1-22

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: NKDA

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Oxytocic Agents	Induce Labor/stimulate uterine contractions	n/a	Y N	n/a	Jaundice, slow heart rate, fast heart rate, fetal hypercapnia	1. Can cause neonatal seizures 2. Look out for fetal death 3. Monitor mom's blood pressure and heart rate 4. Do not use in a hyperactive/hypertonic uterus
Magnesium Sulfate	Antidysrhythmics/ Mineral	Electrolyte replacement	n/a	Y N	n/a	Confusion, dizziness, decreased reflexes, cramps	1. Can cause arrhythmias 2. Check blood pressure due to hypotension 3. Can cause respiratory depression so check rate 4. Tell patient to not get up alone to get help
Meperidine	Opioid	Opioid analgesic	n/a	Y N	n/a	Seizures, confusion, blurred vision, pruritis	1. Tell patient it can cause dizziness and to not get up alone 2. Check respiratory rate due to respiratory depression 3. Can cause involuntary muscle movements 4. Tell patient about possible hallucinations and to get help
Promethazine	Phenothiazine	Antiemetic, antihistamine	n/a	Y N	n/a	Bradycardia, dry mouth, nasal congestion, jaundice, fatigue	1. Can cause akathisia 2. Let the nurse know if you are having any issues breathing 3. Let nurse or hcp know if you have any rashes 4. Caution in asthma

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Newborn Medication Worksheet – Current Medications & PRN for Last 24 Hours

Allergies: _____

Calcium Gluconate	Calcium salts	Antacid, anti-hypermagnese mic	n/a	Y N	n/a	Irregular heartbeat, paresthesia, diaphoresis	<ol style="list-style-type: none"> 1. Keep patient in recumbent position for 30 minutes after administration to prevent dizziness 2. check serum calcium level 3. check regularly for any infiltration 4. Tell patient not to get up from bed and to ask for help
-------------------	---------------	--------------------------------	-----	--------	-----	---	---

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	Hemostatics /fat soluble	Vitamins	n/a	Y N	n/a	Cyanosis, dyspnea, flushing, pruritis	<ol style="list-style-type: none"> 2. Tell patient they may have taste alterations 2. Can cause cardiac/respiratory arrest 3. Protect from light 4. Avoid IM route if patients is bleeding or if they are in the 3rd trimester
Erythromycin Ophthalmic Ointment	Macrolides, ophthalmic	Treats eye infections	n/a	Y N	n/a	Redness of the eye, minor ocular reactions, hypersensitivity	<ol style="list-style-type: none"> 1. Do not let the tip of the applicator touch the eye 2. Avoid contamination 3. Can result in overgrowth in fungi 4. If lactating, use with caution
Engerix B	Viral Vaccines	Helps prevent hepatitis B	n/a	Y N	n/a	Hives, difficult breathing, burning eyes	<ol style="list-style-type: none"> 1. Do not receive if allergic to yeast 2. Do not give if you have multiple sclerosis 3. Do not receive if patient had life threatening reaction after the first shot 4. Let nurse/hcp know if you feel light headed

Student Name: Elizabeth Orosco Unit: _____

Pt. Initials: _____

Date: 3-1-22

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: NKDA

Hepatitis B Immune Globulin	Immune globulins	Prevent from hepatitis B	n/a	Y N	n/a	Chest tightness, anaphylaxis, myalgia, erythema, edema	1. Caution in IgA deficiency 2. Use in caution with bleeding disorders 3. Do not give IV 4. Separate live vaccines by 3 months
				Y N			1. 2. 3. 4.