

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Rachel Myers		Unit: PEDI	Patient Initials: Click here to enter text.		Date: 3/22/2022	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Albumin 25%	Plasma expander	Replenish Low albumin levels	18.125g IVPB once	0.5g-1g/kg/dose	25g/100mL at a rate of 72.5mL/hr	N/V, fever, chills, tachycardia, rash, lightheadedness, weak/shallow breathing, headache, anxiety, cough with foamy mucus	1. DO NOT administer faster than 1mL/minute 2. Monitor for signs and symptoms of anaphylaxis (rash, SOB, itching, swelling of hands/face/mouth) 3. Monitor for signs and symptoms of hypervolemia (headache, chest pain, bulging jugular veins) 4. Administer with caution in patients with renal or hepatic impairment
Famotidine	H2 antagonist	Decreases the amount of stomach acid produced	9.4mg IV syringe Q12 hrs	Maximum dose: 40 mg/day	/mL at a rate of 56.4 mL/hr	Headache, dizziness, constipation, diarrhea, unusual tiredness, dark colored urine	1. Do not administer this medication with acid reducers 2. Use with caution in patients with kidney impairment 3. Administer this medication at a separate time from PO meds unless otherwise instructed 4. Monitor for signs of an allergic reaction

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Rachel Myers		Unit: PEDI	Patient Initials: Click here to enter text.		Date: 3/22/2022	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Methylprednisolone sodium succinate	Glucocorticoids	Treat many inflammatory conditions	18.8mg IV syringe Q12 hrs	<input type="text"/> g/mL diluted with 0.5-1mg/kg/dose would be 18.1mg maximum	<input type="text"/> g/mL diluted with normal saline over 1-5 minutes	SOB, swelling, rapid weight gain, N/V, tarry/bloody stools, hypokalemia, muscle pain/weakness, headache	<ol style="list-style-type: none"> 1. Teach the patient and family that this medication can cause a weakened immune system 2. Teach the parents that the patient should not receive live vaccines while taking this medication 3. Administer this medication with caution in patient's with CHF 4. Monitor for signs and symptoms of hypoglycemia
Furosemide	Loop diuretic	Prevents your body from absorbing too much salt and treats fluid retention	18.1mg IVP once	<input type="text"/> g/mL diluted in 1mg/kg	<input type="text"/> g/mL diluted in normal saline no faster than 0.5mg/kg/min	Irreversible hearing loss, tinnitus, easy bruising, chills, painful/difficult urination, dizziness, hyperglycemia, headache	<ol style="list-style-type: none"> 1. Administer this medication after the prescribed albumin 2. Teach the patient and family that getting up or changing positions too quickly can cause dizziness 3. Monitor for hypokalemia 4. Use with caution in patients with kidney or liver disease
Zinc oxide-cod liver oil-lanolin 40% paste	Miscellaneous topical agents	Treat diaper rash	1 application	<input type="text"/> Click here to enter text.	<input type="text"/>	Hives, itching, skin rash, worsening of diaper rash	<ol style="list-style-type: none"> 1. Keep out of reach of small children 2. Teach the parents to report worsening of the patient's diaper rash 3. Teach the parents to apply this cream

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Rachel Myers		Unit: PEDI	Patient Initials: Click here to enter text.		Date: 3/22/2022	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							with every diaper change 4. Teach the parents to use this cream after the diaper rash heals to prevent a relapse
There were no medications for my second patient	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Rachel Myers		Unit: PEDI	Patient Initials: Click here to enter text.		Date: 3/22/2022	Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input type="text"/> here to enter text. Click here to enter text.		Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Rachel Myers		Unit: PEDI	Patient Initials: Click here to enter text.		Date: 3/22/2022		Allergies: NKDA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Is med in therapeutic range? If not, why?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)	
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<div style="border: 1px solid black; width: 100px; height: 20px; margin-bottom: 5px;"></div> Click here to enter text.	<div style="border: 1px solid black; width: 100px; height: 20px; margin-bottom: 5px;"></div> here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.	