

Pediatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)		Check IVF Type		Rationale for IVF		Lab Values to Assess Related to IVF		Contraindications/Complications	
NONE		Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>							
Student Name: Meagan Britt		Unit: NICU		Patient Initials: Room 5		Date: 3/29/2022		Allergies: NKA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route, & Schedule	Is med in therapeutic range? If not, why?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)		
Caffeine Citrate (Cafcit)	Respiratory Stimulants	Respiratory Distress Syndrome (RDS)	0.95mL Oral (NG) Daily @ Noon	Yes, in therapeutic range.		Lethargy Severe Vomiting Abd Distension Bloody Stool	<ol style="list-style-type: none"> 1. Assess NG tube placement and patency before administering. 2. Infants being treated with Cafcit may develop necrotizing enterocolitis (condition where a portion of the bowel dies), consult Dr. about risks. 3. Give exactly as prescribed/dosed at the same time daily. (Weight specific dosing) 4. Do not use the liquid if it looks cloudy, has changed colors, or has particles in it. 		