

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Lactated Ringers 100ml/hr	Isotonic <input checked="" type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Replaces fluid and buffers pH	K+, Ca+	Watch for fluid overload

Student Name:		Unit:	Patient Initials:	Date:	Allergies:		
Leann		S7	K	3/29/2022	NKA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Clindamycin	Antibiotic	Bacterial infection	IVPB 900mg/ 50ml TID		900mg/ 50ml/hr	C-diff ass diarrhea	1. Report diarrhea, may be life threatening 2. Do not use with ulcerative colitis, can potentiate irritation 3. Caution with hepatic impariment can casue further liver damage 4. Report s/s of rash, N/V can be allergic rxn
Insulin Lispro. (Humalog) Rapid acting	Insulin	Hyperglycemia	Subq injection qid per slding scale			Rash or pruritus. Insulin resistance.	1. Assess blood glucose before injection for accurate dose to avoid hypoglycemia. 2. Know when insulin peaks so pt. can eat to avoid hypoglycemia 3. Rotate injection sites to avoid lyporhypertrophy 4. Sub q injection only for proper administration
Enoxaparin	Anti-coagulant	Prevent DVT: surgical patients,	Prefilled syringe 40mg			Injection site reaction Heparin induced	1. Caution with GI bleed or hx of ulcers can worsen/induce bleeds 2. .Report bleeding gums, nosebleeds,

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Leann		Unit: S7	Patient Initials: K	Date: 3/29/2022	Allergies: NKA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
		immobile patients, angina, STEMI, pulmonary embolus; Stroke prevention	once daily			thrombocytopenia (HIT)	blood in urine or stool this is an adverse rxn. 3. Report easy bruising this is an adverse rxn 4. Caution with renal pts- can cause renal failure
Vancomycin	Antibiotic	Bacterial infection	1250mg/NS/ 250ml/hr IVPB q8hrs		1250 mg/ns/ 250ml/hr	Redman syndrome, nephrotoxicity	1. Can cause red man syndrome- this is an adverse rxn 2. Report ringing of the ear this can cause ototoxicity w/ too rapid infusion 3. Report pain at the site to avoid infiltration 4. caution with positioning- use call light for assistance
Gabapentin	Anti-epileptic anti-convulsant	Neuropathy, seizures	200 mg po tid			Sedation	1. Do not take with alcohol can increase risk of injury 2. Do not abruptly stop can cause harm 3. Caution with breathing problems nc it can cause life threatening problems 4. Notify if changes in mood, can cause suicidal ideations.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Leann		Unit: S7	Patient Initials: K	Date: 3/29/2022	Allergies: NKA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Ketorolac (toradol)	NSAID	Pain releiver	IV, 15mg QID	<input type="text"/>	here to enter text.	Nephrotoxicity	<ol style="list-style-type: none"> 1. Caution with signs of bleeding can be inciation of nephrotoxicity. 2. DO not take with alcohol can increase the risk of stomach bleeding. 3. Caution with long term use (>5days) can increase adveres rxn w/o improved efficacy 4. Longer duration use can increase risk of serious cardiac complications
Piperacillin	Combinatio n	Bacterial infections	3.375/Ns/ 100ml q8hrs	<input type="text"/>	375g/ns/100ml/hr over 4 hrs incompatible with LR	Should not use if allergic to penicillin	<ol style="list-style-type: none"> 1. Report diarrhea can be c-diff 2. Caution with renal disorders can cause nephrotoxicity 3. Report signs of bleeding can be adverse rxn 4. Report pain at iv site to avoid infiltration
Famotidine	H2 blocker	Ulcer prevention GERD	120 mg po bid	<input type="text"/>		Caution with QT syndrome	<ol style="list-style-type: none"> 1. Caution with chest heartburn can be cinfused with heart attack 2. Caution with kidney pts can cause further kidney damage 3. Caution with liver pts, can cause hepatotoxicity 4. Caution with long QT syndrom canincrease risk of life threatening

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Leann		Unit: S7	Patient Initials: K	Date: 3/29/2022	Allergies: NKA		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							arrythmias
				[]			1. 2. 3. 4.
				[]			1. 2. 3. 4.
				[]			1. 2. 3. 4.
				[]			1. 2. 3. 4.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	[]	here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Leann		Unit: S7	Patient Initials: K		Date: 3/29/2022	Allergies: NKA	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	<input style="width: 100px; height: 20px;" type="text"/> Click here to enter text.	here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.