

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Oxytocin	Hormone	Promoting contractions and milk let down	Start 1 mu/min and increase every 15 min until desired dose	Y N	IVPB max 20 mu/min antepartum and 20-40 mu/min post-partum	Intracranial hemorrhage, cardiac arrhythmias, N/V, Uterine rupture	1. Continuous FHR monitor 2. Baseline FHR before admin 3. Stop if Tachysystole with Abnormal FHR 4. Start at low dose and increase slowly
Magnesium Sulfate	Anticonvulsant	Prevent seizures and preeclampsia	4 g in 250 ml NS	Y N	IVPB 4 g in 250 ml	Flaccid paralysis, Sweat, hypotension, complete heart block, respiratory paralysis	1. ensure resuscitation equipment is on hand 2. Report respiratory depression and other s/s of toxicity 3. monitor plasma magnesium levels 4. Strict I/O
Meperidine	Opiate	Control moderate-severe pain	50-100 mg IM/SQ	Y N		Allergic, respiratory depression, cardiac arrest, sedation	1. Call if you need to get up 2. report any issues breathing 3. don't stop abruptly 4. report any itching, swelling, or rash
Promethazine	Antiemetic	Help GI upset	PO/PR/IM/IV 12.5-25	Y N		Hypersensitivity, respiratory depression,	1. Use call light if need to get up 2. Report any s/s of hypersensitivity 3. report any issues breathing

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Newborn Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

			mg q4-6hr			blurred vision, sedation, dry mouth	4.frequent mouth rinse or swab for dry mouth
Calcium Gluconate	Water balance agent	hypocalcemia	4.5-16 meq prn IV	Y N	IVPB diluted in up to 1000 ml of NS	Tingling sensation, constipation, cardiac arrest, hypotension, bradycardia	1.report tingling sensation 2.report pain or burning at IV sight 3.Assess BP/HR before admin 4.Report constipation

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
	Isotonic/ Hypotonic/ Hypertonic			

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List solution to dilute and rate to push. IVPB - List mL/hr and time to give	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Phytonadione	Hormones	Promotes clotting factor and preventing prolong bleeds	2-25 mg IM/SQ	Y N		Hypersensitivity, cardiac arrest, fever, chills, respiratory arrest, bronchospasm	2. Report s/s of hypersensitivity 2.report difficulty breathing 3.Avoid increased vitamin K intake 4.obtain PT/INR before admin
Erythromycin Ophthalmic Ointment	antibiotic	Prevent or treat infections	0.5-1 cm ribbon of ointment	Y N		N/V, diarrhea, blurry vision post application, ototoxicity	1.your vision may be blurry post application 2.report diarrhea 3.report dizziness, vertigo, etc. 4.dont rub eyes

Student Name: _____

Unit: _____

Pt. Initials: _____

Date: _____

Maternal Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: _____

Engerix B	Hep-B vaccine	Prevent Hep B development	IM 10 mcg for adult and 5 mcg for child	Y N		Mild local tenderness, fever, malaise, fatigue, n/v, rash	1. May experience normal flu like symptoms 2. assess temp post admin 3. report any N/V 4. report rash or excess swell
Hepatitis B Immune Globulin	Anti-infective	Prevent Hep-B	IM 0.6 ml/kg	Y N		Muscle stiffness, pain, rash, leg cramps, fever, dizziness	1. Use call light to get up 2. report any rash or itching 3. may experience flu like symptoms 4. have epinephrin ready for hypersensitivity
				Y N			1. 2. 3. 4.