

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
Click here to enter text.	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	Click here to enter text.	Click here to enter text.	Click here to enter text.

Student Name: Lois Ann SItoy		Unit: HC5	Patient Initials:		Date: 5/31/2022	Allergies: Iodine	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Enoxaparin	Low-molecular weight (LMW) anticoagulant	Preventing or treating blood Clots	30mg/0.3mL Inj. QD			Heparin Induced Thrombocytopenia (HIT). Coagulation disorders or GI bleed history	1. Site of common for easy bruising, do not rub the site 2. Report bleeding gums 3. <100,000 platelets warrants a hold 4. Report blood in urine and or stool
Docusate Sodium	Laxatives	Constipation	100 mg cap PO BID			Electrolyte imbalance (Na, K & Mg)	1. Do not use in the presence of abd pain, nausea and vomiting. 2. May cause dependence (with excessive use). Do not take longer than 1 week. 3. Report watery stools 4. Swallow tablets whole, do not chew them.
Insulin degludec	Long acting antidiabetics	Control hyperglycemia	Inj. SubQ 34 units QD			Hypoglycemia, Rapid absorption, Insulin resistance	1. Inject daily at the same time 2. Do not rub the site after injection 3. Eat within 15 min. of administration 4. Make sure to rotate sides and avoid scars or tattoos.

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Lois Ann Sltoy		Unit: HC5	Patient Initials:	Date: 5/31/2022	Allergies: Iodine		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Almodipine	Calcium channel blockers	Hypertension	5mg tab PO QD	<input type="checkbox"/> Yes		Heart failure, hepatic impariment	<ol style="list-style-type: none"> 1. Avoid grapefruit juice. 2. Report constipation (may consider stool softener) 3. Increase dietary intake. 4. Report any difficulty breathing
Furosemide	Loop diuretic	Reduce fluid in the body edema or fluid retaining disorders	40mg Tab PO BID	<input type="checkbox"/>		Hypokalemia, hypernatremia, dehydration	<ol style="list-style-type: none"> 1. Take this med before 2-3 o'clock in the afternoon to avoid freq. urinaiton at night. 2. Increase dietary intake of K+ rich foods 3. Report muscle cramps 4. Report ringing in the ears
Allopurinol	Antigout agent	Reduces production of uric acid	100mg Tab PO QD	<input type="checkbox"/>		Hepatotoxicity, Cataracts, Foot drop	<ol style="list-style-type: none"> 1. When taken with amoxicilin or ampicillin, may increase risk of skin rash. 2. Take this med after meals to reduce stomach upset 3. Avoid larger amounts of ascrobic acid/ Vit. C to decrease uric acid 4. Report yellowing of the eyes and skin
Cholecalciferol	Vitamins	Helps body absorption of calcium & phosphorus	2,000 units PO QD	<input type="checkbox"/>		Hypercalcemia, Constipation	<ol style="list-style-type: none"> 1. Encourage increase intake of dairy foods or sunlight exposure for better absorption 2. Use only the recommended dose toxicity can happen 3. Report if experiencing increase thirst &

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Lois Ann Sltoy		Unit: HC5	Patient Initials:	Date: 5/31/2022	Allergies: Iodine		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							urination 4. Report bone pain or muscle weakness
Pantoprazole	Proton pump Inhibitors	Treat Peptic ulcers or GERD	40mg Tab PO QD			Acid hypersecretion, Generalized edema	1. Tablets cannot be crushed 2. Report liquid stools/ diarrhea 3. Report muscle cramps or tremor 4. Long term use may warrant replacement of Mg, Ca & B vitamins.
Atenolol	Beta-blockers	Lower blood pressure	25mg Tab PO QD			Cardiogenic shock, Sinus bradycardia, Pulmonary edema	1. Should be taken daily as prescribed, abrupt stop can cause withdrawals. 2. Keep a diary to monitor BP and to ensure medication is working well. 3. Report any visual disturbances 4. Get up slowly and use rails or hard surfaces to stabilize when dizziness occurs.
Duloxetine	Antidepressants	Treats depression and anxiety	30mg Cap PO QD			Suicidal thoughts, serotonin syndrome, insomnia	1. Increase fluid intake, this med can cause dry mouth 2. Report palpitations 3. Swallow capsule, do not chew or crush 4. Do not take 2 doses at the same time if missed.
Ezetimibe	Lipid	Reducing the amount of	10mg Tab			Cholelithiasis, hepatic	1. Report watery stools or diarrhea

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Lois Ann Sltoy		Unit: HC5	Patient Initials:	Date: 5/31/2022	Allergies: Iodine		
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
	lowering agent	cholesterol your body absorbs from your diet.	PO QD			impairment	2. Encourage low cholesterol or low fat diet and adequate exercise. 3. Report nausea/vomitting that doesn't stop 4. Report severe muscle pain/ tenderness or weakness
Gabapentin	Anticonvulsants, GABA analogs	Relieve nerve pain following shingles in adults	600mg Cap PO BID			Ataxia, Vision changes	1. Get up slowly and use rails or hard surfaces to stabilize when dizziness occurs. 2. Increase fiber intake, constipation is common in this med 3. Do not stop taking this med without consulting your doctor. 4. Avoid taking antacids, it may interrupt with the absorption or take it at least 2 hours after taking gabapentin
Methimazole	Antithyroid agents	Treats overactive thyroid	5mg Tab PO QD			Bone marrow suppression, hepatitis	1. Instruct patient to monitor weight 2-3 times weekly 2. Get up slowly and use rails or hard surfaces to stabilize when dizziness occurs. 3. Report sudden weakness, or ill feeling, fever, chills, sore throat, cold or flu symptoms

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Student Name: Lois Ann Sltoy		Unit: HC5	Patient Initials:		Date: 5/31/2022	Allergies: Iodine	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							4. Report painful mouth sores, pain when swallowing, red or swollen gums
Potassium Chloride	Electrolyte supplement	Treat or prevent low amounts of potassium in the blood	10meq, Tab PO BID		RENCE: MEDSCAPE.COM / DRUGS.COM	Arrhythmias, hyperkalemia	<ol style="list-style-type: none"> 1. To prevent stomach upset, take it with full glass of water. 2. Tell your doctor if your condition does not improve or if experiencing low potassium. For example irregular heartbeat and muscle weakness 3. Report watery stools or diarrhea 4. Report severe dizziness, make sure to get up slowly or hold on to hard surfaces to stabilize balance