

Adult/Geriatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
No primary IV fluid running	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>			

Student Name: Gabbi Bristow		Unit: S7	Patient Initials:		Date: 05/31/2022	Allergies: Penicillins	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Aspirin	antipyretic; analgesic (non-opioid); anti-inflammatory	mild/moderate pain, fever reducer	Chewable tablet 81 mg daily	yes	PO	dyspepsia, nausea, vomiting, abdominal pain, tinnitus, dizziness, hyperuricemia, bleeding, constipation, diarrhea, anaphylaxis, bronchospasm	1. monitor patient's liver, renal function tests, bowel sounds, CBC, urinalysis 2. give med with food or after meals if GI irritation 3. instruct pt to report ringing in ears, dizziness, confusion, abdominal pain, nausea/vomiting, bloody stools 4. monitor pt pain level/fever/CBC
Atorvastatin	Dyslipidemia: HMG-CoA Reductase Inhibitors (Statins)	lower LDL and raise HDL in the blood and lower triglycerides and treat the symptoms of high cholesterol and lower risk of	Tab 40 mg nightly	yes	PO	URI, headache, arthralgia, diarrhea, UTI, extremity pain, dyspepsia, nausea, musculoskeletal pain, muscle spasms, myalgia,	1. Monitor Cr and LFTs at baseline 2. Monitor for hyperkalemia 3. Monitor BG levels 4. Monitor liver function

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Gabbi Bristow		Unit: S7	Patient Initials:		Date: 05/31/2022	Allergies: Penicillins	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
		stroke				insomnia, DM, CK elevated	
Clonidine	antiadrenergic agents	lowers blood pressure; treats hypertension	Tab 0.1 mg BID	yes	PO	drowsiness, dizziness, fatigue, irritability, dry mouth, constipation, loss of appetite, insomnia, hypotension	<ol style="list-style-type: none"> 1. Report severe chest pain immediately 2. Obtain a current BP before administering this medication 3. Call before ambulating as this medication may cause dizziness 4. Do not discontinue abruptly; take at same times every day
Docusate-senna	Stool softener	Treats constipation; stool softener	50-8.6 mg per tab 2 tabs BID	yes	PO	abd cramping/pain, nausea, diarrhea, weakness, discoloration of urin (red/brown)	<ol style="list-style-type: none"> 1. Take medication with full glass of water 2. Medication may take 6-12 hours to go into effect 3. Report inability to have a bowel movement after taking the medication 4. Report rectal bleeding
Enoxaparin	Low-molecular-weight heparin	Anticoagulant prevent DVT (surgical, immobile, angina, STEMI, PE,; stroke prevention	40 mg/0.4 mL sub-q daily	yes	sub-q injection	Hemorrhage, fever, injection site reactions, heparin induced thrombocytopenia , major hemorrhage	<ol style="list-style-type: none"> 1. Report bleeding gums, nosebleeds, blood in urine/stool, easing bruising 2. Assess for Gi bleed or history of ulcers 3. Do not administer if Platelet count under 100 4. Teach pt not to rub area where medication was administered

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Gabbi Bristow		Unit: S7	Patient Initials:		Date: 05/31/2022	Allergies: Penicillins	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Famotidine	histamine-2 blocker	Decreases the amount of acid in the stomach to prevent ulcers	tab 20 mg BID	yes	PO	Headache, dizziness, constipation, diarrhea	<ol style="list-style-type: none"> 1. Report any chest pain immediately 2. Report confusion/hallucinations immediately 3. Call before ambulating as this medication may cause dizziness 4. Report any increased GI irritation
Gabapentin	anticonvulsants	treat partial seizures, nerve pain, and restless leg syndrome	cap 200 mg TID	yes	PO	Headaches, jerky movements, fever, chills, body aches, vision changes, swelling of lower extremities, tremors, difficulty speaking, dizziness/drowsiness, N/V, balance problems	<ol style="list-style-type: none"> 1. Call before ambulating as this medication may cause dizziness, or drowsiness 2. Avoid antacids two hours before taking this medication 3. Monitor respiratory rate and pattern 4. Report shortness of breath immediately
Potassium Chloride	Minerals	prevention and treatment of hypokalemia	tab 20-40 mEq daily PRN	yes	PO	N/V, confusion, cramps, diarrhea, cardiac dysrhythmias, oliguria	<ol style="list-style-type: none"> 1. Remain upright for 30 minutes after administration 2. Report hyperkalemia, lethargy, confusion, GI symptoms, fainting, decreased urinary output 3. Monitor IV infusions for extravasation (IV infusions may sting or burn) 4. Avoid OTC antacids, salt substitutes,

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Gabbi Bristow		Unit: S7	Patient Initials:		Date: 05/31/2022	Allergies: Penicillins	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
							analgesics, vitamins (unless directed by provider)
Quetiapine	antipsychotic	treat bipolar dishrder; manic depression treatment	Tab 25 mg BID	yes	PO	Speech impairment, dizziness/drowsiness, fatigue, heart palpitations, increased appetite/weight gain, upset stomach, vomiting, constipation, dry mouth	<ol style="list-style-type: none"> 1. Call before ambulating as this medication can cause dizziness/drowsiness 2. Caution when changing positions quickly 3. Report any worsening behavior or mood changes immediately 4. Monitor patient for mental changes and/or mood changes (depression, suicidal thoughts)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	<ol style="list-style-type: none"> 1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Gabbi Bristow		Unit: S7	Patient Initials:		Date: 05/31/2022	Allergies: Penicillins	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Choose an item. Click here to enter text.	Click here to enter text.	Click here to enter text.	1. Click here to enter text. 2. Click here to enter text. 3. Click here to enter text. 4. Click here to enter text.