

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
INT	Isotonic <input type="checkbox"/> Hypotonic <input type="checkbox"/> Hypertonic <input type="checkbox"/>	INT	INT	INT

Student Name: Brooke Rinehart	Unit: S6	Patient Initials:	Date: 5/31/2022	Allergies: Ciprofloxacin
---	--------------------	--------------------------	---------------------------	------------------------------------

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Aspirin	Antiplatelet agent	Helps prevent blood clots from forming	81mg PO BID	Yes	NA	-bronchospasm -CNS alteration -GI pain, ulceration, bleeding -hepatotoxicity -pulmonary edema	1. monitor for GI bleeding and/or ulcers 2. teach pt to take with food to 8-12 oz of water 3. monitor kidney function 4. report signs of tinnitus
Ceftriaxone	cephalosporin	To treat infections	1 g IVP daily	Yes	IVP: sterile water, 100mg/mL, give over 3-5 min	-c-diff -diarrhea -thrombocytosis -renal failure	1. monitor for diarrhea 2. report severe diarrhea 3. monitor kidney (BUN/Creat) and liver (AST/ALT) functions 4. report any signs of bleeding
Enoxaparin	anticoagulant	To decrease chance of blood clots	40mg sub-q daily	Yes	NA	Thrombocytopenia -heart failure -hematoma -hemorrhage -diarrhea	1. monitor plt count if <100 HOLD 2. report s/s of bleeding 3. use with caution when taking aspirin or NSAIDs 4. report signs of hypotension (cold/clamy)

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Rinehart		Unit: S6	Patient Initials:		Date: 5/31/2022	Allergies: Ciprofloxacin	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						-nausea	
Folic acid	Vitamins	To treat or prevent folic deficiencies	2mg PO daily	Choose an item. yes	NA	-bronchospasm -erythema -malaise -pruritus -rash -slight flushing	1. take at same time every day with a full glass of water and with or without food 2. report redness, rash, itching 3. only take exactly what is prescribed by your doctor do NOT take more than what your doctor prescribes you 4. report any difficulty breathing
Citalopram	Antidepressants	To treat depression	40mg PO nightly	Yes	NA	-dry mouth -nausea -somnolence -insomnia -xerostomia -increased sweating -tremor -N/V -tachycardia	1. Black Box: increases the risk of suicidal thinking and behavior 2. report any unusual bleeding 3. assess HR and heart sounds before giving this medication and if there is a fast HR and/or abnormal heart sounds HOLD this medication 4. take with or without food, take at same time every day

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Rinehart		Unit: S6	Patient Initials:		Date: 5/31/2022	Allergies: Ciprofloxacin	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
Rosuvastatin	Lipid lowering agent	To help lower LDL and raise HDL	20mg PO nightly	Yes	NA	-myalgia -arthralgia -pharyngitis -HA -myalgia -nausea -constipation -dizziness -abdominal pain	1. Report any joint or muscle pain, tenderness or weakness 2. monitor LOC 3. monitor liver functions (AST/ALT) 4. avoid grapefruit juice
Gabapentin	Anticonvulsants	To help with restless leg syndrome	900mg PO nightly	Yes	NA	-anxiety -fatigue -dizziness -unsteadiness -shakiness	1. educate the patient to not crush, chew, or open this medication 2. educate the patient to not drive any heavy machinery after taking this medication 3. do not discontinue this medication abruptly 4. take this medication with 8-10oz of water
Hydrocodone-acetaminophen NORCO	Analgesic-narcotic	Relieve severe pain	7.5-325mg PO Q6H PRN	Yes	NA	-hypotension -peptic ulcers -hepatic necrosis -cardiac arrest	1. Black Box: addiction, abuse, and misuse 2. report difficulty breathing (monitor RR & BP) 3. report constipation 4. take this medication with or without

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Rinehart		Unit: S6	Patient Initials:		Date: 5/31/2022	Allergies: Ciprofloxacin	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						-hallucinations -respiratory depression -constipation	food
Ketorolac	NSAIDs	To relieve moderate to severe pain	15mg Inj Q6H PRN	Yes	NA	-HA -somnolence -dyspepsia -gi pain -nausea -diarrhea -dizziness -edema -drowsiness -hypertension	1. Black Box: increases the risk of cardiovascular events 2. assess blood pressure before giving 3. report any signs of unusual or excessive bleeding 4. take with a full glass of water and food
Levothyroxine	Thyroid products	To treat hypothyroidism	100mcg PO daily	Yes	NA	-increased pulse -MI -palpitations -angina -arrhythmias -cramping -diarrhea -insomnia -dyspnea	1. Black Box: do not use to treat obesity or for weight loss 2. take with a full glass of water 3. do not take with food take 1 hour BEFORE eating 4. report chest pain, irregular heart beats

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Rinehart		Unit: S6	Patient Initials:		Date: 5/31/2022	Allergies: Ciprofloxacin	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
						-tachycardai	
Methocarbamol	Skeletal muscle relaxants	To treat muscle spasms	500mg PO BID PRN	Yes	NA	-dizziness -blurred vision lightheadedness -hypotension -bradycardia -pruitus -gi upset -fever -nausea -drowsiness	1. do not take with other CNS depressants 2. may take with food to prevent GI upset 3. do not drink alcohol while on this medication 4. be cautious while operating a motor vehicle because this drug causes dizziness and drowsiness
Pantoprazole	Proton-pump inhibitor	To treat GERD	40mg PO daily	Yes	NA	-HA -abdominal pain -N/V -generalized edema -angina -diarrhea -constipation	1. educate patient to avoid alcohol while taking this medication 2. take 30 mins before food 3. swallow tablet whole, do not crush, chew or break the tablet 4. monitor for signs and symptoms of GERD and peptic ulcer disease

Adult/Geriatric Medication Worksheet – Current Medications & PRN for Last 24 Hours

Student Name: Brooke Rinehart		Unit: S6	Patient Initials:		Date: 5/31/2022	Allergies: Ciprofloxacin	
Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Correct Dose? If not, what is correct dose?	IVP – List diluent solution, volume, and rate of administration IVPB – List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
pramipexole	Antiparkinson agent	To treat restless leg syndrome	1.5mg PO nightly	Yes	NA	-somnolence -hallucinations -dizziness -postural hypotension -nausea -insomnia -dyskinesia	1. swallow whole do not crush, chew or divide 2. do not stop abruptly gradually stop over a course of a week with approval of your doctor 3. may cause sleep attacks so use with caution during activities where patient might fall asleep suddenly 4. monitor blood pressure when patient is changing positions
				Choose an item.			1. 2. 3. 4.