

Student Name: Anthony Hernandez Unit: CCH-PI Pt. initials: N/A Date: 5-31-22

GENERAL APPEARANCE	CARDIOVASCULAR	PSYCHOSOCIAL
Appearance: <input type="checkbox"/> Healthy/Well Nourished <input type="checkbox"/> Neat/Clean <input type="checkbox"/> Emaciated <input checked="" type="checkbox"/> Unkept Developmental age: <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Delayed	Pulse: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Strong <input type="checkbox"/> Weak <input type="checkbox"/> Thready <input type="checkbox"/> Murmur <input type="checkbox"/> Other _____ Edema: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Location _____ <input type="checkbox"/> 1+ <input type="checkbox"/> 2+ <input type="checkbox"/> 3+ <input type="checkbox"/> 4+ Capillary Refill: <input type="checkbox"/> < 2 sec <input checked="" type="checkbox"/> > 2 sec Pulses: Upper R <u>3+</u> L <u>3+</u> Lower R <u>3+</u> L <u>3+</u> 4+ Bounding 3+ Strong 2+ Weak 1+ Intermittent 0 None	Social Status: <input type="checkbox"/> Calm/Relaxed <input type="checkbox"/> Quiet <input type="checkbox"/> Friendly <input type="checkbox"/> Cooperative <input checked="" type="checkbox"/> Crying <input type="checkbox"/> Uncooperative <input type="checkbox"/> Restless <input type="checkbox"/> Withdrawn <input type="checkbox"/> Hostile/Anxious Social/emotional bonding with family: <input checked="" type="checkbox"/> Present <input type="checkbox"/> Absent
NEUROLOGICAL	ELIMINATION	IV ACCESS
LOC: <input checked="" type="checkbox"/> Alert <input type="checkbox"/> Confused <input type="checkbox"/> Restless <input checked="" type="checkbox"/> Sedated <input type="checkbox"/> Unresponsive Oriented to: <u>Disoriented</u> <input type="checkbox"/> Person <input type="checkbox"/> Place <input type="checkbox"/> Time/Event <input type="checkbox"/> Appropriate for Age Pupil Response: <input type="checkbox"/> Equal <input type="checkbox"/> Unequal <input checked="" type="checkbox"/> Reactive to Light <input type="checkbox"/> Size _____ Fontanel: (Pt < 2 years) <input type="checkbox"/> Soft <input type="checkbox"/> Flat <input type="checkbox"/> Bulging <input type="checkbox"/> Sunken <input checked="" type="checkbox"/> Closed Extremities: <input checked="" type="checkbox"/> Able to move all extremities <input type="checkbox"/> Symmetrically <input type="checkbox"/> Asymmetrically Grips: Right <u>S</u> Left <u>S</u> Pushes: Right <u>S</u> Left <u>S</u> S=Strong W=Weak N=None EVD Drain: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Level _____ Seizure Precautions: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <u>sedated became alert</u>	Urine Appearance: <u>yellow cloudy</u> Stool Appearance: _____ <input type="checkbox"/> Diarrhea <input type="checkbox"/> Constipation <input type="checkbox"/> Bloody <input type="checkbox"/> Colostomy	Site: <u>20</u> <input checked="" type="checkbox"/> INT <input type="checkbox"/> None <input type="checkbox"/> Central Line Type/Location: <u>(L) (R) 20g</u> Appearance: <input checked="" type="checkbox"/> No Redness/Swelling <input type="checkbox"/> Red <input type="checkbox"/> Swollen <input checked="" type="checkbox"/> Patent <input type="checkbox"/> Blood return Dressing Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Fluids: <u>DS NS 20 KCl @ 80</u> <u>ordered</u>
RESPIRATORY	GASTROINTESTINAL	SKIN
Respirations: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Irregular <input type="checkbox"/> Retractions (type) _____ <input type="checkbox"/> Labored Breath Sounds: Clear <input checked="" type="checkbox"/> Right <input checked="" type="checkbox"/> Left Crackles <input type="checkbox"/> Right <input type="checkbox"/> Left Wheezes <input type="checkbox"/> Right <input type="checkbox"/> Left Diminished <input type="checkbox"/> Right <input type="checkbox"/> Left Absent <input type="checkbox"/> Right <input type="checkbox"/> Left <input checked="" type="checkbox"/> Boom Air <input type="checkbox"/> Oxygen Oxygen Delivery: <input type="checkbox"/> Nasal Cannula: _____ L/min <input type="checkbox"/> BiPap/CPAP: _____ <input type="checkbox"/> Vent: ETT size _____ @ _____ cm <input type="checkbox"/> Other: _____ Trach: <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>extubated</u> Size <u>7.5</u> Type <u>23 @ teeth</u> Obturator at Bedside <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cough: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Productive <input checked="" type="checkbox"/> Nonproductive Secretions: Color _____ Consistency _____ Suction: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Type <u>well present</u> Pulse Ox Site <u>(L) thumb</u> Oxygen Saturation: <u>98</u>	Abdomen: <input checked="" type="checkbox"/> Soft <input type="checkbox"/> Firm <input type="checkbox"/> Flat <input type="checkbox"/> Distended <input type="checkbox"/> Guarded Bowel Sounds: <input checked="" type="checkbox"/> Present X <u>4</u> quads <input checked="" type="checkbox"/> Active <input type="checkbox"/> Hypo <input type="checkbox"/> Hyper <input type="checkbox"/> Absent Nausea: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Vomiting: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Passing Flatus: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Tube: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Type _____ Location _____ Inserted to _____ cm <input checked="" type="checkbox"/> Suction Type: _____	Color: <input checked="" type="checkbox"/> Pink <input type="checkbox"/> Flushed <input type="checkbox"/> Jaundiced <input type="checkbox"/> Cyanotic <input type="checkbox"/> Pale <input type="checkbox"/> Natural for Pt Condition: <input type="checkbox"/> Warm <input checked="" type="checkbox"/> Cool <input type="checkbox"/> Dry <input type="checkbox"/> Diaphoretic Turgor: <input checked="" type="checkbox"/> < 5 seconds <input type="checkbox"/> > 5 seconds Skin: <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Bruises <input type="checkbox"/> Lacerations <input type="checkbox"/> Tears <input type="checkbox"/> Rash <input type="checkbox"/> Skin Breakdown Location/Description: _____ Mucous Membranes: Color: <u>Pink</u> <input checked="" type="checkbox"/> Moist <input type="checkbox"/> Dry <input type="checkbox"/> Ulceration
NUTRITIONAL	MUSCULOSKELETAL	PAIN
Diet/Formula: <u>NPO</u> Amount/Schedule: _____ Chewing/Swallowing difficulties: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Pain <input type="checkbox"/> Joint Stiffness <input type="checkbox"/> Swelling <input checked="" type="checkbox"/> Contracted <input type="checkbox"/> Weakness <input checked="" type="checkbox"/> Cramping <input checked="" type="checkbox"/> Spasms <input type="checkbox"/> Tremors Movement: <input type="checkbox"/> RA <input type="checkbox"/> LA <input type="checkbox"/> RL <input type="checkbox"/> LL <input type="checkbox"/> All Brace/Appliances: <u>None</u> Type: _____	Scale Used: <input checked="" type="checkbox"/> Numeric <input type="checkbox"/> FLACC <input type="checkbox"/> Faces Location: _____ Type: _____ Pain Score: 0800 _____ 1200 _____ 1600 _____
MOBILITY	WOUND/INCISION	TUBES/DRAINS
<input type="checkbox"/> Ambulatory <input type="checkbox"/> Crawl <input type="checkbox"/> In Arms <input type="checkbox"/> Ambulatory with assist _____ Assistive Device: <input type="checkbox"/> Crutch <input type="checkbox"/> Walker <input type="checkbox"/> Brace <input type="checkbox"/> Wheelchair <input checked="" type="checkbox"/> Bedridden	<input checked="" type="checkbox"/> None Type: _____ Location: _____ Description: _____ Dressing: _____	<input checked="" type="checkbox"/> None <input type="checkbox"/> Drain/Tube Site: _____ Type: _____ Dressing: _____ Suction: _____ Drainage amount: _____ Drainage color: _____

Student Name: _____ Unit: _____ Pt. initials: _____ Date: _____

INTAKE/OUTPUT													
PO/Enteral Intake	07	08	09	10	11	12	13	14	15	16	17	18	Total
PO Intake													
Intake – PO Meds													
Enteral Tube Feeding			NPO										
Enteral Flush													
Free Water													
IV INTAKE	07	08	09	10	11	12	13	14	15	16	17	18	Total
IV Fluid	/	/	/	80	80	/	/	/	/	/	/	/	160
IV Meds/Flush	/	/	/	/	/	/	/	/	/	/	/	/	
OUTPUT	07	08	09	10	11	12	13	14	15	16	17	18	Total
Urine													
# of immeasurable													
Stool													
Urine/Stool mix													
Emesis													
Other													

Children's Hospital Early Warning Score (CHEWS)	
(See CHEWS Scoring and Escalation Algorithm to score each category)	
Behavior/Neuro	Circle the appropriate score for this category: 0 1 <u>2</u> 3
Cardiovascular	Circle the appropriate score for this category: <u>0</u> 1 2 3
Respiratory	Circle the appropriate score for this category: <u>0</u> 1 2 3
Staff Concern	<u>1 pt - Concerned</u>
Family Concern	<u>1 pt - Concerned or absent</u>
CHEWS Total Score	
CHEWS Total Score	Total Score (points) <u>3</u>
	Score 0-2 (Green) – Continue routine assessments
	Score 3-4 (Yellow) – Notify charge nurse or LIP, Discuss treatment plan with team, Consider higher level of care, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications
	Score 5-11 (Red) – Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation, Notify attending physician, Discuss treatment plan with team, Increase frequency of vital signs/CHEWS/assessments, Document interventions and notifications

CHEWS Scoring and Escalation Algorithm

	0	1	2	3
Behavior/Neuro	<ul style="list-style-type: none"> - Playing/sleeping appropriately OR - Alert, at patient's baseline 	<ul style="list-style-type: none"> - Sleepy, somnolent when not disturbed 	<ul style="list-style-type: none"> - Irritable, difficult to console OR - Increase in patient's baseline seizure activity 	<ul style="list-style-type: none"> - Lethargic, confused, floppy OR - Reduced response to pain OR - Prolonged or frequent seizures OR - Pupils asymmetrical or sluggish
Cardiovascular	<ul style="list-style-type: none"> - Skin tone appropriate for patient - Capillary refill ≤ 2 seconds 	<ul style="list-style-type: none"> - Pale OR - Capillary refill 3-4 seconds OR - Mild tachycardia OR - Intermittent ectopy or irregular HR (not new) 	<ul style="list-style-type: none"> - Grey OR - Capillary refill 4-5 seconds OR - Moderate tachycardia 	<ul style="list-style-type: none"> - Grey and mottled OR - Capillary refill > 5 seconds OR - Severe tachycardia OR - New onset bradycardia OR - New onset/increase in ectopy, irregular HR or heart block
Respiratory	<ul style="list-style-type: none"> - Within normal parameters - No retractions 	<ul style="list-style-type: none"> - Mild tachypnea/ increased WOB (flaring, retracting) OR - Up to 40% supplemental oxygen OR - Up to 1L NC $>$ patient's baseline need OR - Mild desaturations $<$ patient's baseline OR - Intermittent apnea self-resolving 	<ul style="list-style-type: none"> - Moderate tachypnea/ increased WOB (i.e. flaring, retracting, grunting, use of accessory muscles) OR - 40-60% oxygen via mask OR - 1-2 L NC $>$ patient's baseline need OR - Nebs Q 1-2 hour OR - Moderate desaturations $<$ patient's baseline OR - Apnea requiring repositioning or stimulation 	<ul style="list-style-type: none"> - Severe tachypnea OR - RR $<$ normal for age OR - Severe increased WOB (i.e. head bobbing, paradoxical breathing) OR - $> 60\%$ oxygen via mask OR - > 2 L NC more than patient's baseline need OR - Nebs Q 30 minutes – 1 hour OR - Severe desaturations $<$ patient's baseline OR - Apnea requiring interventions other than repositioning or stimulation
Staff Concern		<ul style="list-style-type: none"> - Concerned 		
Family Concern		<ul style="list-style-type: none"> - Concerned or absent 		

Green = Score 0-2	Yellow = Score 3-4	Red = Score 5-11
<ul style="list-style-type: none"> - Continue Routine Assessments 	<ul style="list-style-type: none"> - Notify charge nurse or LIP - Discuss treatment plan with team - Consider higher level of care - Increase frequency of vital signs / CHEWS / assessments - Document interventions and notifications 	<ul style="list-style-type: none"> - Activate Rapid Response Team or appropriate personnel per unit standard for bedside evaluation - Notify attending physician - Discuss treatment plan with team - Increase frequency of vital signs / CHEWS / assessments - Document interventions and notifications

A PEDIATRIC CODE CAN BE ACTIVATED AT ANYTIME BY ANYONE
Use SBAR communication

Reference: McLellan, M.C., et al., Validation of the Children's Hospital Early Warning System for Critical Deterioration Recognition, Journal of Pediatric Nursing (2016), <http://dx.doi.org/10.1016/j.pedn.2016.10.005>

IM5 (Pediatrics) Critical Thinking Worksheet

Patient Age: 15 years old Patient Weight: 95.5kg

Student Name:

Anthony Hernandez

Date: Click here to enter a date.

May 31, 2022

<p>1. Disease Process & Brief Pathophysiology (Identify Key Concepts to Your Patient and Include Reference):</p> <p>Epilepsy is an imbalance (neurologically) between excitation and inhibition. This balance is essential for normal brain function. When brain activity becomes abnormal effects are taken neurologically and CNS activity is comprised. Periods of unusual behaviors, sensation, and sometimes loss of awareness can occur. Epilepsy is a non-biased disorder and causes and symptoms can widely vary. If epilepsy is not treated early it can result in brain death.</p>	<p>2. Factors for the Development of the Disease/Acute Illness:</p> <ul style="list-style-type: none"> Genetic illness P Head trauma Brain abnormalities Infections such as meningitis, encephalitis, and HIV Developmental disorders (Autism) Elevated fever (long periods) P Nervous symptoms conditions Family history P 	<p>3. Signs and Symptoms:</p> <ul style="list-style-type: none"> Temporary confusion P Loss of consciousness or awareness P Stiff muscles P Uncontrolled jerking movements of arms and legs. P Staring spells Episodes of fear, anxiety or dizziness P Incontinence urination tongue biting hypoxia P
<p>4. Diagnostic Tests Pertinent or Confirming of Diagnosis:</p> <ul style="list-style-type: none"> neurological exam Blood test electroencephalogram (EEG) P CT Scan (of brain) looking @ possible tumors, bleeding, cysts fMRI positron emission tomography (PET) brain activity Neuropsychological Test P 	<p>5. Lab Values That May Be Affected:</p> <ul style="list-style-type: none"> Complete Blood Count P White blood cells Platelets P Hemoglobin P Hematocrit P Sodium Potassium 	<p>6. Current Treatment (Include Procedures):</p> <ul style="list-style-type: none"> medication (anti-epileptic) P epilepsy surgery Therapies <ul style="list-style-type: none"> - Vagus nerve stimulation - Ketogenic diet Deep brain stimulation Epileptic studies