

Student Name: Briana Narvaiz

Unit:

Pt. Initials: Date: 06/02/2022

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours

Allergies: NKDA

Primary IV Fluid and Infusion Rate (ml/hr)	Circle IVF Type	Rationale for IVF	Lab Values to Assess Related to IVF	Contraindications/Complications
D5NS+KCL 20mEq/L	Isotonic/ Hypotonic/ Hypertonic	Fluid replacement	CMP	Cerebral edema

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP - List diluent solution, volume, and rate of administration IVPB - List concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why?			
Acetaminophen	NSAID	Fever reducer, pain	480 mg Q6HR PO	y		HA, hepatotoxicity, nausea, vomiting, insomnia, rash, atelectasis	<ol style="list-style-type: none"> 1. Monitor for yellowing of the skin 2. Report any changes in sleep 3. I will teach the patient to take a stool softener due to constipation. 4. Monitor the respiratory rate
Ethosuximide (Zarotin)	Anti- epileptic	Treat seizures	250mg PO Once	y		Diarrhea, abdominal pain, weight loss, HA, drowsiness, dizziness, depression	<ol style="list-style-type: none"> 1. I will teach the patient to call if needing to get out of bed. 2. I will teach the patient to report any abdominal pain. 3. I will take the patients weight everyday same time, same scale. 4. Report any change in stool
Clonazepam (Klonopin)	Benzodiazepine	Enhancing activity of certain neurotransmitters in brain	1mg PO Once	y		Tachycardia, drowsiness, fatigue, dizziness, confusion, constipation,	<ol style="list-style-type: none"> 1. Call if wanting to get out of bed 2. I will teach the patient to take a stool softener due to constipation. 3. Monitor heart rate 4. Assess LOC
Famotidine	Histamine- 2 (H2) Blockers	Decrease amount of acid the stomach produces	20mg Q12HR PO	Y		HA, dizziness, constipation, diarrhea, taste changes,	<ol style="list-style-type: none"> 1. I will teach the patient to call if needing to get out of bed. 2. Report watery diarrhea.

						arrhythmias	3. I will teach the patient to take a stool softener due to constipation. 4. I will teach the patient to get plenty of rest.
							1. 2. 3. 4.

Adopted: August 2016

Student Name: _____ Unit: _____ Pt. Initials: _____ Date: _____

Pediatric Medication Worksheet - Current Medications & PRN for Last 24 Hours **Allergies:**NKDA pt. 2

Generic Name	Pharmacologic Classification	Therapeutic Reason	Dose, Route & Schedule	Therapeutic Range?	IVP - List solution to dilute and rate to push. IVPB - concentration and rate of administration	Adverse Effects	Appropriate Nursing Assessment, Teaching, Interventions (Precautions/Contraindications, Etc.)
				Is med in therapeutic range?			
				If not, why ?			
Cefazolin	Cephalosporin	Antibiotic	1,600mg IV Q8HR	Y	IVPB Sterile water 32mL/hr	HA, abdominal pain, anorexia, nausea, vomiting, seizures, c. diff	1. I will teach the patient to report any abdominal pain. 2. I will teach the patient about importance of finishing full course of antibiotic. 3. I will tell the patient to report any watery diarrhea 4. I will have seizure precaution on standby in case of a seizure.
Famotidine	Histamine- 2 (H2) Blockers	Decrease amount of acid the stomach produces	20mg BID IVP	Y	NS 2-5 minutes	HA, dizziness, constipation, diarrhea, taste changes, arrhythmias	1. I will teach the patient to call if needing to get out of bed. 2. Report watery diarrhea. 3. I will teach the patient to take a stool softener due to constipation. 4. I will teach the patient to get plenty of rest.

Metronidazole	Amebicides	Antibiotic	500mg IV Q8HR	Y	IVPB NS 100mL/hr	Nausea, vomiting, HA, dizziness, thrombophlebitis, hepatic impairment	<ol style="list-style-type: none"> 1. Monitor IV site 2. Call if wanting to get out of bed 3. I will monitor for yellowing of the skin 4. I will teach the patient to get plenty of rest.
Neomycin- Bacitracin- Polymyxin	Topical antibiotic	Antibiotic	Ointment Topical TID	Y		Mild itching, rash, hearing loss, minor skin irritation	<ol style="list-style-type: none"> 1. I will monitor the skin for rashes or irritation 2. Report any changes in hearing 3. Monitor for skin breakdown 4. Report any swelling
Acetaminophen	NSAID	Fever reducer, pain	828.8mg Q4HR PO	Y		HA, hepatotoxicity, nausea, vomiting, insomnia, rash, atelectasis	<ol style="list-style-type: none"> 1. Monitor for yellowing of the skin 2. Report any changes in sleep 3. I will teach the patient to take a stool softener due to constipation. 4. Monitor the respiratory rate

Adopted: August 2016