




FHM Strip Interpretation # 1

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contraction Frequency: Uterine Contraction Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III




FHM Strip Interpretation # 2

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contraction Frequency: Uterine Contraction Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III




FHM Strip Interpretation # 3

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contraction Frequency: Uterine Contraction Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III




FHM Strip Interpretation # 4

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contraction Frequency: Uterine Contraction Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III




FHM Strip Interpretation # 5

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contraction Frequency: Uterine Contraction Duration: Category: I II III
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	




FHM Strip Interpretation # 6

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Decelerations: Yes / No Type Deceleration: Early / Late / Variables / Prolonged Decel.	Uterine Contraction Frequency: Uterine Contraction Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III



FHM Strip Interpretation # 7

Baseline rate: Variability: Absent / Minimal / Moderate / Marked Accelerations Yes / No Reactive: Yes / No Declarations: Yes / No Type Declaration: Early / Late / Variables / Prolonged Decel.	Uterine Contraction Frequency: Uterine Contraction Duration:
Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD	Category: I II III



FHM Strip Interpretation # 8

Baseline rate:

Variability: Absent / Minimal / Moderate / Marked

Accelerations Yes / No Reactive: Yes / No

Decelerations: Yes / No Type Deceleration: Early / Late / Variables

Nursing Treatment: None / Observe / VE / Turn / O2 / Hydration / Pitocin Off / Notify MD

Uterine Contraction Frequency:

Uterine Contraction Duration:

Category: I II III

