

**Medications for Deltoid
injection Site**

**Medications for Ventro-gluteal
Injection Site**

**Medications for
Subcutaneous Injection**

NDC 0641-6125-25 **R only** Each mL contains morphine sulfate 4 mg, edetate disodium 0.2 mg, citric acid monohydrate 0.4 mg, sodium chloride to adjust isotonicity and Water for Injection. Hydrochloric acid and/or sodium hydroxide may be added to adjust pH. pH 2.5-4.0.

Morphine
Sulfate Injection, USP

4 mg/mL 

FOR SLOW IV, IM, or SubQ USE 

25 x 1 mL Single Dose Vials
Exp: 10/05/2025
Lot: 17025001 **DEMO ONLY**

Usual Dosage: See insert.
PROTECT FROM LIGHT.
Store at 20°-25°C (68°-77°F) [See USP Controlled Room Temperature], Avoid freezing.
NOTE: Do not use if color is darker than pale yellow, if it is discolored in any other way or if it contains a precipitate.

Adolescent/Adult Tdap

Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccine Adsorbed

Adacel® DEMO ONLY Rx only

0.5 mL Dose IM only

Sanofi Pasteur Limited

Lot: U0430AP
Exp: 05/31/2030



1 Dose Vial (0.5 mL/dose)

Pneumococcal Vaccine Polyvalent PNEUMOVAX²³

Do not use in children less than 2 years of age.

U.S. Govt. Lic. No. 2 Rx only

Inject 0.5 mL dose subcutaneously or intramuscularly. Store at 2-8°C (36-46°F).

Made and Distributed by **MERCK & CO., INC.** Whitehouse Station, NJ 08886, USA

Lot: 04232018
Exp: 2028
DEMO ONLY



2 mL Single-use vial NDC 0409-3414-18

Metoclopramide Inj., USP
10 mg/2 mL (5 mg/mL)

For I.V. or I.M. use. Rx only

DEMO ONLY

Lot: 04222019
Exp: 04/22/2030

Hospira

RL - 5011
Hospira, Inc., Lake Forest, IL 60045 USA



INSULIN LISPRO INJECTION, USP

10 mL 100 units/mL VIAL
NDC 55045-3602-01
PRODUCT # 9H0591

EACH mL CONTAINS:
100 UNITS OF INSULIN LISPRO (rDNA ORIGIN)
SEE BOX FOR COMPLETE INACTIVE INGREDIENTS

FOR SUBCUTANEOUS USE

LOT# SAMPLE EXP: 00-00 Rx # 26011798

RX ONLY DEMO ONLY

USE AS DIRECTED BY YOUR DOCTOR. SEE PACKAGE INSERT FOR INSTRUCTIONS AND WARNINGS. STORE IN REFRIGERATOR. DO NOT FREEZE.

Ref. Date: 9/12



Insulin lispro Inj
1 unit/0.1 mL



NDC 0088-2220-33

Lantus®
insulin glargine (rDNA origin) injection
100 units/mL (U-100)
10 mL Vial

Do not mix with other insulins for subcutaneous injection only. Use within 28 days after initial use.

sanofi-aventis U.S. LLC, Bridgewater, NJ 08807
Rx ONLY Origin Germany 50098133

<MAT>512767 DEMO ONLY

Lot: 20190729
Exp: 12/2028



Influenza Vaccine
Fluarix Intramuscular use only
 No Preservative
 1 Dose (0.5 mL)
 Lot: 04232018
 EXP: 2028
 DEMO ONLY

**Medication for
 Intradermal Site**

**Tuberculin Purified Protein
 Derivative (Mantoux)**
TUBERSOL® 5 mL (50 Tests)
 Test dose: 5 TU/0.1 mL ID.
 Protect from light.
 Discard opened product after 30 days.
 Sanofi Pasteur Limited
 EXP: 2028
 DEMO ONLY

**Ceftriaxone
 for Injection USP**
 For I.M. Administration: Reconstitute with 2.1 mL 1% Lidocaine Hydrochloride Injection (USP) or Sterile Water for Injection (USP). Each 1 mL of solution contains approximately 350 mg equivalent of ceftriaxone.
 NDC 10019-017-56
Lidocaine HCl Injection, USP 1% (10 mg/mL) Rx only
 FOR INFILTRATION AND NERVE BLOCK
 NOT FOR SPINAL OR EPIDURAL ANESTHESIA
 10 mL Multiple Dose Vial
Baxter **LEDERLE**
 Mfd. for Baxter Healthcare Corporation affiliate
 by: Elixo-Sino, Cherry Hill, NJ 08033 480-741-01
 Lot: 20181007
 Exp: XXXX
 DEMO ONLY

**Ceftriaxone
 for Injection, USP 500 mg**
 powder equivalent to 500 mg ceftriaxone.
 For I.M. Administration: Reconstitute with 1 mL 1% Lidocaine Hydrochloride Injection (USP) or Sterile Water for Injection (USP). Each 1 mL of solution contains approximately 350 mg equivalent of ceftriaxone.
 For I.V. Administration: See Package Insert
 Usual Dosage: See Package Insert
 For I.M. or I.V. Use
 Single Use Vial
 Lot: 09242018
 Exp: 10/31/2028
 DEMO ONLY

4 mL Single-dose
FUROSEMIDE
 Injection, USP Rx only
40 mg (10 mg/mL)
 Do not use if solution is discolored or contains particulate.
 RL-1881 (9/06)
 Hospira, Inc., Lake Forest, IL 60045 USA
 Hospira
 NDC 0409-6102-04
 For I.V. or I.M. use.
 Do not use if solution is discolored or contains particulate.
 Lot: 12201806
 Exp: 06/30/2025
 DEMO ONLY

2 mL Single-use Vial NDC 60505-6130-0
**Ondansetron
 Injection, USP 4 mg/2 mL (2 mg/mL)**
 For IM or IV Use Only
 Exp: 09/2028
 Mfd. by: Qilu Pharmaceutical (Hainan) Co., Ltd. Haikou, 570314, China
 Mfd. for: Apotex Corp. Weston, Florida, USA 33326
 34120001204B
 Rx Only
 DEMO ONLY

Insulin glargine 1 unit/0.01 mL
 10,000 Units/mL
 Single Use Vials (containing 1 mL)
 For Intravenous or Subcutaneous Use Only
 Sterile Solution - No Preservative
 Store at 2° to 8° C (36° to 46° F). Do Not Freeze or Shake.
 Manufactured by Amgen Manufacturing Limited, a subsidiary of Amgen Inc. Thousand Oaks, CA 91320-1700 U.S.A. U.S. License No. 1080
 Lot: 20181007
 Exp: XXXX
 DEMO ONLY

HEPARIN Sodium Injection, USP
 2,000 USP units/2 mL (1,000 USP units/mL)
 Preservative-Free Single Dose Vial Rx only
 For subcutaneous or intravenous use.
 Discard unused portion
 Derived from porcine intestinal tissue
 Distributed by Pfizer Labs Division of Pfizer Inc NY, NY 10017
 NDC 0069-0043-02
 Lot: 04232018
 Exp: 2028
 DEMO ONLY

Enoxaparin Sodium Injection Rx only
 40 mg/0.4 mL (100 mg/mL)
 For Subcutaneous Injection 0.4 mL Syringe
 Mfd. for Sandoz Inc., Princeton, NJ 08540
 Lot: 04232018
 Exp: 2030
 DEMO ONLY

Use these medication labels when practicing intramuscular, subcutaneous, and intradermal delivery of medications in the simulation center. Use the sodium chloride vial provided for you in your bag of supplies as your medication vial. The healthcare provider orders and eMARs you received as an email attachment can be used to practice medication administration scenarios. There are several medications on the list not found in the HCP orders or eMARs that are strictly for additional practice.